Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN6: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 63.5 | (59.4 - 67.5) | 746 | 64.2 | (58.2 - 69.8) | 379 | 62.7 | (57.4 - 67.7) | 358 |
| Age | | | | | | | | | |
| 11 or younger | 54.4 | (46.1 - 62.5) | 189 | 50.6 | (38.1 - 62.9) | 85 | 58.4 | (48.4 - 67.7) | 103 |
| 12 | 67.9 | (61.1 - 74.0) | 308 | 68.8 | (59.1 - 77.1) | 159 | 67.4 | (56.8 - 76.5) | 144 |
| 13 | 66.3 | (57.3 - 74.3) | 200 | 68.5 | (56.5 - 78.4) | 106 | 63.0 | (52.0 - 72.8) | 92 |
| 14 or older | 61.6 | (50.6 - 71.6) | 47 | - | - | 28 | - | - | 19 |
| Grade | | | | | | | | | |
| 6th | 55.1 | (48.8 - 61.2) | 242 | 53.0 | (43.6 - 62.2) | 115 | 57.5 | (49.3 - 65.3) | 125 |
| 7th | 70.4 | (65.1 - 75.3) | 317 | 72.6 | (65.0 - 79.0) | 162 | 68.5 | (59.2 - 76.6) | 150 |
| 8th | 64.1 | (54.7 - 72.5) | 183 | 65.6 | (53.9 - 75.7) | 99 | 61.8 | (51.1 - 71.4) | 83 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 78.8 | (68.5 - 86.3) | 103 | 81.8 | (69.0 - 90.1) | 56 | 74.9 | (56.6 - 87.2) | 47 |
| Hispanic/Latino | 62.0 | (49.0 - 73.5) | 77 | 63.4 | (44.9 - 78.7) | 32 | 62.3 | (45.8 - 76.4) | 44 |
| White* | 60.6 | (54.9 - 66.1) | 404 | 60.7 | (52.5 - 68.3) | 200 | 60.5 | (53.4 - 67.1) | 201 |
| All other races* | 43.1 | (26.4 - 61.6) | 37 | - | - | 24 | - | - | 12 |
| Multiple races* | 74.5 | (59.2 - 85.5) | 51 | - | - | 24 | - | - | 26 |

Note: 146 students were excluded from this analysis.

*Non-Hispanic.

1

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN7: Percentage of students who rarely or never wore a helmet when rollerblading or skateboarding (among students who used rollerblades or rode a skateboard)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 60.5 | (54.1 - 66.5) | 443 | 62.0 | (53.7 - 69.7) | 193 | 60.1 | (52.0 - 67.6) | 244 |
| Age | | | | | | | | | |
| 11 or younger | 46.3 | (34.8 - 58.2) | 120 | 50.9 | (35.8 - 65.7) | 47 | 43.6 | (30.7 - 57.4) | 72 |
| 12 | 65.7 | (56.6 - 73.9) | 169 | 63.2 | (50.4 - 74.5) | 77 | 70.6 | (58.7 - 80.3) | 87 |
| 13 | 64.3 | (52.5 - 74.5) | 123 | 68.7 | (49.4 - 83.2) | 53 | 60.8 | (47.8 - 72.5) | 70 |
| 14 or older | 68.5 | (47.9 - 83.7) | 30 | - | - | 15 | - | - | 15 |
| Grade | | | | | | | | | |
| 6th | 50.4 | (42.1 - 58.7) | 152 | 54.9 | (44.7 - 64.6) | 63 | 46.8 | (35.4 - 58.7) | 87 |
| 7th | 66.3 | (56.6 - 74.7) | 172 | 62.7 | (49.6 - 74.2) | 78 | 71.2 | (59.6 - 80.4) | 91 |
| 8th | 65.4 | (51.9 - 76.8) | 116 | 68.6 | (49.2 - 83.1) | 50 | 62.9 | (49.4 - 74.7) | 66 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 81.5 | (64.4 - 91.4) | 46 | - | - | 22 | - | - | 24 |
| Hispanic/Latino | 61.7 | (46.4 - 75.0) | 43 | - | - | 13 | 64.3 | (45.5 - 79.6) | 30 |
| White* | 57.7 | (49.9 - 65.1) | 256 | 57.9 | (45.7 - 69.1) | 104 | 58.3 | (48.9 - 67.2) | 150 |
| All other races* | - | - | 22 | - | - | 13 | - | - | 8 |
| Multiple races* | 60.4 | (43.0 - 75.5) | 33 | - | - | 13 | - | - | 18 |

Note: 146 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 27.7 | (24.0 - 31.7) | 882 | 26.5 | (21.4 - 32.4) | 444 | 28.0 | (23.4 - 33.1) | 423 |
| Age | | | | | | | | | |
| 11 or younger | 23.8 | (17.9 - 30.9) | 224 | 21.0 | (13.5 - 31.1) | 98 | 24.1 | (18.1 - 31.3) | 122 |
| 12 | 28.1 | (22.8 - 34.2) | 354 | 26.1 | (19.5 - 34.0) | 183 | 29.6 | (22.1 - 38.3) | 166 |
| 13 | 31.8 | (24.6 - 40.0) | 239 | 30.7 | (20.3 - 43.5) | 125 | 32.3 | (23.9 - 42.1) | 112 |
| 14 or older | 21.7 | (13.8 - 32.6) | 59 | 25.3 | (13.9 - 41.4) | 35 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 22.5 | (17.2 - 28.9) | 282 | 20.6 | (14.3 - 28.8) | 130 | 23.0 | (16.7 - 30.9) | 148 |
| 7th | 30.6 | (25.4 - 36.3) | 368 | 28.7 | (21.8 - 36.7) | 191 | 32.2 | (24.9 - 40.5) | 171 |
| 8th | 29.2 | (22.2 - 37.3) | 225 | 29.0 | (19.0 - 41.7) | 119 | 28.9 | (20.4 - 39.1) | 104 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 39.1 | (31.4 - 47.5) | 132 | 40.6 | (29.0 - 53.4) | 64 | 37.6 | (26.9 - 49.7) | 68 |
| Hispanic/Latino | 26.9 | (17.9 - 38.3) | 90 | 21.4 | (11.0 - 37.6) | 38 | 28.0 | (17.6 - 41.5) | 50 |
| White* | 22.9 | (18.7 - 27.7) | 462 | 20.5 | (14.4 - 28.4) | 228 | 25.5 | (20.0 - 31.8) | 230 |
| All other races* | 30.5 | (17.2 - 48.1) | 43 | - | - | 27 | - | - | 15 |
| Multiple races* | 33.3 | (21.4 - 48.0) | 62 | 33.0 | (16.2 - 55.6) | 31 | - | - | 29 |

Note: 10 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN9: Percentage of students who ever rode with a driver who had been drinking alcohol (in a car)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.7 | (17.3 - 22.4) | 863 | 19.1 | (14.9 - 24.2) | 437 | 20.5 | (17.1 - 24.4) | 412 |
| Age | | | | | | | | | |
| 11 or younger | 17.4 | (13.1 - 22.8) | 220 | 15.8 | (10.0 - 23.9) | 96 | 19.3 | (14.2 - 25.6) | 121 |
| 12 | 19.1 | (15.1 - 23.8) | 345 | 19.7 | (14.4 - 26.5) | 182 | 17.8 | (13.0 - 23.8) | 158 |
| 13 | 18.9 | (14.5 - 24.3) | 233 | 18.2 | (10.8 - 29.0) | 121 | 20.1 | (13.5 - 28.8) | 110 |
| 14 or older | 30.1 | (20.6 - 41.8) | 60 | 25.5 | (13.1 - 43.8) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 18.6 | (15.0 - 22.7) | 278 | 16.9 | (11.7 - 23.7) | 129 | 20.1 | (16.0 - 25.0) | 145 |
| 7th | 19.9 | (15.9 - 24.7) | 360 | 21.4 | (15.1 - 29.4) | 190 | 18.5 | (13.8 - 24.2) | 164 |
| 8th | 20.4 | (15.3 - 26.7) | 220 | 18.6 | (10.2 - 31.7) | 115 | 22.9 | (15.4 - 32.5) | 103 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 16.0 | (11.1 - 22.5) | 127 | 12.7 | (5.9 - 25.4) | 63 | 19.5 | (11.9 - 30.3) | 64 |
| Hispanic/Latino | 19.1 | (11.3 - 30.4) | 89 | 24.0 | (11.9 - 42.6) | 38 | 16.2 | (8.2 - 29.7) | 49 |
| White* | 22.2 | (18.8 - 26.1) | 453 | 22.2 | (16.2 - 29.6) | 224 | 22.7 | (17.8 - 28.5) | 225 |
| All other races* | 12.9 | (4.8 - 30.2) | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 20.5 | (10.9 - 35.1) | 60 | 16.1 | (5.1 - 40.8) | 31 | - | - | 28 |

Note: 10 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN10: Percentage of students who were ever in a physical fight

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 46.5 | (41.9 - 51.1) | 877 | 57.9 | (52.5 - 63.2) | 444 | 34.1 | (28.6 - 40.1) | 421 |
| Age | | | | | | | | | |
| 11 or younger | 42.8 | (35.1 - 50.8) | 219 | 58.4 | (46.3 - 69.5) | 96 | 29.1 | (22.1 - 37.2) | 121 |
| 12 | 46.0 | (39.4 - 52.7) | 352 | 60.1 | (53.9 - 66.0) | 183 | 28.8 | (19.9 - 39.6) | 165 |
| 13 | 47.8 | (39.7 - 56.1) | 240 | 56.1 | (44.5 - 67.1) | 126 | 39.5 | (30.5 - 49.2) | 112 |
| 14 or older | 53.6 | (41.5 - 65.3) | 60 | 55.7 | (41.1 - 69.4) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 43.4 | (37.2 - 49.8) | 278 | 58.3 | (49.2 - 66.8) | 129 | 28.1 | (21.5 - 35.7) | 146 |
| 7th | 44.9 | (38.4 - 51.6) | 367 | 59.6 | (53.5 - 65.4) | 192 | 28.4 | (19.8 - 38.8) | 170 |
| 8th | 50.1 | (40.5 - 59.6) | 226 | 55.1 | (42.4 - 67.2) | 119 | 45.3 | (35.4 - 55.7) | 105 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 66.3 | (55.0 - 76.0) | 131 | 80.5 | (64.5 - 90.4) | 65 | 50.9 | (37.8 - 63.8) | 66 |
| Hispanic/Latino | 41.7 | (30.7 - 53.7) | 88 | 48.2 | (31.7 - 65.1) | 38 | 35.8 | (23.4 - 50.6) | 49 |
| White* | 37.7 | (32.7 - 42.9) | 459 | 50.1 | (43.0 - 57.1) | 225 | 25.1 | (19.0 - 32.3) | 230 |
| All other races* | 52.6 | (36.2 - 68.5) | 45 | - | - | 27 | - | - | 17 |
| Multiple races* | 70.8 | (54.1 - 83.3) | 61 | 80.2 | (57.3 - 92.4) | 31 | - | - | 29 |

Note: 15 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN11: Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 20.8 | (16.4 - 26.0) | 872 | 21.3 | (15.9 - 27.8) | 439 | 20.4 | (15.6 - 26.2) | 420 |
| Age | | | | | | | | | |
| 11 or younger | 16.7 | (10.8 - 24.7) | 219 | 20.0 | (11.3 - 32.7) | 96 | 13.4 | (7.8 - 22.1) | 121 |
| 12 | 17.2 | (12.6 - 23.2) | 353 | 16.2 | (11.2 - 22.9) | 181 | 18.3 | (12.6 - 25.7) | 167 |
| 13 | 25.4 | (17.0 - 36.2) | 234 | 22.9 | (13.7 - 35.8) | 123 | 28.0 | (17.8 - 41.0) | 109 |
| 14 or older | 29.2 | (17.2 - 45.1) | 60 | 34.1 | (15.8 - 58.7) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 15.2 | (10.3 - 21.7) | 281 | 17.3 | (10.5 - 27.1) | 129 | 13.0 | (8.4 - 19.5) | 148 |
| 7th | 18.9 | (13.5 - 26.0) | 360 | 17.6 | (11.6 - 25.8) | 187 | 19.7 | (13.7 - 27.4) | 168 |
| 8th | 27.8 | (18.6 - 39.2) | 225 | 27.9 | (17.2 - 41.8) | 119 | 28.3 | (17.7 - 41.9) | 104 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 34.4 | (25.8 - 44.2) | 129 | 42.4 | (29.9 - 56.0) | 63 | 25.8 | (15.6 - 39.6) | 66 |
| Hispanic/Latino | 28.4 | (18.1 - 41.6) | 86 | 22.4 | (11.7 - 38.7) | 38 | 31.6 | (17.6 - 49.9) | 47 |
| White* | 15.3 | (11.3 - 20.4) | 458 | 15.8 | (10.1 - 24.0) | 224 | 14.3 | (9.9 - 20.1) | 230 |
| All other races* | 25.4 | (12.1 - 45.7) | 45 | - | - | 27 | - | - | 17 |
| Multiple races* | 30.8 | (17.9 - 47.6) | 60 | 22.2 | (10.3 - 41.3) | 30 | - | - | 29 |

Note: 15 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN12: Percentage of students who were ever bullied on school property

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 45.2 | (41.0 - 49.5) | 882 | 38.2 | (32.9 - 43.7) | 447 | 52.6 | (46.6 - 58.4) | 421 |
| Age | | | | | | | | | |
| 11 or younger | 46.7 | (39.9 - 53.6) | 222 | 43.4 | (33.5 - 53.8) | 97 | 50.5 | (41.5 - 59.6) | 121 |
| 12 | 41.3 | (35.0 - 48.0) | 354 | 33.9 | (26.2 - 42.5) | 183 | 49.5 | (39.6 - 59.3) | 166 |
| 13 | 46.8 | (38.7 - 55.2) | 240 | 37.7 | (27.9 - 48.6) | 127 | 56.2 | (46.5 - 65.5) | 111 |
| 14 or older | 48.9 | (36.0 - 62.0) | 61 | 41.8 | (27.1 - 58.1) | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 44.4 | (37.8 - 51.3) | 281 | 39.6 | (32.1 - 47.6) | 130 | 49.3 | (39.0 - 59.6) | 147 |
| 7th | 40.4 | (33.8 - 47.4) | 369 | 33.1 | (24.9 - 42.4) | 192 | 48.4 | (38.4 - 58.5) | 171 |
| 8th | 50.9 | (42.8 - 58.9) | 225 | 42.3 | (31.7 - 53.7) | 120 | 59.8 | (51.1 - 68.0) | 103 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 41.5 | (31.6 - 52.2) | 130 | 31.8 | (22.2 - 43.2) | 64 | 52.1 | (37.1 - 66.7) | 66 |
| Hispanic/Latino | 40.1 | (32.5 - 48.3) | 89 | 33.7 | (21.1 - 49.0) | 38 | 44.4 | (33.5 - 55.9) | 49 |
| White* | 45.9 | (40.5 - 51.4) | 462 | 38.4 | (30.6 - 46.8) | 228 | 53.3 | (46.3 - 60.3) | 230 |
| All other races* | 36.5 | (24.3 - 50.9) | 44 | - | - | 27 | - | - | 16 |
| Multiple races* | 48.5 | (35.1 - 62.1) | 62 | 32.7 | (17.6 - 52.4) | 31 | - | - | 29 |

Note: 10 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN13: Percentage of students who were ever electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 30.6 | (26.8 - 34.6) | 880 | 25.1 | (20.0 - 31.0) | 443 | 36.1 | (30.6 - 41.9) | 424 |
| Age | | | | | | | | | |
| 11 or younger | 36.0 | (30.4 - 41.9) | 222 | 32.6 | (23.5 - 43.2) | 97 | 38.7 | (29.2 - 49.1) | 122 |
| 12 | 27.8 | (22.1 - 34.2) | 355 | 23.2 | (16.0 - 32.5) | 182 | 32.3 | (25.2 - 40.3) | 168 |
| 13 | 28.8 | (21.9 - 37.0) | 238 | 22.7 | (13.6 - 35.3) | 125 | 35.6 | (24.7 - 48.3) | 111 |
| 14 or older | 33.5 | (22.3 - 46.9) | 60 | 23.9 | (12.1 - 41.8) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 33.0 | (28.3 - 38.0) | 282 | 30.1 | (23.0 - 38.4) | 130 | 35.4 | (27.0 - 44.9) | 148 |
| 7th | 27.4 | (20.8 - 35.1) | 368 | 22.6 | (15.8 - 31.2) | 190 | 31.9 | (23.7 - 41.4) | 172 |
| 8th | 31.3 | (23.8 - 39.9) | 224 | 22.7 | (12.7 - 37.2) | 118 | 40.7 | (30.8 - 51.5) | 104 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 29.1 | (21.0 - 38.7) | 130 | 24.1 | (14.4 - 37.4) | 63 | 34.3 | (22.0 - 49.1) | 67 |
| Hispanic/Latino | 24.5 | (15.3 - 37.0) | 90 | 13.1 | (5.4 - 28.5) | 38 | 29.9 | (18.4 - 44.7) | 50 |
| White* | 31.6 | (25.9 - 37.9) | 462 | 27.1 | (19.2 - 36.8) | 227 | 35.5 | (28.6 - 43.1) | 231 |
| All other races* | 28.2 | (13.4 - 50.0) | 44 | - | - | 27 | - | - | 16 |
| Multiple races* | 37.7 | (23.4 - 54.4) | 61 | 31.6 | (17.2 - 50.8) | 31 | - | - | 29 |

Note: 10 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN14: Percentage of students who ever seriously thought about killing themselves

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 27.9 | (24.4 - 31.6) | 863 | 18.5 | (14.7 - 23.2) | 442 | 38.2 | (32.6 - 44.2) | 408 |
| Age | | | | | | | | | |
| 11 or younger | 29.8 | (22.1 - 38.8) | 218 | 27.6 | (16.4 - 42.6) | 95 | 31.7 | (25.6 - 38.4) | 120 |
| 12 | 26.0 | (21.7 - 30.8) | 343 | 18.3 | (13.1 - 24.9) | 181 | 34.3 | (27.9 - 41.3) | 157 |
| 13 | 28.5 | (22.5 - 35.4) | 237 | 13.2 | (8.2 - 20.8) | 127 | 46.0 | (35.4 - 57.0) | 108 |
| 14 or older | 26.6 | (15.2 - 42.3) | 60 | 15.1 | (6.9 - 29.9) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 27.4 | (21.2 - 34.7) | 276 | 26.4 | (17.7 - 37.3) | 128 | 28.4 | (22.7 - 34.9) | 145 |
| 7th | 26.3 | (21.1 - 32.3) | 356 | 15.2 | (10.5 - 21.5) | 190 | 38.7 | (31.6 - 46.3) | 160 |
| 8th | 29.0 | (23.6 - 35.0) | 225 | 14.0 | (9.6 - 20.0) | 120 | 47.3 | (35.9 - 58.9) | 103 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 30.0 | (21.4 - 40.2) | 130 | 19.8 | (11.6 - 31.7) | 64 | 41.0 | (29.9 - 53.2) | 66 |
| Hispanic/Latino | 22.8 | (16.7 - 30.3) | 86 | 8.5 | (3.3 - 20.2) | 37 | 33.5 | (23.8 - 45.0) | 48 |
| White* | 26.7 | (22.8 - 31.0) | 449 | 17.8 | (12.9 - 24.0) | 225 | 36.1 | (29.5 - 43.1) | 220 |
| All other races* | 38.0 | (22.8 - 56.0) | 43 | - | - | 27 | - | - | 15 |
| Multiple races* | 36.1 | (23.5 - 50.9) | 61 | 19.0 | (8.2 - 38.1) | 30 | - | - | 29 |

Note: 34 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN15: Percentage of students who ever made a plan about how they would kill themselves

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 20.5 | (17.9 - 23.3) | 858 | 14.2 | (10.7 - 18.7) | 443 | 27.7 | (23.1 - 32.8) | 404 |
| Age | | | | | | | | | |
| 11 or younger | 18.1 | (13.3 - 24.1) | 216 | 17.7 | (10.0 - 29.4) | 96 | 18.6 | (13.0 - 25.9) | 119 |
| 12 | 21.8 | (17.6 - 26.7) | 343 | 15.4 | (10.3 - 22.4) | 181 | 28.4 | (21.8 - 36.0) | 157 |
| 13 | 22.2 | (17.7 - 27.4) | 233 | 11.0 | (5.5 - 20.7) | 126 | 35.8 | (27.8 - 44.7) | 105 |
| 14 or older | 17.1 | (9.2 - 29.3) | 61 | 12.7 | (6.2 - 24.3) | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 18.4 | (14.2 - 23.5) | 277 | 17.3 | (10.8 - 26.5) | 129 | 19.3 | (13.6 - 26.6) | 145 |
| 7th | 21.0 | (16.4 - 26.4) | 352 | 13.4 | (8.9 - 19.6) | 189 | 29.6 | (21.7 - 38.9) | 158 |
| 8th | 22.0 | (18.1 - 26.5) | 223 | 12.3 | (7.0 - 20.6) | 120 | 34.2 | (27.3 - 41.9) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 23.4 | (16.4 - 32.1) | 130 | 16.1 | (9.1 - 26.7) | 65 | 31.5 | (20.7 - 44.6) | 65 |
| Hispanic/Latino | 18.4 | (12.2 - 26.8) | 84 | 7.0 | (2.3 - 19.7) | 37 | 26.9 | (17.9 - 38.3) | 47 |
| White* | 20.0 | (16.5 - 24.0) | 448 | 13.6 | (9.3 - 19.4) | 225 | 26.9 | (20.7 - 34.1) | 219 |
| All other races* | 29.0 | (17.7 - 43.7) | 43 | - | - | 27 | - | - | 15 |
| Multiple races* | 16.8 | (9.7 - 27.6) | 59 | 11.8 | (3.9 - 30.6) | 30 | - | - | 28 |

Note: 34 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN16: Percentage of students who ever tried to kill themselves

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.8 | (8.2 - 14.2) | 865 | 6.6 | (4.4 - 9.6) | 442 | 15.0 | (10.8 - 20.5) | 410 |
| Age | | | | | | | | | |
| 11 or younger | 9.3 | (5.4 - 15.5) | 221 | 8.1 | (3.4 - 18.0) | 96 | 9.6 | (5.4 - 16.3) | 122 |
| 12 | 12.3 | (8.7 - 17.2) | 344 | 7.4 | (4.1 - 12.8) | 180 | 16.6 | (10.8 - 24.7) | 159 |
| 13 | 10.0 | (6.3 - 15.6) | 236 | 4.9 | (2.2 - 10.2) | 127 | 16.2 | (9.4 - 26.5) | 107 |
| 14 or older | 13.1 | (5.2 - 29.2) | 59 | 6.4 | (2.2 - 17.1) | 36 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 8.8 | (5.3 - 14.1) | 281 | 8.0 | (3.8 - 15.9) | 129 | 8.7 | (4.7 - 15.3) | 148 |
| 7th | 12.2 | (7.9 - 18.2) | 356 | 5.3 | (3.0 - 9.2) | 189 | 19.0 | (11.8 - 29.3) | 161 |
| 8th | 11.0 | (6.9 - 17.1) | 223 | 5.7 | (3.1 - 10.3) | 120 | 17.7 | (10.2 - 28.9) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 15.5 | (10.6 - 22.1) | 130 | 14.0 | (7.9 - 23.6) | 65 | 17.2 | (10.1 - 27.7) | 65 |
| Hispanic/Latino | 13.5 | (7.7 - 22.7) | 88 | 3.2 | (0.5 - 19.0) | 37 | 17.6 | (9.1 - 31.4) | 49 |
| White* | 8.9 | (5.7 - 13.4) | 450 | 4.4 | (2.1 - 8.8) | 224 | 13.4 | (8.2 - 21.2) | 222 |
| All other races* | 10.7 | (3.7 - 27.3) | 43 | - | - | 27 | - | - | 15 |
| Multiple races* | 13.9 | (6.9 - 26.2) | 60 | 11.2 | (3.7 - 29.3) | 30 | - | - | 29 |

Note: 27 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN17: Percentage of students who ever tried cigarette smoking (even one or two puffs)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.5 | (7.4 - 12.3) | 861 | 8.6 | (5.9 - 12.2) | 436 | 10.2 | (6.9 - 14.9) | 412 |
| Age | | | | | | | | | |
| 11 or younger | 6.6 | (3.6 - 11.7) | 215 | 10.7 | (5.1 - 21.2) | 95 | 2.1 | (0.7 - 6.4) | 118 |
| 12 | 7.3 | (5.2 - 10.1) | 349 | 5.7 | (3.0 - 10.7) | 181 | 7.8 | (4.4 - 13.4) | 163 |
| 13 | 12.4 | (8.3 - 18.2) | 231 | 10.7 | (5.7 - 19.1) | 121 | 14.6 | (8.7 - 23.3) | 108 |
| 14 or older | 15.0 | (8.6 - 25.0) | 60 | 4.7 | (1.3 - 15.8) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 6.4 | (3.8 - 10.5) | 273 | 9.5 | (5.1 - 17.0) | 128 | 2.5 | (1.0 - 6.1) | 142 |
| 7th | 7.6 | (5.2 - 10.8) | 360 | 7.1 | (3.5 - 13.9) | 187 | 7.5 | (4.4 - 12.7) | 168 |
| 8th | 13.8 | (9.9 - 18.9) | 221 | 8.7 | (4.5 - 16.0) | 117 | 20.1 | (13.4 - 29.1) | 102 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 13.8 | (8.1 - 22.6) | 128 | 23.5 | (13.0 - 38.7) | 63 | 3.4 | (0.8 - 13.0) | 65 |
| Hispanic/Latino | 6.3 | (3.0 - 12.6) | 85 | 1.9 | (0.2 - 13.5) | 36 | 9.3 | (3.8 - 21.0) | 49 |
| White* | 8.3 | (6.1 - 11.2) | 452 | 5.3 | (2.9 - 9.5) | 225 | 11.2 | (7.2 - 16.9) | 223 |
| All other races* | 8.6 | (2.9 - 23.3) | 44 | - | - | 27 | - | - | 16 |
| Multiple races* | 14.4 | (6.1 - 30.2) | 60 | 7.1 | (1.6 - 26.2) | 30 | - | - | 28 |

Note: 27 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN18: Percentage of students who tried cigarette smoking for the first time before age 11 years (even one or two puffs)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.2 | (3.9 - 7.0) | 857 | 4.7 | (3.0 - 7.2) | 436 | 5.3 | (3.0 - 9.1) | 408 |
| Age | | | | | | | | | |
| 11 or younger | 5.1 | (2.8 - 9.0) | 215 | 8.6 | (4.4 - 16.2) | 96 | 1.1 | (0.3 - 4.1) | 117 |
| 12 | 4.5 | (2.7 - 7.4) | 344 | 2.9 | (1.2 - 6.8) | 179 | 5.0 | (2.4 - 10.2) | 160 |
| 13 | 5.2 | (2.7 - 10.0) | 232 | 4.0 | (1.5 - 10.4) | 122 | 6.7 | (2.6 - 16.4) | 108 |
| 14 or older | 7.2 | (2.6 - 18.2) | 60 | 2.1 | (0.3 - 12.7) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 4.8 | (2.9 - 7.8) | 273 | 7.9 | (4.5 - 13.6) | 129 | 0.9 | (0.2 - 3.4) | 141 |
| 7th | 4.7 | (2.8 - 7.7) | 356 | 3.4 | (1.3 - 8.5) | 186 | 5.5 | (2.6 - 11.1) | 165 |
| 8th | 5.6 | (3.1 - 10.0) | 221 | 2.6 | (0.9 - 7.5) | 117 | 9.2 | (4.4 - 18.5) | 102 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 8.8 | (5.0 - 15.1) | 127 | 16.7 | (9.4 - 27.9) | 63 | 0.0 | - | 64 |
| Hispanic/Latino | 1.1 | (0.2 - 8.0) | 84 | 0.0 | - | 36 | 1.9 | (0.3 - 13.3) | 48 |
| White* | 4.6 | (2.8 - 7.4) | 451 | 1.8 | (0.7 - 4.4) | 225 | 7.2 | (3.8 - 13.0) | 222 |
| All other races* | 4.8 | (1.1 - 18.0) | 44 | - | - | 27 | - | - | 16 |
| Multiple races* | 6.4 | (2.0 - 18.8) | 60 | 0.0 | - | 30 | - | - | 28 |

Note: 35 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN19: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.0 | (0.5 - 1.9) | 878 | 1.0 | (0.4 - 2.6) | 442 | 0.9 | (0.3 - 2.4) | 422 |
| Age | | | | | | | | | |
| 11 or younger | 0.8 | (0.2 - 3.2) | 220 | 0.8 | (0.1 - 5.3) | 95 | 0.0 | - | 122 |
| 12 | 1.1 | (0.4 - 3.1) | 355 | 0.8 | (0.1 - 5.5) | 184 | 1.6 | (0.5 - 4.9) | 166 |
| 13 | 0.9 | (0.2 - 3.4) | 236 | 0.8 | (0.1 - 5.0) | 123 | 1.0 | (0.1 - 7.0) | 111 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 0.7 | (0.2 - 2.8) | 278 | 1.5 | (0.4 - 5.5) | 128 | 0.0 | - | 147 |
| 7th | 0.7 | (0.2 - 2.2) | 368 | 0.0 | - | 191 | 1.6 | (0.5 - 4.8) | 171 |
| 8th | 1.2 | (0.4 - 3.5) | 224 | 1.5 | (0.4 - 5.6) | 118 | 1.0 | (0.1 - 6.3) | 104 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.1 | (1.1 - 8.5) | 131 | 6.0 | (2.2 - 15.3) | 64 | 0.0 | - | 67 |
| Hispanic/Latino | 0.8 | (0.1 - 6.1) | 87 | 0.0 | - | 37 | 1.5 | (0.2 - 10.5) | 49 |
| White* | 0.6 | (0.2 - 2.0) | 462 | 0.0 | - | 227 | 1.3 | (0.4 - 4.1) | 231 |
| All other races* | 0.0 | - | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 1.9 | (0.3 - 12.6) | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 35 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.0 | - | 878 | 0.0 | - | 442 | 0.0 | - | 422 |
| Age | | | | | | | | | |
| 11 or younger | 0.0 | - | 220 | 0.0 | - | 95 | 0.0 | - | 122 |
| 12 | 0.0 | - | 355 | 0.0 | - | 184 | 0.0 | - | 166 |
| 13 | 0.0 | - | 236 | 0.0 | - | 123 | 0.0 | - | 111 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 0.0 | - | 278 | 0.0 | - | 128 | 0.0 | - | 147 |
| 7th | 0.0 | - | 368 | 0.0 | - | 191 | 0.0 | - | 171 |
| 8th | 0.0 | - | 224 | 0.0 | - | 118 | 0.0 | - | 104 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.0 | - | 131 | 0.0 | - | 64 | 0.0 | - | 67 |
| Hispanic/Latino | 0.0 | - | 87 | 0.0 | - | 37 | 0.0 | - | 49 |
| White* | 0.0 | - | 462 | 0.0 | - | 227 | 0.0 | - | 231 |
| All other races* | 0.0 | - | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 0.0 | - | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 35 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.0 | - | 878 | 0.0 | - | 442 | 0.0 | - | 422 |
| Age | | | | | | | | | |
| 11 or younger | 0.0 | - | 220 | 0.0 | - | 95 | 0.0 | - | 122 |
| 12 | 0.0 | - | 355 | 0.0 | - | 184 | 0.0 | - | 166 |
| 13 | 0.0 | - | 236 | 0.0 | - | 123 | 0.0 | - | 111 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 0.0 | - | 278 | 0.0 | - | 128 | 0.0 | - | 147 |
| 7th | 0.0 | - | 368 | 0.0 | - | 191 | 0.0 | - | 171 |
| 8th | 0.0 | - | 224 | 0.0 | - | 118 | 0.0 | - | 104 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.0 | - | 131 | 0.0 | - | 64 | 0.0 | - | 67 |
| Hispanic/Latino | 0.0 | - | 87 | 0.0 | - | 37 | 0.0 | - | 49 |
| White* | 0.0 | - | 462 | 0.0 | - | 227 | 0.0 | - | 231 |
| All other races* | 0.0 | - | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 0.0 | - | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 35 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN21: Percentage of students who ever used an electronic vapor product

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.7 | (16.1 - 23.9) | 860 | 19.1 | (14.8 - 24.2) | 436 | 20.8 | (15.3 - 27.5) | 412 |
| Age | | | | | | | | | |
| 11 or younger | 17.9 | (13.2 - 23.9) | 216 | 23.9 | (16.2 - 33.9) | 95 | 12.7 | (8.6 - 18.6) | 120 |
| 12 | 15.5 | (11.1 - 21.2) | 349 | 14.2 | (8.2 - 23.5) | 180 | 16.8 | (11.9 - 23.2) | 164 |
| 13 | 24.5 | (16.9 - 34.1) | 228 | 23.4 | (15.4 - 33.9) | 121 | 26.2 | (16.0 - 39.9) | 105 |
| 14 or older | 22.7 | (12.1 - 38.6) | 61 | 9.4 | (3.8 - 21.3) | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 17.4 | (13.7 - 21.8) | 275 | 22.7 | (16.8 - 29.9) | 126 | 11.9 | (8.1 - 17.0) | 146 |
| 7th | 17.8 | (12.9 - 24.1) | 360 | 17.0 | (10.4 - 26.6) | 188 | 19.4 | (13.7 - 26.6) | 167 |
| 8th | 23.4 | (15.8 - 33.4) | 218 | 17.4 | (10.6 - 27.2) | 117 | 31.2 | (18.6 - 47.3) | 99 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 29.6 | (21.2 - 39.7) | 125 | 27.8 | (16.1 - 43.6) | 61 | 31.5 | (19.1 - 47.3) | 64 |
| Hispanic/Latino | 17.2 | (11.1 - 25.7) | 83 | 10.3 | (3.5 - 26.6) | 37 | 22.5 | (12.3 - 37.7) | 46 |
| White* | 16.6 | (12.8 - 21.2) | 457 | 15.8 | (11.4 - 21.4) | 225 | 17.7 | (12.4 - 24.7) | 228 |
| All other races* | 15.7 | (6.5 - 33.1) | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 19.7 | (11.4 - 31.8) | 58 | - | - | 29 | - | - | 28 |

Note: 32 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN22: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)

| Total | | Male | | | Female | | | |
|------------|---|--|---|--|---|--|--|--|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 8.5 | (6.1 - 11.7) | 864 | 6.3 | (4.3 - 9.1) | 439 | 10.9 | (6.9 - 16.7) | 412 |
| | | | | | | | | |
| 5.6 | (2.8 - 10.7) | 216 | 3.5 | (1.1 - 10.7) | 94 | 6.2 | (3.0 - 12.2) | 119 |
| 6.3 | (4.0 - 9.8) | 349 | 4.7 | (1.8 - 11.6) | 181 | 8.5 | (5.4 - 13.2) | 163 |
| 12.1 | (7.4 - 19.3) | 233 | 10.2 | (6.1 - 16.5) | 124 | 14.6 | (7.2 - 27.5) | 107 |
| 10.3 | (4.2 - 23.3) | 61 | 2.9 | (0.4 - 16.9) | 37 | - | - | 23 |
| | | | | | | | | |
| 6.4 | (3.9 - 10.3) | 276 | 7.1 | (3.2 - 15.1) | 126 | 5.5 | (2.9 - 10.1) | 146 |
| 6.3 | (4.2 - 9.5) | 360 | 4.3 | (2.0 - 8.8) | 190 | 9.0 | (5.6 - 14.1) | 165 |
| 12.0 | (7.0 - 19.9) | 221 | 7.2 | (4.0 - 12.6) | 118 | 18.0 | (8.9 - 33.1) | 101 |
| | | | | | | | | |
| 11.5 | (6.1 - 20.9) | 123 | 12.0 | (5.3 - 25.1) | 61 | 11.0 | (4.5 - 24.6) | 62 |
| 10.7 | (5.7 - 19.2) | 87 | 4.9 | (1.1 - 19.6) | 37 | 13.0 | (6.2 - 25.0) | 49 |
| 6.1 | (3.9 - 9.3) | 458 | 2.6 | (1.0 - 6.5) | 226 | 9.9 | (5.8 - 16.3) | 228 |
| 4.6 | (1.1 - 17.2) | 43 | - | - | 26 | - | - | 16 |
| 10.0 | (4.6 - 20.5) | 59 | - | - | 29 | - | - | 28 |
| | 8.5 5.6 6.3 12.1 10.3 6.4 6.3 12.0 11.5 10.7 6.1 4.6 | Percentage 95% confidence interval 8.5 (6.1 - 11.7) 5.6 (2.8 - 10.7) 6.3 (4.0 - 9.8) 12.1 (7.4 - 19.3) 10.3 (4.2 - 23.3) 6.4 (3.9 - 10.3) 6.3 (4.2 - 9.5) 12.0 (7.0 - 19.9) 11.5 (6.1 - 20.9) 10.7 (5.7 - 19.2) 6.1 (3.9 - 9.3) 4.6 (1.1 - 17.2) | Percentage 95% confidence interval N 8.5 (6.1 - 11.7) 864 5.6 (2.8 - 10.7) 216 6.3 (4.0 - 9.8) 349 12.1 (7.4 - 19.3) 233 10.3 (4.2 - 23.3) 61 6.4 (3.9 - 10.3) 276 6.3 (4.2 - 9.5) 360 12.0 (7.0 - 19.9) 221 11.5 (6.1 - 20.9) 123 10.7 (5.7 - 19.2) 87 6.1 (3.9 - 9.3) 458 4.6 (1.1 - 17.2) 43 | Percentage 95% confidence interval N Percentage 8.5 (6.1 - 11.7) 864 6.3 5.6 (2.8 - 10.7) 216 3.5 6.3 (4.0 - 9.8) 349 4.7 12.1 (7.4 - 19.3) 233 10.2 10.3 (4.2 - 23.3) 61 2.9 6.4 (3.9 - 10.3) 276 7.1 6.3 (4.2 - 9.5) 360 4.3 12.0 (7.0 - 19.9) 221 7.2 11.5 (6.1 - 20.9) 123 12.0 10.7 (5.7 - 19.2) 87 4.9 6.1 (3.9 - 9.3) 458 2.6 4.6 (1.1 - 17.2) 43 - | Percentage 95% confidence interval N Percentage confidence confidence interval 8.5 (6.1 - 11.7) 864 6.3 (4.3 - 9.1) 5.6 (2.8 - 10.7) 216 3.5 (1.1 - 10.7) 6.3 (4.0 - 9.8) 349 4.7 (1.8 - 11.6) 12.1 (7.4 - 19.3) 233 10.2 (6.1 - 16.5) 10.3 (4.2 - 23.3) 61 2.9 (0.4 - 16.9) 6.4 (3.9 - 10.3) 276 7.1 (3.2 - 15.1) 6.3 (4.2 - 9.5) 360 4.3 (2.0 - 8.8) 12.0 (7.0 - 19.9) 221 7.2 (4.0 - 12.6) 11.5 (6.1 - 20.9) 123 12.0 (5.3 - 25.1) 10.7 (5.7 - 19.2) 87 4.9 (1.1 - 19.6) 6.1 (3.9 - 9.3) 458 2.6 (1.0 - 6.5) 4.6 (1.1 - 17.2) 43 - - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N 8.5 (6.1 - 11.7) 864 6.3 (4.3 - 9.1) 439 5.6 (2.8 - 10.7) 216 3.5 (1.1 - 10.7) 94 6.3 (4.0 - 9.8) 349 4.7 (1.8 - 11.6) 181 12.1 (7.4 - 19.3) 233 10.2 (6.1 - 16.5) 124 10.3 (4.2 - 23.3) 61 2.9 (0.4 - 16.9) 37 6.4 (3.9 - 10.3) 276 7.1 (3.2 - 15.1) 126 6.3 (4.2 - 9.5) 360 4.3 (2.0 - 8.8) 190 12.0 (7.0 - 19.9) 221 7.2 (4.0 - 12.6) 118 11.5 (6.1 - 20.9) 123 12.0 (5.3 - 25.1) 61 10.7 (5.7 - 19.2) 87 4.9 (1.1 - 19.6) 37 6.1 (3.9 - 9.3) 458 2.6 (1.0 - 6.5) 226 4.6 <td< td=""><td>Percentage 95% confidence interval N Percentage 95% confidence confidence interval N Percentage 8.5 (6.1 - 11.7) 864 6.3 (4.3 - 9.1) 439 10.9 5.6 (2.8 - 10.7) 216 3.5 (1.1 - 10.7) 94 6.2 6.3 (4.0 - 9.8) 349 4.7 (1.8 - 11.6) 181 8.5 12.1 (7.4 - 19.3) 233 10.2 (6.1 - 16.5) 124 14.6 10.3 (4.2 - 23.3) 61 2.9 (0.4 - 16.9) 37 - 6.4 (3.9 - 10.3) 276 7.1 (3.2 - 15.1) 126 5.5 6.3 (4.2 - 9.5) 360 4.3 (2.0 - 8.8) 190 9.0 12.0 (7.0 - 19.9) 221 7.2 (4.0 - 12.6) 118 18.0 11.5 (6.1 - 20.9) 123 12.0 (5.3 - 25.1) 61 11.0 10.7 (5.7 - 19.2) 87 4.9 (1.1 - 19.6) 37</td><td>Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 8.5 (6.1 - 11.7) 864 6.3 (4.3 - 9.1) 439 10.9 (6.9 - 16.7) 5.6 (2.8 - 10.7) 216 3.5 (1.1 - 10.7) 94 6.2 (3.0 - 12.2) 6.3 (4.0 - 9.8) 349 4.7 (1.8 - 11.6) 181 8.5 (5.4 - 13.2) 12.1 (7.4 - 19.3) 233 10.2 (6.1 - 16.5) 124 14.6 (7.2 - 27.5) 10.3 (4.2 - 23.3) 61 2.9 (0.4 - 16.9) 37 - - 6.4 (3.9 - 10.3) 276 7.1 (3.2 - 15.1) 126 5.5 (2.9 - 10.1) 6.3 (4.2 - 9.5) 360 4.3 (2.0 - 8.8) 190 9.0 (5.6 - 14.1) 12.0 (7.0 - 19.9) 221 7.2 (4.0 - 12.6) 118 18.0 (8.9 - 33.1) 11.5 <t< td=""></t<></td></td<> | Percentage 95% confidence interval N Percentage 95% confidence confidence interval N Percentage 8.5 (6.1 - 11.7) 864 6.3 (4.3 - 9.1) 439 10.9 5.6 (2.8 - 10.7) 216 3.5 (1.1 - 10.7) 94 6.2 6.3 (4.0 - 9.8) 349 4.7 (1.8 - 11.6) 181 8.5 12.1 (7.4 - 19.3) 233 10.2 (6.1 - 16.5) 124 14.6 10.3 (4.2 - 23.3) 61 2.9 (0.4 - 16.9) 37 - 6.4 (3.9 - 10.3) 276 7.1 (3.2 - 15.1) 126 5.5 6.3 (4.2 - 9.5) 360 4.3 (2.0 - 8.8) 190 9.0 12.0 (7.0 - 19.9) 221 7.2 (4.0 - 12.6) 118 18.0 11.5 (6.1 - 20.9) 123 12.0 (5.3 - 25.1) 61 11.0 10.7 (5.7 - 19.2) 87 4.9 (1.1 - 19.6) 37 | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 8.5 (6.1 - 11.7) 864 6.3 (4.3 - 9.1) 439 10.9 (6.9 - 16.7) 5.6 (2.8 - 10.7) 216 3.5 (1.1 - 10.7) 94 6.2 (3.0 - 12.2) 6.3 (4.0 - 9.8) 349 4.7 (1.8 - 11.6) 181 8.5 (5.4 - 13.2) 12.1 (7.4 - 19.3) 233 10.2 (6.1 - 16.5) 124 14.6 (7.2 - 27.5) 10.3 (4.2 - 23.3) 61 2.9 (0.4 - 16.9) 37 - - 6.4 (3.9 - 10.3) 276 7.1 (3.2 - 15.1) 126 5.5 (2.9 - 10.1) 6.3 (4.2 - 9.5) 360 4.3 (2.0 - 8.8) 190 9.0 (5.6 - 14.1) 12.0 (7.0 - 19.9) 221 7.2 (4.0 - 12.6) 118 18.0 (8.9 - 33.1) 11.5 <t< td=""></t<> |

Note: 32 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.5 | (0.8 - 3.1) | 864 | 0.9 | (0.3 - 2.3) | 439 | 2.3 | (1.1 - 5.1) | 412 |
| Age | | | | | | | | | |
| 11 or younger | 0.3 | (0.0 - 2.1) | 216 | 0.0 | - | 94 | 0.5 | (0.1 - 3.7) | 119 |
| 12 | 1.8 | (0.8 - 4.0) | 349 | 1.3 | (0.3 - 5.7) | 181 | 2.4 | (0.9 - 6.3) | 163 |
| 13 | 1.9 | (0.7 - 5.4) | 233 | 1.2 | (0.3 - 4.4) | 124 | 2.8 | (0.9 - 8.0) | 107 |
| 14 or older | 2.6 | (0.7 - 9.8) | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 1.0 | (0.3 - 3.1) | 276 | 1.5 | (0.4 - 6.1) | 126 | 0.5 | (0.1 - 3.2) | 146 |
| 7th | 1.1 | (0.4 - 2.8) | 360 | 0.0 | - | 190 | 2.4 | (0.9 - 6.1) | 165 |
| 8th | 2.5 | (0.9 - 6.9) | 221 | 1.1 | (0.3 - 4.0) | 118 | 4.2 | (1.3 - 12.3) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.9 | (0.1 - 6.7) | 123 | 1.7 | (0.2 - 12.0) | 61 | 0.0 | - | 62 |
| Hispanic/Latino | 6.0 | (2.7 - 13.0) | 87 | 3.2 | (0.4 - 20.5) | 37 | 8.2 | (3.3 - 19.2) | 49 |
| White* | 1.3 | (0.5 - 3.2) | 458 | 0.3 | (0.0 - 2.6) | 226 | 2.3 | (0.7 - 6.7) | 228 |
| All other races* | 0.0 | - | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 2.1 | (0.3 - 14.2) | 59 | - | - | 29 | - | - | 28 |

Note: 32 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.4 | (0.6 - 3.0) | 864 | 0.9 | (0.3 - 2.3) | 439 | 2.0 | (0.8 - 4.9) | 412 |
| Age | | | | | | | | | |
| 11 or younger | 0.3 | (0.0 - 2.1) | 216 | 0.0 | - | 94 | 0.5 | (0.1 - 3.7) | 119 |
| 12 | 1.4 | (0.5 - 3.6) | 349 | 1.3 | (0.3 - 5.7) | 181 | 1.5 | (0.4 - 5.7) | 163 |
| 13 | 1.9 | (0.7 - 5.4) | 233 | 1.2 | (0.3 - 4.4) | 124 | 2.8 | (0.9 - 8.0) | 107 |
| 14 or older | 2.6 | (0.7 - 9.8) | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 1.0 | (0.3 - 3.1) | 276 | 1.5 | (0.4 - 6.1) | 126 | 0.5 | (0.1 - 3.2) | 146 |
| 7th | 0.7 | (0.2 - 2.6) | 360 | 0.0 | - | 190 | 1.5 | (0.4 - 5.7) | 165 |
| 8th | 2.5 | (0.9 - 6.9) | 221 | 1.1 | (0.3 - 4.0) | 118 | 4.2 | (1.3 - 12.3) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.9 | (0.1 - 6.7) | 123 | 1.7 | (0.2 - 12.0) | 61 | 0.0 | - | 62 |
| Hispanic/Latino | 5.2 | (2.1 - 12.2) | 87 | 3.2 | (0.4 - 20.5) | 37 | 6.8 | (2.4 - 17.6) | 49 |
| White* | 1.1 | (0.4 - 3.1) | 458 | 0.3 | (0.0 - 2.6) | 226 | 2.0 | (0.6 - 6.6) | 228 |
| All other races* | 0.0 | - | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 2.1 | (0.3 - 14.2) | 59 | - | - | 29 | - | - | 28 |

Note: 32 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN23: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)

| Total | | Male | | | Female | | | |
|------------|--|--|---|--|--|--|---|--|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 2.3 | (1.4 - 3.9) | 869 | 1.7 | (0.8 - 3.4) | 437 | 2.9 | (1.6 - 5.1) | 417 |
| | | | | | | | | |
| 2.4 | (0.9 - 5.8) | 217 | 1.0 | (0.1 - 6.7) | 92 | 2.8 | (1.1 - 6.6) | 121 |
| 2.5 | (1.1 - 5.5) | 353 | 1.3 | (0.3 - 5.6) | 182 | 3.9 | (1.7 - 8.9) | 166 |
| 1.7 | (0.5 - 4.9) | 232 | 2.5 | (0.9 - 6.9) | 123 | 0.8 | (0.1 - 5.3) | 107 |
| 4.0 | (1.0 - 14.6) | 61 | 2.0 | (0.3 - 12.5) | 37 | - | - | 23 |
| | | | | | | | | |
| 2.5 | (1.1 - 5.5) | 276 | 2.3 | (0.7 - 6.8) | 125 | 2.9 | (1.2 - 6.5) | 147 |
| 1.0 | (0.4 - 2.5) | 366 | 0.0 | - | 190 | 2.3 | (0.9 - 5.4) | 170 |
| 2.8 | (1.3 - 5.9) | 219 | 2.2 | (0.8 - 6.0) | 117 | 3.5 | (1.2 - 10.3) | 100 |
| | | | | | | | | |
| 3.7 | (1.1 - 11.4) | 125 | 4.8 | (1.5 - 14.4) | 62 | 2.4 | (0.3 - 14.5) | 63 |
| 2.3 | (0.6 - 8.7) | 87 | 0.0 | - | 37 | 4.1 | (1.0 - 15.4) | 48 |
| 1.8 | (0.8 - 4.1) | 460 | 0.7 | (0.2 - 3.0) | 225 | 3.0 | (1.3 - 6.7) | 231 |
| 0.0 | - | 42 | - | - | 25 | - | - | 16 |
| 4.9 | (1.6 - 14.3) | 62 | 0.0 | - | 31 | - | - | 29 |
| | 2.3 2.4 2.5 1.7 4.0 2.5 1.0 2.8 3.7 2.3 1.8 0.0 | Percentage 95% confidence interval 2.3 (1.4 - 3.9) 2.4 (0.9 - 5.8) 2.5 (1.1 - 5.5) 1.7 (0.5 - 4.9) 4.0 (1.0 - 14.6) 2.5 (1.1 - 5.5) 1.0 (0.4 - 2.5) 2.8 (1.3 - 5.9) 3.7 (1.1 - 11.4) 2.3 (0.6 - 8.7) 1.8 (0.8 - 4.1) 0.0 - | Percentage 95% N confidence interval 2.3 (1.4 - 3.9) 869 2.4 (0.9 - 5.8) 217 2.5 (1.1 - 5.5) 353 1.7 (0.5 - 4.9) 232 4.0 (1.0 - 14.6) 61 2.5 (1.1 - 5.5) 276 1.0 (0.4 - 2.5) 366 2.8 (1.3 - 5.9) 219 3.7 (1.1 - 11.4) 125 2.3 (0.6 - 8.7) 87 1.8 (0.8 - 4.1) 460 0.0 - 42 | Percentage 95% confidence interval N Percentage 2.3 (1.4 - 3.9) 869 1.7 2.4 (0.9 - 5.8) 217 1.0 2.5 (1.1 - 5.5) 353 1.3 1.7 (0.5 - 4.9) 232 2.5 4.0 (1.0 - 14.6) 61 2.0 2.5 (1.1 - 5.5) 276 2.3 1.0 (0.4 - 2.5) 366 0.0 2.8 (1.3 - 5.9) 219 2.2 3.7 (1.1 - 11.4) 125 4.8 2.3 (0.6 - 8.7) 87 0.0 1.8 (0.8 - 4.1) 460 0.7 0.0 - 42 - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval 2.3 (1.4 - 3.9) 869 1.7 (0.8 - 3.4) 2.4 (0.9 - 5.8) 217 1.0 (0.1 - 6.7) 2.5 (1.1 - 5.5) 353 1.3 (0.3 - 5.6) 1.7 (0.5 - 4.9) 232 2.5 (0.9 - 6.9) 4.0 (1.0 - 14.6) 61 2.0 (0.3 - 12.5) 2.5 (1.1 - 5.5) 276 2.3 (0.7 - 6.8) 1.0 (0.4 - 2.5) 366 0.0 - 2.8 (1.3 - 5.9) 219 2.2 (0.8 - 6.0) 3.7 (1.1 - 11.4) 125 4.8 (1.5 - 14.4) 2.3 (0.6 - 8.7) 87 0.0 - 1.8 (0.8 - 4.1) 460 0.7 (0.2 - 3.0) 0.0 - 42 - - - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N 2.3 (1.4 - 3.9) 869 1.7 (0.8 - 3.4) 437 2.4 (0.9 - 5.8) 217 1.0 (0.1 - 6.7) 92 2.5 (1.1 - 5.5) 353 1.3 (0.3 - 5.6) 182 1.7 (0.5 - 4.9) 232 2.5 (0.9 - 6.9) 123 4.0 (1.0 - 14.6) 61 2.0 (0.3 - 12.5) 37 2.5 (1.1 - 5.5) 276 2.3 (0.7 - 6.8) 125 1.0 (0.4 - 2.5) 366 0.0 - 190 2.8 (1.3 - 5.9) 219 2.2 (0.8 - 6.0) 117 3.7 (1.1 - 11.4) 125 4.8 (1.5 - 14.4) 62 2.3 (0.6 - 8.7) 87 0.0 - 37 1.8 (0.8 - 4.1) 460 0.7 (0.2 - 3.0) 225 0.0 - 42 <td< td=""><td>Percentage confidence interval 95% confidence interval N Percentage confidence confidence interval N Percentage confidence interval 2.3 (1.4 - 3.9) 869 1.7 (0.8 - 3.4) 437 2.9 2.4 (0.9 - 5.8) 217 1.0 (0.1 - 6.7) 92 2.8 2.5 (1.1 - 5.5) 353 1.3 (0.3 - 5.6) 182 3.9 1.7 (0.5 - 4.9) 232 2.5 (0.9 - 6.9) 123 0.8 4.0 (1.0 - 14.6) 61 2.0 (0.3 - 12.5) 37 - 2.5 (1.1 - 5.5) 276 2.3 (0.7 - 6.8) 125 2.9 1.0 (0.4 - 2.5) 366 0.0 - 190 2.3 2.8 (1.3 - 5.9) 219 2.2 (0.8 - 6.0) 117 3.5 3.7 (1.1 - 11.4) 125 4.8 (1.5 - 14.4) 62 2.4 2.3 (0.6 - 8.7) 87 0.0 - 37 4.1 <</td><td>Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 2.3 (1.4 - 3.9) 869 1.7 (0.8 - 3.4) 437 2.9 (1.6 - 5.1) 2.4 (0.9 - 5.8) 217 1.0 (0.1 - 6.7) 92 2.8 (1.1 - 6.6) 2.5 (1.1 - 5.5) 353 1.3 (0.3 - 5.6) 182 3.9 (1.7 - 8.9) 1.7 (0.5 - 4.9) 232 2.5 (0.9 - 6.9) 123 0.8 (0.1 - 5.3) 4.0 (1.0 - 14.6) 61 2.0 (0.3 - 12.5) 37 - - 2.5 (1.1 - 5.5) 276 2.3 (0.7 - 6.8) 125 2.9 (1.2 - 6.5) 1.0 (0.4 - 2.5) 366 0.0 - 190 2.3 (0.9 - 5.4) 2.8 (1.3 - 5.9) 219 2.2 (0.8 - 6.0) 117 3.5 (1.2 - 10.3) 3.7 (1.1 - 11.4) 12</td></td<> | Percentage confidence interval 95% confidence interval N Percentage confidence confidence interval N Percentage confidence interval 2.3 (1.4 - 3.9) 869 1.7 (0.8 - 3.4) 437 2.9 2.4 (0.9 - 5.8) 217 1.0 (0.1 - 6.7) 92 2.8 2.5 (1.1 - 5.5) 353 1.3 (0.3 - 5.6) 182 3.9 1.7 (0.5 - 4.9) 232 2.5 (0.9 - 6.9) 123 0.8 4.0 (1.0 - 14.6) 61 2.0 (0.3 - 12.5) 37 - 2.5 (1.1 - 5.5) 276 2.3 (0.7 - 6.8) 125 2.9 1.0 (0.4 - 2.5) 366 0.0 - 190 2.3 2.8 (1.3 - 5.9) 219 2.2 (0.8 - 6.0) 117 3.5 3.7 (1.1 - 11.4) 125 4.8 (1.5 - 14.4) 62 2.4 2.3 (0.6 - 8.7) 87 0.0 - 37 4.1 < | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 2.3 (1.4 - 3.9) 869 1.7 (0.8 - 3.4) 437 2.9 (1.6 - 5.1) 2.4 (0.9 - 5.8) 217 1.0 (0.1 - 6.7) 92 2.8 (1.1 - 6.6) 2.5 (1.1 - 5.5) 353 1.3 (0.3 - 5.6) 182 3.9 (1.7 - 8.9) 1.7 (0.5 - 4.9) 232 2.5 (0.9 - 6.9) 123 0.8 (0.1 - 5.3) 4.0 (1.0 - 14.6) 61 2.0 (0.3 - 12.5) 37 - - 2.5 (1.1 - 5.5) 276 2.3 (0.7 - 6.8) 125 2.9 (1.2 - 6.5) 1.0 (0.4 - 2.5) 366 0.0 - 190 2.3 (0.9 - 5.4) 2.8 (1.3 - 5.9) 219 2.2 (0.8 - 6.0) 117 3.5 (1.2 - 10.3) 3.7 (1.1 - 11.4) 12 |

Note: 23 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.2 | (0.0 - 0.7) | 869 | 0.2 | (0.0 - 1.4) | 437 | 0.2 | (0.0 - 1.1) | 417 |
| Age | | | | | | | | | |
| 11 or younger | 0.3 | (0.0 - 2.1) | 217 | 0.0 | - | 92 | 0.5 | (0.1 - 3.8) | 121 |
| 12 | 0.3 | (0.0 - 2.2) | 353 | 0.5 | (0.1 - 4.2) | 182 | 0.0 | - | 166 |
| 13 | 0.0 | - | 232 | 0.0 | - | 123 | 0.0 | - | 107 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 0.5 | (0.1 - 2.2) | 276 | 0.6 | (0.1 - 4.6) | 125 | 0.4 | (0.1 - 3.2) | 147 |
| 7th | 0.0 | - | 366 | 0.0 | _ | 190 | 0.0 | - | 170 |
| 8th | 0.0 | - | 219 | 0.0 | - | 117 | 0.0 | - | 100 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.0 | - | 125 | 0.0 | - | 62 | 0.0 | - | 63 |
| Hispanic/Latino | 1.1 | (0.1 - 7.7) | 87 | 0.0 | - | 37 | 2.0 | (0.3 - 13.5) | 48 |
| White* | 0.2 | (0.0 - 1.3) | 460 | 0.3 | (0.0 - 2.6) | 225 | 0.0 | - | 231 |
| All other races* | 0.0 | - | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 0.0 | - | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 23 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.2 | (0.0 - 0.7) | 869 | 0.2 | (0.0 - 1.4) | 437 | 0.2 | (0.0 - 1.1) | 417 |
| Age | | | | | | | | | |
| 11 or younger | 0.3 | (0.0 - 2.1) | 217 | 0.0 | - | 92 | 0.5 | (0.1 - 3.8) | 121 |
| 12 | 0.3 | (0.0 - 2.2) | 353 | 0.5 | (0.1 - 4.2) | 182 | 0.0 | - | 166 |
| 13 | 0.0 | - | 232 | 0.0 | - | 123 | 0.0 | - | 107 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 0.5 | (0.1 - 2.2) | 276 | 0.6 | (0.1 - 4.6) | 125 | 0.4 | (0.1 - 3.2) | 147 |
| 7th | 0.0 | - | 366 | 0.0 | - | 190 | 0.0 | - | 170 |
| 8th | 0.0 | - | 219 | 0.0 | - | 117 | 0.0 | - | 100 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.0 | - | 125 | 0.0 | - | 62 | 0.0 | - | 63 |
| Hispanic/Latino | 1.1 | (0.1 - 7.7) | 87 | 0.0 | - | 37 | 2.0 | (0.3 - 13.5) | 48 |
| White* | 0.2 | (0.0 - 1.3) | 460 | 0.3 | (0.0 - 2.6) | 225 | 0.0 | - | 231 |
| All other races* | 0.0 | - | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 0.0 | - | 62 | 0.0 | - | 31 | - | - | 29 |
| | | | | | | | | | |

Note: 23 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN24: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.5 | (0.9 - 2.5) | 867 | 1.1 | (0.5 - 2.5) | 437 | 1.8 | (0.9 - 3.4) | 416 |
| Age | | | | | | | | | |
| 11 or younger | 1.9 | (0.8 - 4.8) | 216 | 0.0 | - | 92 | 2.8 | (1.0 - 7.8) | 120 |
| 12 | 1.6 | (0.7 - 3.6) | 351 | 1.3 | (0.3 - 5.7) | 181 | 1.9 | (0.8 - 4.7) | 165 |
| 13 | 1.5 | (0.6 - 3.8) | 234 | 2.0 | (0.7 - 5.7) | 124 | 1.1 | (0.1 - 7.7) | 108 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 1.9 | (0.8 - 4.2) | 275 | 1.5 | (0.4 - 6.2) | 125 | 2.3 | (0.7 - 6.9) | 146 |
| 7th | 1.2 | (0.5 - 2.7) | 365 | 0.5 | (0.1 - 3.7) | 190 | 2.0 | (0.8 - 4.7) | 169 |
| 8th | 1.2 | (0.4 - 3.3) | 220 | 1.3 | (0.3 - 4.9) | 117 | 1.0 | (0.1 - 7.2) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 1.8 | (0.4 - 7.5) | 125 | 3.4 | (0.8 - 13.4) | 62 | 0.0 | - | 63 |
| Hispanic/Latino | 3.1 | (1.0 - 9.6) | 87 | 0.0 | - | 37 | 5.5 | (1.7 - 16.8) | 48 |
| White* | 1.3 | (0.6 - 2.8) | 459 | 0.3 | (0.0 - 2.6) | 224 | 2.2 | (0.9 - 5.4) | 231 |
| All other races* | 0.0 | - | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 1.9 | (0.3 - 12.6) | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 25 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.2 | (0.0 - 0.7) | 867 | 0.2 | (0.0 - 1.4) | 437 | 0.1 | (0.0 - 0.9) | 416 |
| Age | | | | | | | | | |
| 11 or younger | 0.0 | - | 216 | 0.0 | - | 92 | 0.0 | - | 120 |
| 12 | 0.5 | (0.1 - 2.0) | 351 | 0.6 | (0.1 - 4.2) | 181 | 0.4 | (0.1 - 2.4) | 165 |
| 13 | 0.0 | - | 234 | 0.0 | - | 124 | 0.0 | - | 108 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 0.3 | (0.0 - 2.2) | 275 | 0.6 | (0.1 - 4.6) | 125 | 0.0 | - | 146 |
| 7th | 0.2 | (0.0 - 1.2) | 365 | 0.0 | - | 190 | 0.4 | (0.1 - 2.4) | 169 |
| 8th | 0.0 | - | 220 | 0.0 | - | 117 | 0.0 | - | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.0 | - | 125 | 0.0 | - | 62 | 0.0 | - | 63 |
| Hispanic/Latino | 0.8 | (0.1 - 6.1) | 87 | 0.0 | - | 37 | 1.5 | (0.2 - 10.8) | 48 |
| White* | 0.2 | (0.0 - 1.3) | 459 | 0.3 | (0.0 - 2.6) | 224 | 0.0 | - | 231 |
| All other races* | 0.0 | - | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 0.0 | - | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 25 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.1 | (0.0 - 0.7) | 867 | 0.2 | (0.0 - 1.4) | 437 | 0.0 | - | 416 |
| Age | | | | | | | | | |
| 11 or younger | 0.0 | - | 216 | 0.0 | - | 92 | 0.0 | - | 120 |
| 12 | 0.3 | (0.0 - 2.2) | 351 | 0.6 | (0.1 - 4.2) | 181 | 0.0 | - | 165 |
| 13 | 0.0 | - | 234 | 0.0 | - | 124 | 0.0 | - | 108 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 0.3 | (0.0 - 2.2) | 275 | 0.6 | (0.1 - 4.6) | 125 | 0.0 | - | 146 |
| 7th | 0.0 | - | 365 | 0.0 | - | 190 | 0.0 | - | 169 |
| 8th | 0.0 | - | 220 | 0.0 | - | 117 | 0.0 | - | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.0 | - | 125 | 0.0 | - | 62 | 0.0 | - | 63 |
| Hispanic/Latino | 0.0 | - | 87 | 0.0 | - | 37 | 0.0 | - | 48 |
| White* | 0.2 | (0.0 - 1.3) | 459 | 0.3 | (0.0 - 2.6) | 224 | 0.0 | - | 231 |
| All other races* | 0.0 | - | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 0.0 | - | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 25 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.9 | (1.2 - 3.0) | 858 | 1.4 | (0.6 - 3.0) | 432 | 2.4 | (1.3 - 4.4) | 413 |
| Age | | | | | | | | | |
| 11 or younger | 2.4 | (1.1 - 5.1) | 213 | 0.9 | (0.1 - 5.6) | 91 | 2.8 | (1.0 - 7.9) | 119 |
| 12 | 2.0 | (0.9 - 4.0) | 349 | 1.3 | (0.3 - 5.7) | 181 | 2.8 | (1.2 - 6.2) | 163 |
| 13 | 1.8 | (0.7 - 4.4) | 230 | 1.5 | (0.4 - 5.5) | 120 | 2.1 | (0.5 - 8.2) | 108 |
| 14 or older | 0.0 | - | 61 | 0.0 | - | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 2.0 | (0.9 - 4.4) | 271 | 2.2 | (0.7 - 6.3) | 124 | 1.9 | (0.5 - 7.2) | 144 |
| 7th | 1.5 | (0.7 - 3.1) | 362 | 0.0 | - | 188 | 3.3 | (1.6 - 6.6) | 168 |
| 8th | 2.0 | (0.9 - 4.5) | 218 | 2.1 | (0.7 - 6.4) | 115 | 2.0 | (0.5 - 7.5) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.3 | (1.2 - 9.2) | 123 | 6.4 | (2.3 - 16.4) | 61 | 0.0 | - | 62 |
| Hispanic/Latino | 2.1 | (0.5 - 8.8) | 85 | 0.0 | - | 37 | 3.7 | (0.8 - 15.4) | 47 |
| White* | 1.9 | (1.0 - 3.6) | 457 | 0.3 | (0.0 - 2.6) | 223 | 3.5 | (1.7 - 7.1) | 230 |
| All other races* | 0.0 | - | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 1.9 | (0.3 - 12.6) | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 34 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.4 | (2.2 - 5.3) | 857 | 2.1 | (1.1 - 4.2) | 432 | 4.8 | (3.2 - 7.2) | 412 |
| Age | | | | | | | | | |
| 11 or younger | 4.0 | (2.2 - 7.1) | 213 | 1.8 | (0.5 - 6.9) | 91 | 5.1 | (2.6 - 9.5) | 119 |
| 12 | 3.2 | (1.7 - 6.1) | 349 | 1.3 | (0.3 - 5.7) | 181 | 5.6 | (3.0 - 10.5) | 163 |
| 13 | 2.7 | (1.0 - 6.9) | 229 | 2.4 | (0.8 - 7.1) | 120 | 2.9 | (1.0 - 8.7) | 107 |
| 14 or older | 4.0 | (1.0 - 14.6) | 61 | 2.0 | (0.3 - 12.5) | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 3.8 | (2.1 - 6.8) | 271 | 2.9 | (1.1 - 7.2) | 124 | 4.8 | (2.5 - 9.2) | 144 |
| 7th | 1.8 | (0.9 - 3.5) | 362 | 0.0 | - | 188 | 3.9 | (2.0 - 7.4) | 168 |
| 8th | 4.1 | (2.0 - 8.2) | 217 | 2.9 | (1.1 - 7.3) | 115 | 5.6 | (2.6 - 11.7) | 100 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.3 | (2.1 - 12.7) | 122 | 7.8 | (3.2 - 17.7) | 61 | 2.4 | (0.4 - 14.8) | 61 |
| Hispanic/Latino | 3.2 | (1.0 - 9.7) | 85 | 0.0 | - | 37 | 5.7 | (1.7 - 17.3) | 47 |
| White* | 3.3 | (1.9 - 5.6) | 457 | 0.7 | (0.2 - 3.1) | 223 | 5.9 | (3.4 - 10.0) | 230 |
| All other races* | 0.0 | - | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 4.9 | (1.6 - 14.3) | 62 | 0.0 | - | 31 | - | - | 29 |

Note: 35 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.7 | (7.1 - 13.2) | 843 | 6.8 | (4.6 - 9.9) | 426 | 13.1 | (8.8 - 19.0) | 405 |
| Age | | | | | | | | | |
| 11 or younger | 7.9 | (4.7 - 12.9) | 208 | 5.5 | (2.0 - 14.2) | 89 | 9.3 | (5.5 - 15.3) | 117 |
| 12 | 7.6 | (5.1 - 11.1) | 343 | 4.8 | (1.8 - 11.7) | 178 | 11.2 | (7.8 - 15.8) | 160 |
| 13 | 12.5 | (7.4 - 20.1) | 226 | 9.4 | (5.1 - 16.7) | 119 | 16.1 | (8.3 - 28.9) | 105 |
| 14 or older | 11.5 | (5.3 - 23.4) | 61 | 4.9 | (1.4 - 16.2) | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 8.4 | (5.7 - 12.1) | 267 | 8.8 | (4.3 - 17.1) | 121 | 8.2 | (5.5 - 12.2) | 143 |
| 7th | 6.8 | (4.6 - 9.7) | 354 | 3.9 | (1.7 - 8.6) | 186 | 10.3 | (6.9 - 15.2) | 163 |
| 8th | 13.1 | (7.5 - 21.8) | 215 | 6.9 | (3.6 - 13.0) | 114 | 20.6 | (10.6 - 36.4) | 99 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 14.8 | (7.4 - 27.3) | 118 | 15.3 | (7.7 - 28.2) | 59 | 14.1 | (4.9 - 34.5) | 59 |
| Hispanic/Latino | 8.9 | (4.6 - 16.5) | 83 | 4.9 | (1.1 - 19.6) | 37 | 12.0 | (5.3 - 24.8) | 46 |
| White* | 7.8 | (5.5 - 10.9) | 453 | 3.0 | (1.2 - 7.1) | 222 | 12.9 | (8.5 - 19.0) | 227 |
| All other races* | 4.8 | (1.2 - 17.9) | 41 | - | - | 24 | - | - | 16 |
| Multiple races* | 10.0 | (4.6 - 20.5) | 59 | - | - | 29 | - | - | 28 |

Note: 49 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.2 | (5.9 - 11.2) | 856 | 5.9 | (3.9 - 8.7) | 434 | 10.7 | (6.8 - 16.6) | 410 |
| Age | | | | | | | | | |
| 11 or younger | 5.7 | (3.0 - 10.5) | 213 | 4.4 | (1.6 - 11.3) | 92 | 6.2 | (3.0 - 12.2) | 119 |
| 12 | 6.1 | (3.9 - 9.6) | 347 | 4.7 | (1.8 - 11.6) | 181 | 8.1 | (5.1 - 12.8) | 161 |
| 13 | 11.2 | (6.7 - 18.1) | 230 | 8.3 | (4.4 - 15.1) | 121 | 14.6 | (7.2 - 27.5) | 107 |
| 14 or older | 10.3 | (4.2 - 23.3) | 61 | 2.9 | (0.4 - 16.9) | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 6.4 | (3.9 - 10.1) | 272 | 7.8 | (3.8 - 15.5) | 124 | 5.1 | (2.8 - 9.0) | 145 |
| 7th | 6.1 | (4.0 - 9.2) | 358 | 3.8 | (1.7 - 8.4) | 189 | 9.0 | (5.6 - 14.1) | 164 |
| 8th | 11.4 | (6.6 - 18.9) | 219 | 5.9 | (2.8 - 12.0) | 116 | 18.0 | (8.9 - 33.1) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 12.2 | (6.6 - 21.4) | 123 | 13.2 | (6.2 - 26.1) | 61 | 11.0 | (4.5 - 24.6) | 62 |
| Hispanic/Latino | 8.6 | (4.4 - 16.1) | 85 | 4.9 | (1.1 - 19.6) | 37 | 11.4 | (5.0 - 23.8) | 48 |
| White* | 6.1 | (3.9 - 9.3) | 456 | 2.6 | (1.0 - 6.6) | 225 | 9.9 | (5.8 - 16.3) | 227 |
| All other races* | 4.7 | (1.1 - 17.5) | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 10.0 | (4.6 - 20.5) | 59 | - | - | 29 | - | - | 28 |

Note: 49 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN25: Percentage of students who ever drank alcohol (other than a few sips)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.3 | (21.2 - 29.8) | 794 | 20.5 | (14.9 - 27.6) | 402 | 30.1 | (25.9 - 34.7) | 380 |
| Age | | | | | | | | | |
| 11 or younger | 19.4 | (13.3 - 27.4) | 198 | 17.6 | (9.6 - 30.0) | 88 | 20.0 | (13.4 - 28.8) | 107 |
| 12 | 25.2 | (19.9 - 31.4) | 326 | 21.2 | (14.8 - 29.5) | 167 | 29.2 | (22.9 - 36.4) | 154 |
| 13 | 28.0 | (20.2 - 37.4) | 211 | 22.9 | (12.0 - 39.3) | 112 | 33.1 | (24.5 - 43.1) | 98 |
| 14 or older | 32.5 | (21.1 - 46.5) | 55 | 16.8 | (7.8 - 32.7) | 33 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 17.9 | (13.8 - 23.0) | 254 | 15.8 | (10.1 - 23.8) | 118 | 19.7 | (14.8 - 25.7) | 133 |
| 7th | 31.1 | (24.8 - 38.1) | 336 | 28.1 | (20.9 - 36.6) | 175 | 33.7 | (26.9 - 41.3) | 155 |
| 8th | 26.1 | (18.4 - 35.7) | 200 | 16.8 | (6.9 - 35.8) | 107 | 37.1 | (30.4 - 44.3) | 92 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 23.9 | (16.6 - 33.3) | 106 | 15.6 | (8.7 - 26.3) | 52 | 32.8 | (21.2 - 47.0) | 54 |
| Hispanic/Latino | 20.0 | (12.2 - 31.0) | 80 | 13.8 | (5.3 - 31.6) | 37 | 23.5 | (15.0 - 34.9) | 42 |
| White* | 26.4 | (21.1 - 32.5) | 427 | 22.5 | (15.8 - 31.1) | 209 | 30.2 | (24.3 - 36.9) | 214 |
| All other races* | 22.0 | (12.5 - 35.8) | 42 | - | - | 26 | - | - | 15 |
| Multiple races* | 37.7 | (26.3 - 50.7) | 57 | - | - | 29 | - | - | 26 |

Note: 98 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN26: Percentage of students who drank alcohol for the first time before age 11 years (other than a few sips)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.7 | (10.6 - 17.4) | 778 | 11.7 | (8.1 - 16.5) | 397 | 15.5 | (12.1 - 19.6) | 371 |
| Age | | | | | | | | | |
| 11 or younger | 12.8 | (7.1 - 22.1) | 189 | 11.2 | (4.3 - 26.0) | 86 | 14.6 | (8.6 - 23.6) | 101 |
| 12 | 16.7 | (13.1 - 21.0) | 323 | 15.6 | (11.3 - 21.0) | 165 | 16.9 | (12.2 - 22.9) | 153 |
| 13 | 11.6 | (7.2 - 18.3) | 208 | 8.8 | (3.8 - 19.1) | 111 | 14.1 | (8.8 - 21.8) | 96 |
| 14 or older | 11.4 | (4.7 - 25.2) | 55 | 7.9 | (2.5 - 22.3) | 33 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 13.0 | (8.6 - 19.4) | 247 | 11.1 | (5.5 - 21.0) | 115 | 14.6 | (10.1 - 20.6) | 128 |
| 7th | 18.0 | (13.8 - 23.0) | 331 | 17.8 | (12.7 - 24.5) | 173 | 17.2 | (12.6 - 23.1) | 153 |
| 8th | 9.7 | (5.1 - 17.6) | 198 | 5.7 | (1.7 - 16.9) | 107 | 14.6 | (8.6 - 23.5) | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.8 | (6.7 - 20.1) | 104 | 8.6 | (3.9 - 18.1) | 52 | 15.4 | (6.9 - 30.9) | 52 |
| Hispanic/Latino | 7.9 | (4.2 - 14.5) | 77 | 10.6 | (4.7 - 22.4) | 37 | 5.7 | (1.7 - 17.6) | 39 |
| White* | 15.6 | (11.3 - 21.0) | 421 | 12.6 | (8.2 - 19.0) | 206 | 18.0 | (13.0 - 24.4) | 211 |
| All other races* | 12.3 | (4.6 - 28.8) | 40 | - | - | 24 | - | - | 15 |
| Multiple races* | 14.5 | (6.6 - 28.8) | 57 | - | - | 29 | - | - | 27 |

Note: 98 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN27: Percentage of students who ever used marijuana

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.8 | (4.1 - 8.1) | 826 | 3.7 | (2.1 - 6.4) | 418 | 8.3 | (5.3 - 12.9) | 398 |
| Age | | | | | | | | | |
| 11 or younger | 1.3 | (0.3 - 5.1) | 210 | 2.8 | (0.7 - 10.6) | 93 | 0.0 | - | 115 |
| 12 | 6.2 | (4.1 - 9.3) | 335 | 4.7 | (2.0 - 10.7) | 173 | 8.2 | (4.7 - 13.9) | 158 |
| 13 | 6.4 | (3.5 - 11.4) | 220 | 2.4 | (0.9 - 6.5) | 114 | 10.8 | (5.5 - 20.2) | 104 |
| 14 or older | 14.9 | (6.8 - 29.5) | 58 | 5.7 | (1.5 - 19.0) | 37 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 2.6 | (1.0 - 6.1) | 265 | 4.2 | (1.6 - 10.7) | 122 | 1.0 | (0.3 - 4.1) | 141 |
| 7th | 6.6 | (4.5 - 9.6) | 349 | 4.5 | (1.9 - 10.4) | 183 | 9.2 | (5.2 - 15.7) | 161 |
| 8th | 8.2 | (4.8 - 13.7) | 206 | 2.5 | (0.6 - 9.1) | 109 | 14.9 | (8.8 - 24.3) | 96 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.6 | (3.7 - 14.9) | 114 | 6.5 | (2.4 - 16.7) | 57 | 8.8 | (3.3 - 21.5) | 57 |
| Hispanic/Latino | 5.4 | (2.0 - 13.4) | 82 | 0.0 | - | 38 | 9.8 | (3.6 - 23.8) | 44 |
| White* | 4.8 | (3.1 - 7.5) | 443 | 2.8 | (1.2 - 6.4) | 215 | 7.0 | (4.1 - 11.6) | 225 |
| All other races* | 4.3 | (1.0 - 17.4) | 40 | - | - | 26 | - | - | 14 |
| Multiple races* | 11.7 | (5.2 - 24.4) | 61 | 7.3 | (1.8 - 25.2) | 31 | - | - | 28 |

Note: 66 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN28: Percentage of students who tried marijuana for the first time before age 11 years

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.8 | (1.0 - 2.9) | 821 | 1.6 | (0.8 - 3.3) | 416 | 2.0 | (1.0 - 3.9) | 395 |
| Age | | | | | | | | | |
| 11 or younger | 0.9 | (0.2 - 3.8) | 207 | 2.0 | (0.5 - 7.9) | 91 | 0.0 | - | 114 |
| 12 | 2.2 | (1.1 - 4.3) | 333 | 1.6 | (0.4 - 5.9) | 173 | 2.9 | (1.2 - 6.7) | 156 |
| 13 | 1.5 | (0.5 - 4.2) | 220 | 1.9 | (0.6 - 6.4) | 114 | 1.1 | (0.2 - 7.4) | 104 |
| 14 or older | 3.5 | (0.9 - 12.6) | 58 | 0.0 | - | 37 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 1.4 | (0.4 - 4.6) | 262 | 2.4 | (0.8 - 7.3) | 120 | 0.5 | (0.1 - 3.4) | 140 |
| 7th | 2.1 | (1.0 - 4.4) | 349 | 1.9 | (0.6 - 5.6) | 183 | 2.4 | (0.9 - 6.0) | 161 |
| 8th | 1.8 | (0.8 - 4.0) | 204 | 0.6 | (0.1 - 4.6) | 109 | 3.2 | (1.2 - 7.8) | 94 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 1.6 | (0.4 - 7.1) | 113 | 2.0 | (0.3 - 13.4) | 56 | 1.3 | (0.2 - 9.3) | 57 |
| Hispanic/Latino | 1.1 | (0.1 - 8.1) | 82 | 0.0 | - | 38 | 2.0 | (0.3 - 13.9) | 44 |
| White* | 1.5 | (0.7 - 3.2) | 441 | 1.0 | (0.2 - 4.1) | 214 | 2.1 | (0.9 - 5.1) | 224 |
| All other races* | 4.5 | (1.0 - 17.8) | 39 | - | - | 26 | - | - | 13 |
| Multiple races* | 0.0 | - | 60 | 0.0 | - | 30 | - | - | 28 |

Note: 66 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN29: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, Oxycontin, hydrocodone, and Percocet)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.6 | (11.2 - 16.4) | 834 | 11.1 | (8.2 - 15.0) | 418 | 16.0 | (12.8 - 19.9) | 408 |
| Age | | | | | | | | | |
| 11 or younger | 9.9 | (6.9 - 13.9) | 206 | 7.9 | (3.1 - 18.8) | 89 | 11.1 | (6.5 - 18.3) | 115 |
| 12 | 15.8 | (12.0 - 20.5) | 338 | 11.3 | (7.1 - 17.5) | 172 | 20.2 | (14.9 - 26.9) | 163 |
| 13 | 13.4 | (9.0 - 19.3) | 227 | 10.8 | (6.4 - 17.8) | 117 | 16.3 | (10.7 - 24.1) | 108 |
| 14 or older | 15.2 | (8.6 - 25.4) | 59 | 15.9 | (6.9 - 32.5) | 37 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 10.6 | (8.0 - 13.9) | 263 | 8.0 | (3.7 - 16.4) | 120 | 12.6 | (8.3 - 18.8) | 142 |
| 7th | 16.6 | (12.8 - 21.4) | 353 | 12.0 | (8.3 - 17.1) | 182 | 21.4 | (15.5 - 28.8) | 166 |
| 8th | 12.6 | (8.3 - 18.6) | 212 | 11.4 | (7.1 - 17.8) | 111 | 14.1 | (8.1 - 23.2) | 100 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.4 | (11.1 - 26.4) | 121 | 11.3 | (5.3 - 22.6) | 57 | 23.3 | (14.2 - 35.9) | 64 |
| Hispanic/Latino | 16.5 | (10.3 - 25.4) | 83 | 6.8 | (2.1 - 19.5) | 37 | 22.3 | (12.1 - 37.2) | 45 |
| White* | 13.0 | (10.2 - 16.4) | 448 | 12.8 | (8.8 - 18.3) | 219 | 12.8 | (9.6 - 16.8) | 226 |
| All other races* | 4.5 | (1.0 - 17.9) | 40 | - | - | 25 | - | - | 15 |
| Multiple races* | 19.5 | (11.3 - 31.4) | 61 | 16.4 | (6.0 - 37.5) | 30 | - | - | 29 |
| | | | | | | | | | |

Note: 58 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN30: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.8 | (1.0 - 3.3) | 837 | 2.1 | (1.1 - 4.3) | 417 | 1.6 | (0.7 - 3.7) | 410 |
| Age | | | | | | | | | |
| 11 or younger | 2.2 | (0.8 - 5.7) | 207 | 4.2 | (1.5 - 11.2) | 90 | 0.5 | (0.1 - 3.7) | 115 |
| 12 | 1.1 | (0.4 - 2.9) | 339 | 1.1 | (0.3 - 4.8) | 171 | 1.1 | (0.3 - 4.1) | 164 |
| 13 | 1.4 | (0.5 - 4.0) | 227 | 1.0 | (0.2 - 6.1) | 116 | 1.8 | (0.4 - 7.4) | 109 |
| 14 or older | 3.8 | (1.0 - 13.6) | 59 | 2.0 | (0.3 - 12.5) | 37 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 1.7 | (0.6 - 4.6) | 262 | 3.1 | (1.1 - 8.9) | 119 | 0.4 | (0.1 - 3.0) | 141 |
| 7th | 1.4 | (0.6 - 3.1) | 354 | 1.1 | (0.3 - 4.9) | 181 | 1.7 | (0.6 - 4.8) | 168 |
| 8th | 2.1 | (0.8 - 5.1) | 214 | 1.7 | (0.4 - 6.4) | 112 | 2.6 | (0.7 - 9.2) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.1 | (2.0 - 12.7) | 119 | 4.7 | (1.5 - 14.1) | 57 | 5.5 | (1.7 - 16.2) | 62 |
| Hispanic/Latino | 1.4 | (0.2 - 9.3) | 82 | 0.0 | - | 37 | 2.5 | (0.3 - 16.4) | 45 |
| White* | 1.3 | (0.6 - 2.9) | 448 | 1.9 | (0.7 - 5.0) | 215 | 0.6 | (0.2 - 2.4) | 230 |
| All other races* | 1.7 | (0.2 - 12.4) | 41 | - | - | 26 | - | - | 15 |
| Multiple races* | 1.1 | (0.1 - 8.0) | 61 | 0.0 | - | 30 | - | - | 29 |

Note: 58 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN31: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high)

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 5.8 | (4.0 - 8.4) | 825 | 4.6 | (2.9 - 7.1) | 413 | 7.3 | (4.2 - 12.3) | 404 | |
| Age | | | | | | | | | | |
| 11 or younger | 4.6 | (2.1 - 10.0) | 202 | 5.5 | (2.1 - 13.6) | 88 | 4.0 | (1.4 - 10.6) | 112 | |
| 12 | 5.6 | (3.8 - 8.2) | 336 | 5.6 | (3.0 - 10.1) | 170 | 5.8 | (3.5 - 9.5) | 163 | |
| 13 | 6.2 | (3.1 - 11.9) | 224 | 2.1 | (0.7 - 6.2) | 115 | 10.6 | (5.1 - 20.7) | 107 | |
| 14 or older | 7.1 | (2.9 - 16.1) | 59 | 4.4 | (1.1 - 15.9) | 37 | - | - | 22 | |
| Grade | | | | | | | | | | |
| 6th | 5.1 | (2.7 - 9.5) | 256 | 6.9 | (3.4 - 13.5) | 117 | 3.5 | (1.3 - 9.1) | 138 | |
| 7th | 4.9 | (3.2 - 7.5) | 354 | 4.6 | (2.6 - 8.1) | 181 | 5.4 | (3.2 - 9.0) | 168 | |
| 8th | 7.4 | (3.7 - 14.4) | 209 | 2.7 | (0.9 - 8.2) | 110 | 12.8 | (5.9 - 25.7) | 98 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 7.1 | (3.0 - 16.0) | 114 | 5.7 | (2.1 - 14.8) | 55 | 8.5 | (2.2 - 27.7) | 59 | |
| Hispanic/Latino | 10.8 | (5.2 - 20.9) | 83 | 6.5 | (0.9 - 34.0) | 37 | 14.1 | (6.0 - 29.8) | 46 | |
| White* | 4.7 | (3.0 - 7.2) | 444 | 3.5 | (1.8 - 6.6) | 213 | 5.9 | (3.3 - 10.3) | 228 | |
| All other races* | 4.2 | (1.0 - 15.6) | 40 | - | - | 25 | - | - | 15 | |
| Multiple races* | 8.0 | (2.9 - 20.2) | 61 | 5.8 | (1.4 - 21.5) | 30 | - | - | 29 | |

Note: 67 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN32: Percentage of students who ever had sexual intercourse

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 7.3 | (5.2 - 10.2) | 792 | 8.3 | (5.5 - 12.2) | 394 | 5.7 | (3.6 - 8.8) | 388 | |
| Age | | | | | | | | | | |
| 11 or younger | 3.7 | (1.5 - 8.7) | 193 | 4.6 | (1.4 - 13.9) | 84 | 1.4 | (0.4 - 5.2) | 106 | |
| 12 | 9.1 | (6.6 - 12.4) | 323 | 10.1 | (6.2 - 16.0) | 161 | 7.4 | (4.3 - 12.6) | 158 | |
| 13 | 7.0 | (3.7 - 12.7) | 215 | 8.3 | (4.0 - 16.6) | 109 | 5.8 | (2.8 - 11.8) | 104 | |
| 14 or older | 9.6 | (3.4 - 24.5) | 57 | 7.8 | (2.5 - 21.8) | 37 | - | - | 20 | |
| Grade | | | | | | | | | | |
| 6th | 5.4 | (2.8 - 10.3) | 245 | 7.7 | (3.8 - 15.1) | 111 | 2.8 | (1.0 - 7.1) | 131 | |
| 7th | 8.3 | (5.2 - 13.0) | 334 | 9.3 | (4.8 - 17.3) | 170 | 6.6 | (3.9 - 11.2) | 159 | |
| 8th | 7.3 | (3.7 - 14.1) | 207 | 7.3 | (3.3 - 15.6) | 108 | 7.5 | (3.4 - 15.7) | 98 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 11.8 | (6.4 - 20.6) | 113 | 14.6 | (7.0 - 28.0) | 56 | 8.7 | (3.9 - 18.2) | 57 | |
| Hispanic/Latino | 6.3 | (2.4 - 15.8) | 79 | 3.1 | (0.4 - 20.9) | 35 | 6.7 | (2.3 - 17.6) | 43 | |
| White* | 6.4 | (4.2 - 9.5) | 431 | 7.0 | (4.2 - 11.5) | 209 | 5.3 | (2.6 - 10.2) | 219 | |
| All other races* | 5.9 | (1.8 - 18.0) | 41 | - | - | 26 | - | - | 15 | |
| Multiple races* | 12.2 | (6.4 - 21.9) | 58 | - | - | 27 | - | - | 29 | |

Note: 67 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN36: Percentage of students who described themselves as slightly or very overweight

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 27.6 | (24.7 - 30.8) | 794 | 26.5 | (22.5 - 31.0) | 403 | 29.1 | (24.9 - 33.6) | 384 | |
| Age | | | | | | | | | | |
| 11 or younger | 27.1 | (22.3 - 32.5) | 196 | 28.2 | (19.1 - 39.5) | 85 | 26.9 | (20.0 - 35.0) | 108 | |
| 12 | 29.1 | (23.6 - 35.2) | 324 | 26.9 | (20.9 - 33.8) | 164 | 31.4 | (24.3 - 39.5) | 157 | |
| 13 | 29.6 | (24.0 - 36.0) | 215 | 29.1 | (21.8 - 37.6) | 115 | 30.5 | (21.1 - 41.8) | 99 | |
| 14 or older | 16.7 | (9.8 - 26.9) | 56 | 14.8 | (6.7 - 29.7) | 36 | - | - | 20 | |
| Grade | | | | | | | | | | |
| 6th | 27.2 | (22.6 - 32.3) | 251 | 29.5 | (21.5 - 38.9) | 114 | 25.6 | (19.0 - 33.5) | 134 | |
| 7th | 30.0 | (24.2 - 36.5) | 333 | 28.1 | (21.1 - 36.3) | 173 | 31.9 | (24.8 - 39.9) | 157 | |
| 8th | 25.9 | (21.7 - 30.7) | 205 | 22.8 | (17.3 - 29.4) | 112 | 29.6 | (21.7 - 39.0) | 93 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 29.4 | (22.2 - 37.8) | 116 | 16.9 | (9.9 - 27.4) | 57 | 42.7 | (31.2 - 55.0) | 59 | |
| Hispanic/Latino | 26.5 | (17.5 - 38.0) | 78 | 26.9 | (13.6 - 46.2) | 36 | 26.8 | (15.2 - 42.8) | 41 | |
| White* | 26.8 | (22.7 - 31.3) | 427 | 26.1 | (20.1 - 33.2) | 209 | 27.4 | (22.2 - 33.3) | 215 | |
| All other races* | 34.7 | (22.7 - 48.9) | 40 | - | - | 24 | - | - | 16 | |
| Multiple races* | 27.8 | (16.0 - 43.7) | 58 | 36.0 | (20.1 - 55.7) | 30 | - | - | 27 | |

Note: 98 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN37: Percentage of students who were trying to lose weight

| | Total | | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 41.8 | (38.5 - 45.1) | 808 | 36.1 | (31.0 - 41.5) | 406 | 48.0 | (43.3 - 52.6) | 394 | | |
| Age | | | | | | | | | | | |
| 11 or younger | 42.0 | (34.9 - 49.4) | 203 | 39.0 | (28.0 - 51.3) | 91 | 45.5 | (37.3 - 54.0) | 110 | | |
| 12 | 41.8 | (37.1 - 46.8) | 328 | 36.4 | (28.8 - 44.8) | 164 | 46.7 | (40.3 - 53.3) | 160 | | |
| 13 | 46.2 | (40.9 - 51.6) | 218 | 39.3 | (31.2 - 47.9) | 114 | 54.1 | (44.9 - 63.0) | 102 | | |
| 14 or older | 24.2 | (11.5 - 44.0) | 56 | 16.6 | (5.8 - 39.1) | 34 | - | - | 22 | | |
| Grade | | | | | | | | | | | |
| 6th | 40.1 | (32.6 - 48.0) | 256 | 36.5 | (26.1 - 48.4) | 116 | 44.5 | (35.6 - 53.7) | 137 | | |
| 7th | 44.3 | (40.3 - 48.3) | 341 | 38.8 | (31.7 - 46.4) | 175 | 48.6 | (43.3 - 54.0) | 162 | | |
| 8th | 40.7 | (36.3 - 45.3) | 208 | 32.6 | (24.6 - 41.7) | 112 | 50.7 | (41.9 - 59.6) | 95 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 50.9 | (41.2 - 60.5) | 114 | 40.5 | (28.2 - 54.0) | 56 | 62.1 | (48.5 - 73.9) | 58 | | |
| Hispanic/Latino | 43.7 | (35.5 - 52.3) | 84 | 39.7 | (26.8 - 54.2) | 37 | 47.8 | (35.0 - 60.9) | 46 | | |
| White* | 38.7 | (34.6 - 42.9) | 433 | 31.3 | (25.2 - 38.0) | 209 | 45.3 | (39.0 - 51.7) | 221 | | |
| All other races* | 43.5 | (27.6 - 60.9) | 42 | - | - | 26 | - | - | 16 | | |
| Multiple races* | 49.9 | (36.1 - 63.7) | 59 | 49.1 | (31.9 - 66.5) | 31 | - | - | 27 | | |

Note: 98 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN38: Percentage of students who did not eat breakfast (during the 7 days before the survey)

| | Total | | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 17.2 | (14.4 - 20.4) | 806 | 13.4 | (9.6 - 18.4) | 407 | 21.0 | (17.0 - 25.7) | 392 | | |
| Age | | | | | | | | | | | |
| 11 or younger | 14.1 | (9.2 - 21.0) | 196 | 12.2 | (4.9 - 27.1) | 88 | 15.6 | (10.0 - 23.5) | 106 | | |
| 12 | 18.4 | (13.2 - 25.1) | 326 | 17.4 | (11.0 - 26.5) | 164 | 18.7 | (11.6 - 28.6) | 159 | | |
| 13 | 18.1 | (13.9 - 23.3) | 223 | 10.1 | (5.6 - 17.4) | 116 | 27.2 | (19.8 - 36.1) | 105 | | |
| 14 or older | 16.3 | (6.7 - 34.7) | 58 | 11.8 | (4.5 - 27.6) | 36 | - | - | 22 | | |
| Grade | | | | | | | | | | | |
| 6th | 15.8 | (11.5 - 21.5) | 251 | 15.5 | (8.0 - 28.0) | 116 | 16.1 | (11.4 - 22.2) | 132 | | |
| 7th | 18.1 | (13.5 - 23.9) | 338 | 14.6 | (9.5 - 21.6) | 173 | 21.0 | (13.5 - 31.1) | 162 | | |
| 8th | 17.4 | (12.7 - 23.2) | 213 | 10.4 | (5.5 - 18.8) | 114 | 25.7 | (19.2 - 33.4) | 98 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 19.0 | (12.2 - 28.3) | 113 | 16.2 | (8.0 - 30.1) | 54 | 21.9 | (13.0 - 34.5) | 59 | | |
| Hispanic/Latino | 18.4 | (10.9 - 29.5) | 84 | 15.7 | (6.8 - 32.3) | 37 | 18.7 | (9.4 - 33.8) | 46 | | |
| White* | 16.9 | (13.3 - 21.1) | 431 | 12.3 | (7.7 - 19.0) | 210 | 21.3 | (16.1 - 27.6) | 219 | | |
| All other races* | 19.5 | (11.1 - 32.0) | 41 | - | - | 25 | - | - | 16 | | |
| Multiple races* | 16.9 | (7.6 - 33.3) | 55 | - | - | 29 | - | - | 25 | | |

Note: 86 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 34.3 | (30.3 - 38.5) | 806 | 39.1 | (34.1 - 44.3) | 407 | 29.3 | (24.2 - 35.0) | 392 | |
| Age | | | | | | | | | | |
| 11 or younger | 43.9 | (37.6 - 50.5) | 196 | 45.8 | (34.6 - 57.5) | 88 | 43.0 | (34.6 - 51.8) | 106 | |
| 12 | 34.4 | (27.7 - 41.8) | 326 | 37.0 | (28.8 - 46.1) | 164 | 31.4 | (23.7 - 40.3) | 159 | |
| 13 | 24.8 | (18.6 - 32.2) | 223 | 34.1 | (26.8 - 42.2) | 116 | 15.2 | (8.8 - 25.0) | 105 | |
| 14 or older | 42.2 | (30.2 - 55.1) | 58 | 47.4 | (35.0 - 60.2) | 36 | - | - | 22 | |
| Grade | | | | | | | | | | |
| 6th | 44.1 | (38.8 - 49.5) | 251 | 44.4 | (35.6 - 53.6) | 116 | 43.9 | (36.6 - 51.4) | 132 | |
| 7th | 30.9 | (25.3 - 37.1) | 338 | 36.0 | (29.0 - 43.7) | 173 | 25.9 | (18.9 - 34.5) | 162 | |
| 8th | 29.3 | (23.0 - 36.6) | 213 | 38.5 | (29.9 - 47.9) | 114 | 19.1 | (13.5 - 26.3) | 98 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 30.9 | (21.6 - 42.1) | 113 | 36.6 | (23.5 - 52.0) | 54 | 25.2 | (15.5 - 38.1) | 59 | |
| Hispanic/Latino | 32.0 | (21.7 - 44.4) | 84 | 40.3 | (24.7 - 58.1) | 37 | 26.2 | (15.6 - 40.7) | 46 | |
| White* | 33.7 | (28.7 - 39.1) | 431 | 37.9 | (31.8 - 44.3) | 210 | 29.7 | (23.2 - 37.2) | 219 | |
| All other races* | 28.3 | (15.5 - 46.0) | 41 | - | - | 25 | - | - | 16 | |
| Multiple races* | 38.0 | (24.4 - 53.7) | 55 | - | - | 29 | - | - | 25 | |

Note: 86 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN39: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| Percentage 95% N Percentage 95% N Percentage 95% N confidence confidence confidence interval interval interval | 383 |
|--|-----|
| | 383 |
| Total 49.7 (46.4 - 53.1) 796 56.3 (51.3 - 61.3) 406 42.7 (37.2 - 48.4) | 202 |
| Age | |
| 11 or younger 54.7 (48.9 - 60.5) 191 62.2 (51.5 - 71.8) 88 48.4 (39.8 - 57.2) | 101 |
| 12 49.6 (44.2 - 55.0) 327 55.1 (45.9 - 63.9) 167 43.6 (35.9 - 51.7) | 157 |
| 13 48.1 (41.6 - 54.7) 218 54.9 (46.8 - 62.7) 112 41.1 (29.3 - 54.1) | 104 |
| 14 or older 43.9 (31.9 - 56.6) 57 54.6 (38.7 - 69.7) 36 | 21 |
| Grade | |
| 6th 54.9 (49.3 - 60.4) 248 60.7 (52.4 - 68.4) 117 49.2 (40.4 - 58.1) | 128 |
| 7th 49.7 (44.3 - 55.1) 333 56.4 (47.2 - 65.1) 173 42.5 (35.4 - 49.9) | 157 |
| 8th 45.9 (39.9 - 51.9) 211 54.1 (45.2 - 62.8) 112 36.9 (26.8 - 48.4) | 98 |
| Race/Ethnicity | |
| Black* 44.0 (33.4 - 55.2) 111 52.7 (36.0 - 68.7) 54 35.0 (20.6 - 52.9) | 57 |
| Hispanic/Latino 49.3 (38.2 - 60.6) 82 56.7 (38.0 - 73.6) 37 44.5 (28.9 - 61.3) | 44 |
| White* 51.3 (46.7 - 55.8) 430 60.0 (52.8 - 66.8) 213 42.2 (34.6 - 50.2) | 215 |
| All other races* 49.1 (32.8 - 65.5) 37 22 | 15 |
| Multiple races* 52.1 (37.1 - 66.8) 58 57.7 (35.1 - 77.6) 30 | 27 |

Note: 96 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| Total | | | | Male | | | Female | | | |
|------------|--|---|--|--|--|---|---|--|--|--|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| 11.4 | (8.5 - 15.2) | 796 | 8.1 | (5.6 - 11.4) | 406 | 15.3 | (10.7 - 21.2) | 383 | | |
| | | | | | | | | | | |
| 8.7 | (4.8 - 15.4) | 191 | 4.6 | (1.4 - 14.0) | 88 | 12.9 | (6.4 - 24.5) | 101 | | |
| 11.6 | (8.2 - 16.1) | 327 | 9.9 | (6.1 - 15.6) | 167 | 13.2 | (7.6 - 22.0) | 157 | | |
| 11.0 | (6.7 - 17.6) | 218 | 6.4 | (3.6 - 11.1) | 112 | 16.1 | (8.4 - 28.7) | 104 | | |
| 18.2 | (9.8 - 31.4) | 57 | 12.1 | (3.9 - 31.7) | 36 | - | - | 21 | | |
| | | | | | | | | | | |
| 8.2 | (4.9 - 13.3) | 248 | 4.2 | (1.6 - 11.0) | 117 | 12.6 | (6.9 - 21.7) | 128 | | |
| 11.4 | (7.9 - 16.2) | 333 | 9.0 | (5.4 - 14.5) | 173 | 13.9 | (8.0 - 23.0) | 157 | | |
| 13.7 | (7.7 - 23.1) | 211 | 9.3 | (5.2 - 16.2) | 112 | 18.9 | (10.1 - 32.7) | 98 | | |
| | | | | | | | | | | |
| 18.6 | (9.8 - 32.5) | 111 | 13.1 | (5.9 - 26.6) | 54 | 24.4 | (11.8 - 43.6) | 57 | | |
| 10.6 | (5.7 - 19.0) | 82 | 11.9 | (4.7 - 26.9) | 37 | 9.8 | (3.9 - 22.8) | 44 | | |
| 9.9 | (6.7 - 14.4) | 430 | 5.7 | (3.2 - 10.0) | 213 | 14.4 | (9.2 - 21.9) | 215 | | |
| 16.9 | (8.0 - 32.3) | 37 | - | - | 22 | - | - | 15 | | |
| 6.1 | (2.2 - 15.9) | 58 | 4.1 | (0.5 - 25.8) | 30 | - | - | 27 | | |
| | 8.7 11.6 11.0 18.2 8.2 11.4 13.7 | Percentage 95% confidence interval 11.4 (8.5 - 15.2) 8.7 (4.8 - 15.4) 11.6 (8.2 - 16.1) 11.0 (6.7 - 17.6) 18.2 (9.8 - 31.4) 8.2 (4.9 - 13.3) 11.4 (7.9 - 16.2) 13.7 (7.7 - 23.1) 18.6 (9.8 - 32.5) 10.6 (5.7 - 19.0) 9.9 (6.7 - 14.4) 16.9 (8.0 - 32.3) | Percentage 95% confidence interval N 11.4 (8.5 - 15.2) 796 8.7 (4.8 - 15.4) 191 11.6 (8.2 - 16.1) 327 11.0 (6.7 - 17.6) 218 18.2 (9.8 - 31.4) 57 8.2 (4.9 - 13.3) 248 11.4 (7.9 - 16.2) 333 13.7 (7.7 - 23.1) 211 18.6 (9.8 - 32.5) 111 10.6 (5.7 - 19.0) 82 9.9 (6.7 - 14.4) 430 16.9 (8.0 - 32.3) 37 | Percentage 95% confidence interval N Percentage 11.4 (8.5 - 15.2) 796 8.1 8.7 (4.8 - 15.4) 191 4.6 11.6 (8.2 - 16.1) 327 9.9 11.0 (6.7 - 17.6) 218 6.4 18.2 (9.8 - 31.4) 57 12.1 8.2 (4.9 - 13.3) 248 4.2 11.4 (7.9 - 16.2) 333 9.0 13.7 (7.7 - 23.1) 211 9.3 18.6 (9.8 - 32.5) 111 13.1 10.6 (5.7 - 19.0) 82 11.9 9.9 (6.7 - 14.4) 430 5.7 16.9 (8.0 - 32.3) 37 - | Percentage 95% confidence interval N Percentage confidence confidence interval 11.4 (8.5 - 15.2) 796 8.1 (5.6 - 11.4) 8.7 (4.8 - 15.4) 191 4.6 (1.4 - 14.0) 11.6 (8.2 - 16.1) 327 9.9 (6.1 - 15.6) 11.0 (6.7 - 17.6) 218 6.4 (3.6 - 11.1) 18.2 (9.8 - 31.4) 57 12.1 (3.9 - 31.7) 8.2 (4.9 - 13.3) 248 4.2 (1.6 - 11.0) 11.4 (7.9 - 16.2) 333 9.0 (5.4 - 14.5) 13.7 (7.7 - 23.1) 211 9.3 (5.2 - 16.2) 18.6 (9.8 - 32.5) 111 13.1 (5.9 - 26.6) 10.6 (5.7 - 19.0) 82 11.9 (4.7 - 26.9) 9.9 (6.7 - 14.4) 430 5.7 (3.2 - 10.0) 16.9 (8.0 - 32.3) 37 - - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N 11.4 (8.5 - 15.2) 796 8.1 (5.6 - 11.4) 406 8.7 (4.8 - 15.4) 191 4.6 (1.4 - 14.0) 88 11.6 (8.2 - 16.1) 327 9.9 (6.1 - 15.6) 167 11.0 (6.7 - 17.6) 218 6.4 (3.6 - 11.1) 112 18.2 (9.8 - 31.4) 57 12.1 (3.9 - 31.7) 36 8.2 (4.9 - 13.3) 248 4.2 (1.6 - 11.0) 117 11.4 (7.9 - 16.2) 333 9.0 (5.4 - 14.5) 173 13.7 (7.7 - 23.1) 211 9.3 (5.2 - 16.2) 112 18.6 (9.8 - 32.5) 111 13.1 (5.9 - 26.6) 54 10.6 (5.7 - 19.0) 82 11.9 (4.7 - 26.9) 37 9.9 (6.7 - 14.4) 430 5.7 (3.2 - 10.0) 213 16.9 | Percentage 95% confidence interval N Percentage confidence interval N Percentage confidence interval 11.4 (8.5 - 15.2) 796 8.1 (5.6 - 11.4) 406 15.3 8.7 (4.8 - 15.4) 191 4.6 (1.4 - 14.0) 88 12.9 11.6 (8.2 - 16.1) 327 9.9 (6.1 - 15.6) 167 13.2 11.0 (6.7 - 17.6) 218 6.4 (3.6 - 11.1) 112 16.1 18.2 (9.8 - 31.4) 57 12.1 (3.9 - 31.7) 36 - 8.2 (4.9 - 13.3) 248 4.2 (1.6 - 11.0) 117 12.6 11.4 (7.9 - 16.2) 333 9.0 (5.4 - 14.5) 173 13.9 13.7 (7.7 - 23.1) 211 9.3 (5.2 - 16.2) 112 18.9 18.6 (9.8 - 32.5) 111 13.1 (5.9 - 26.6) 54 24.4 10.6 (5.7 - 19.0) 82 11.9 (4.7 - 26.9) 37 | Percentage confidence interval N percentage confidence interval 95% confidence interval N percentage confidence interval 95% confidence interval 11.4 (8.5 - 15.2) 796 8.1 (5.6 - 11.4) 406 15.3 (10.7 - 21.2) 8.7 (4.8 - 15.4) 191 4.6 (1.4 - 14.0) 88 12.9 (6.4 - 24.5) 11.6 (8.2 - 16.1) 327 9.9 (6.1 - 15.6) 167 13.2 (7.6 - 22.0) 11.0 (6.7 - 17.6) 218 6.4 (3.6 - 11.1) 112 16.1 (8.4 - 28.7) 18.2 (9.8 - 31.4) 57 12.1 (3.9 - 31.7) 36 - - 8.2 (4.9 - 13.3) 248 4.2 (1.6 - 11.0) 117 12.6 (6.9 - 21.7) 11.4 (7.9 - 16.2) 333 9.0 (5.4 - 14.5) 173 13.9 (8.0 - 23.0) 13.7 (7.7 - 23.1) 211 9.3 (5.2 - 16.2) 112 18.9 (10.1 - 32.7) 18.6 (9.8 - 32.5) 111 | | |

Note: 96 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 29.2 | (25.5 - 33.3) | 796 | 37.2 | (31.7 - 43.0) | 406 | 20.6 | (16.7 - 25.1) | 383 | |
| Age | | | | | | | | | | |
| 11 or younger | 33.1 | (26.7 - 40.2) | 191 | 42.8 | (31.7 - 54.7) | 88 | 24.2 | (16.6 - 33.7) | 101 | |
| 12 | 28.6 | (23.3 - 34.6) | 327 | 33.9 | (26.3 - 42.4) | 167 | 22.4 | (16.8 - 29.1) | 157 | |
| 13 | 27.8 | (21.8 - 34.7) | 218 | 38.4 | (30.8 - 46.5) | 112 | 17.1 | (10.1 - 27.5) | 104 | |
| 14 or older | 26.9 | (18.2 - 37.9) | 57 | 33.4 | (17.6 - 54.1) | 36 | - | - | 21 | |
| Grade | | | | | | | | | | |
| 6th | 34.6 | (28.2 - 41.7) | 248 | 42.0 | (31.9 - 52.9) | 117 | 26.7 | (19.5 - 35.3) | 128 | |
| 7th | 27.0 | (21.6 - 33.2) | 333 | 34.6 | (26.7 - 43.5) | 173 | 19.0 | (14.8 - 24.1) | 157 | |
| 8th | 27.0 | (21.3 - 33.6) | 211 | 36.3 | (27.2 - 46.6) | 112 | 16.6 | (10.9 - 24.4) | 98 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 30.7 | (21.6 - 41.6) | 111 | 40.7 | (26.5 - 56.5) | 54 | 20.4 | (11.7 - 33.1) | 57 | |
| Hispanic/Latino | 27.4 | (19.6 - 37.0) | 82 | 38.2 | (22.3 - 57.1) | 37 | 19.3 | (10.0 - 33.9) | 44 | |
| White* | 29.0 | (24.0 - 34.6) | 430 | 38.3 | (30.4 - 47.0) | 213 | 19.4 | (14.5 - 25.6) | 215 | |
| All other races* | 28.8 | (16.1 - 45.9) | 37 | - | - | 22 | - | - | 15 | |
| Multiple races* | 25.8 | (14.4 - 42.0) | 58 | 30.6 | (14.5 - 53.3) | 30 | - | - | 27 | |

Note: 96 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN40: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)

| | Total | | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 68.4 | (63.6 - 72.8) | 791 | 64.8 | (59.6 - 69.7) | 395 | 72.5 | (65.4 - 78.7) | 389 | | |
| Age | | | | | | | | | | | |
| 11 or younger | 58.4 | (51.3 - 65.2) | 191 | 50.4 | (42.1 - 58.7) | 84 | 66.9 | (54.5 - 77.2) | 105 | | |
| 12 | 67.2 | (61.7 - 72.2) | 326 | 64.8 | (57.1 - 71.7) | 163 | 70.0 | (62.3 - 76.7) | 160 | | |
| 13 | 74.6 | (64.3 - 82.8) | 215 | 71.3 | (61.8 - 79.2) | 109 | 77.6 | (59.5 - 89.1) | 104 | | |
| 14 or older | 77.8 | (64.3 - 87.3) | 56 | 75.0 | (57.9 - 86.8) | 36 | - | - | 20 | | |
| Grade | | | | | | | | | | | |
| 6th | 58.9 | (53.2 - 64.3) | 248 | 52.7 | (45.2 - 60.1) | 113 | 66.5 | (55.8 - 75.7) | 132 | | |
| 7th | 69.9 | (64.5 - 74.9) | 331 | 63.9 | (55.1 - 71.9) | 167 | 75.6 | (68.9 - 81.3) | 161 | | |
| 8th | 75.3 | (65.1 - 83.4) | 208 | 75.1 | (68.2 - 81.0) | 111 | 75.3 | (57.0 - 87.5) | 96 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 70.1 | (59.4 - 79.0) | 105 | 67.1 | (56.2 - 76.3) | 50 | 73.2 | (53.4 - 86.7) | 55 | | |
| Hispanic/Latino | 70.1 | (58.5 - 79.7) | 83 | 70.6 | (52.4 - 84.0) | 35 | 71.3 | (53.8 - 84.1) | 47 | | |
| White* | 67.9 | (61.4 - 73.7) | 432 | 62.2 | (54.6 - 69.3) | 211 | 73.4 | (64.4 - 80.8) | 219 | | |
| All other races* | 62.9 | (44.7 - 78.1) | 38 | - | - | 23 | - | - | 15 | | |
| Multiple races* | 73.2 | (58.5 - 84.0) | 57 | 72.5 | (53.5 - 85.8) | 30 | - | - | 26 | | |
| | | | | | | | | | | | |

Note: 101 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN41: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 86.8 | (83.9 - 89.3) | 770 | 88.2 | (84.2 - 91.3) | 388 | 85.3 | (80.9 - 88.9) | 376 | |
| Age | | | | | | | | | | |
| 11 or younger | 81.0 | (72.5 - 87.3) | 187 | 82.2 | (71.4 - 89.5) | 80 | 79.7 | (68.1 - 87.8) | 105 | |
| 12 | 90.0 | (84.2 - 93.9) | 311 | 90.9 | (83.3 - 95.2) | 157 | 88.9 | (80.1 - 94.1) | 152 | |
| 13 | 87.8 | (83.5 - 91.1) | 211 | 88.9 | (81.9 - 93.4) | 112 | 87.0 | (79.0 - 92.2) | 97 | |
| 14 or older | 88.3 | (75.6 - 94.8) | 58 | 91.5 | (79.2 - 96.8) | 36 | - | - | 22 | |
| Grade | | | | | | | | | | |
| 6th | 83.2 | (75.8 - 88.7) | 242 | 85.7 | (76.4 - 91.7) | 108 | 80.4 | (70.0 - 87.8) | 131 | |
| 7th | 90.5 | (84.5 - 94.4) | 317 | 91.0 | (82.9 - 95.5) | 164 | 90.5 | (81.9 - 95.3) | 151 | |
| 8th | 87.1 | (82.1 - 90.9) | 207 | 88.7 | (81.0 - 93.5) | 112 | 85.1 | (77.4 - 90.5) | 94 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 78.0 | (68.8 - 85.1) | 107 | 75.3 | (60.8 - 85.7) | 51 | 80.8 | (68.2 - 89.2) | 56 | |
| Hispanic/Latino | 91.4 | (82.8 - 95.9) | 82 | 96.2 | (76.3 - 99.5) | 34 | 87.8 | (73.2 - 95.0) | 47 | |
| White* | 90.2 | (86.3 - 93.1) | 416 | 94.0 | (90.6 - 96.2) | 206 | 86.5 | (79.9 - 91.2) | 208 | |
| All other races* | 80.8 | (66.6 - 89.9) | 39 | - | - | 24 | - | - | 15 | |
| Multiple races* | 81.3 | (68.1 - 89.8) | 52 | - | - | 29 | - | - | 23 | |

Note: 101 students were excluded from this analysis.

N = Number of students in this subgroup.

⁻⁼ Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 5.5 | (3.8 - 7.7) | 770 | 5.3 | (3.3 - 8.5) | 388 | 5.4 | (3.2 - 9.1) | 376 | |
| Age | | | | | | | | | | |
| 11 or younger | 4.0 | (1.9 - 8.2) | 187 | 4.5 | (1.9 - 10.3) | 80 | 3.6 | (1.4 - 9.5) | 105 | |
| 12 | 7.8 | (4.9 - 12.3) | 311 | 8.6 | (5.3 - 13.7) | 157 | 6.2 | (2.8 - 13.5) | 152 | |
| 13 | 2.4 | (1.0 - 5.9) | 211 | 1.4 | (0.3 - 5.5) | 112 | 3.6 | (1.1 - 11.2) | 97 | |
| 14 or older | 9.8 | (3.2 - 26.2) | 58 | 6.6 | (0.9 - 35.9) | 36 | - | - | 22 | |
| Grade | | | | | | | | | | |
| 6th | 3.8 | (1.9 - 7.3) | 242 | 4.7 | (2.1 - 9.9) | 108 | 3.0 | (1.1 - 7.8) | 131 | |
| 7th | 8.1 | (5.1 - 12.6) | 317 | 8.3 | (4.8 - 14.0) | 164 | 7.1 | (3.4 - 14.3) | 151 | |
| 8th | 4.3 | (2.0 - 9.0) | 207 | 2.7 | (0.5 - 13.0) | 112 | 6.2 | (2.4 - 15.3) | 94 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 7.9 | (3.9 - 15.6) | 107 | 7.8 | (2.7 - 20.8) | 51 | 8.0 | (2.9 - 20.6) | 56 | |
| Hispanic/Latino | 4.4 | (1.4 - 12.8) | 82 | 7.9 | (1.9 - 27.3) | 34 | 2.0 | (0.3 - 13.8) | 47 | |
| White* | 5.6 | (3.4 - 9.1) | 416 | 5.0 | (2.6 - 9.1) | 206 | 5.8 | (2.8 - 11.6) | 208 | |
| All other races* | 5.2 | (1.3 - 18.8) | 39 | - | - | 24 | - | - | 15 | |
| Multiple races* | 1.9 | (0.2 - 13.1) | 52 | - | - | 29 | - | - | 23 | |

Note: 101 students were excluded from this analysis.

N = Number of students in this subgroup.

⁻⁼ Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN42: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the past 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 56.8 | (53.0 - 60.5) | 788 | 60.7 | (55.7 - 65.5) | 392 | 53.2 | (47.9 - 58.4) | 388 |
| Age | | | | | | | | | |
| 11 or younger | 58.0 | (48.6 - 66.9) | 188 | 59.5 | (47.1 - 70.9) | 81 | 57.1 | (45.2 - 68.2) | 105 |
| 12 | 58.7 | (53.4 - 63.8) | 320 | 62.8 | (54.9 - 70.1) | 161 | 54.5 | (45.4 - 63.3) | 156 |
| 13 | 57.3 | (50.4 - 63.9) | 220 | 66.4 | (58.3 - 73.7) | 112 | 48.8 | (39.5 - 58.1) | 106 |
| 14 or older | 46.4 | (34.1 - 59.2) | 56 | 42.5 | (23.7 - 63.8) | 35 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 59.4 | (51.2 - 67.2) | 242 | 61.3 | (50.5 - 71.0) | 107 | 57.6 | (47.5 - 67.2) | 132 |
| 7th | 58.8 | (54.3 - 63.1) | 329 | 65.2 | (58.4 - 71.4) | 169 | 53.0 | (44.3 - 61.5) | 157 |
| 8th | 53.2 | (46.4 - 59.8) | 212 | 57.2 | (48.2 - 65.7) | 112 | 49.2 | (41.6 - 56.9) | 99 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 48.2 | (37.6 - 59.0) | 108 | 58.8 | (42.9 - 73.0) | 50 | 38.0 | (26.7 - 50.8) | 58 |
| Hispanic/Latino | 52.1 | (40.8 - 63.1) | 80 | 53.6 | (36.5 - 69.9) | 33 | 49.9 | (35.4 - 64.4) | 46 |
| White* | 60.6 | (55.4 - 65.6) | 429 | 64.2 | (57.6 - 70.3) | 210 | 57.5 | (49.3 - 65.3) | 217 |
| All other races* | 58.8 | (47.0 - 69.6) | 37 | - | - | 22 | - | - | 15 |
| Multiple races* | 58.2 | (43.9 - 71.2) | 56 | 58.0 | (37.0 - 76.4) | 30 | - | - | 25 |

Note: 104 students were excluded from this analysis.

N = Number of students in this subgroup.

⁻⁼ Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN43: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 17.6 | (14.5 - 21.2) | 793 | 15.5 | (11.2 - 20.9) | 395 | 20.0 | (15.6 - 25.3) | 390 |
| Age | | | | | | | | | |
| 11 or younger | 21.6 | (15.6 - 29.1) | 191 | 17.3 | (8.5 - 32.0) | 83 | 25.2 | (19.1 - 32.6) | 106 |
| 12 | 17.7 | (12.9 - 23.8) | 321 | 17.5 | (11.7 - 25.3) | 162 | 18.3 | (11.6 - 27.8) | 156 |
| 13 | 12.8 | (8.5 - 18.8) | 220 | 14.5 | (6.9 - 27.9) | 112 | 11.3 | (6.6 - 18.6) | 106 |
| 14 or older | 23.6 | (11.4 - 42.7) | 57 | 8.5 | (2.8 - 23.0) | 35 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 22.4 | (16.6 - 29.4) | 245 | 19.0 | (11.3 - 30.2) | 111 | 25.7 | (19.0 - 33.8) | 131 |
| 7th | 15.3 | (11.4 - 20.3) | 333 | 15.6 | (11.1 - 21.4) | 169 | 15.5 | (10.1 - 23.1) | 160 |
| 8th | 15.5 | (10.6 - 22.1) | 211 | 12.3 | (5.8 - 24.3) | 111 | 19.2 | (11.8 - 29.7) | 99 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.9 | (11.7 - 26.5) | 108 | 17.2 | (8.5 - 31.7) | 51 | 18.6 | (10.8 - 30.2) | 57 |
| Hispanic/Latino | 20.1 | (12.0 - 31.6) | 79 | 18.5 | (7.8 - 38.0) | 34 | 19.4 | (10.0 - 34.2) | 44 |
| White* | 15.8 | (12.0 - 20.6) | 430 | 12.8 | (8.4 - 18.9) | 207 | 19.0 | (13.1 - 26.8) | 221 |
| All other races* | 28.7 | (16.7 - 44.6) | 40 | - | - | 24 | - | - | 16 |
| Multiple races* | 18.2 | (9.8 - 31.4) | 56 | 19.3 | (8.6 - 37.9) | 30 | - | - | 25 |

Note: 104 students were excluded from this analysis.

N = Number of students in this subgroup.

⁻⁼ Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN44: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 23.3 | (20.2 - 26.8) | 777 | 16.2 | (12.7 - 20.3) | 382 | 30.6 | (25.3 - 36.5) | 388 |
| Age | | | | | | | | | |
| 11 or younger | 22.3 | (15.9 - 30.5) | 189 | 20.5 | (12.0 - 32.9) | 80 | 24.3 | (17.4 - 33.0) | 107 |
| 12 | 20.8 | (17.1 - 25.0) | 315 | 10.5 | (6.8 - 16.1) | 156 | 30.6 | (23.8 - 38.4) | 156 |
| 13 | 26.9 | (21.2 - 33.6) | 217 | 15.7 | (10.7 - 22.5) | 111 | 38.5 | (28.9 - 49.1) | 104 |
| 14 or older | 21.9 | (14.0 - 32.6) | 54 | 24.4 | (12.8 - 41.4) | 33 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 22.0 | (16.7 - 28.5) | 244 | 18.3 | (11.8 - 27.2) | 107 | 26.0 | (18.8 - 34.9) | 134 |
| 7th | 22.5 | (18.0 - 27.9) | 325 | 12.5 | (7.3 - 20.5) | 164 | 31.6 | (25.0 - 39.1) | 158 |
| 8th | 24.5 | (19.4 - 30.5) | 205 | 16.3 | (11.6 - 22.3) | 108 | 34.1 | (24.0 - 46.0) | 96 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 24.7 | (15.4 - 37.1) | 105 | 19.5 | (8.5 - 38.5) | 48 | 29.4 | (18.6 - 43.2) | 57 |
| Hispanic/Latino | 22.3 | (12.7 - 36.1) | 80 | 13.9 | (5.6 - 30.6) | 32 | 28.4 | (15.4 - 46.5) | 47 |
| White* | 23.2 | (19.5 - 27.4) | 422 | 13.8 | (9.2 - 20.2) | 203 | 32.0 | (25.9 - 38.8) | 217 |
| All other races* | 24.6 | (11.0 - 46.1) | 37 | - | - | 22 | - | - | 15 |
| Multiple races* | 23.9 | (14.5 - 36.8) | 57 | 14.5 | (4.8 - 36.1) | 30 | - | - | 26 |

Note: 115 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN45: Percentage of students who got 8 or more hours of sleep (on an average school night)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 42.2 | (37.6 - 46.9) | 774 | 41.7 | (35.5 - 48.2) | 383 | 42.3 | (36.2 - 48.7) | 384 |
| Age | | | | | | | | | |
| 11 or younger | 53.3 | (45.5 - 60.9) | 188 | 49.0 | (40.2 - 57.7) | 80 | 58.1 | (46.8 - 68.5) | 106 |
| 12 | 46.0 | (39.6 - 52.5) | 311 | 47.6 | (37.3 - 58.0) | 156 | 43.8 | (36.6 - 51.3) | 152 |
| 13 | 35.5 | (29.4 - 42.2) | 216 | 35.4 | (25.6 - 46.6) | 110 | 34.4 | (27.1 - 42.5) | 104 |
| 14 or older | 23.8 | (16.1 - 33.7) | 56 | 28.9 | (18.2 - 42.5) | 34 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 52.4 | (44.2 - 60.4) | 244 | 46.3 | (36.6 - 56.3) | 108 | 58.5 | (47.7 - 68.5) | 133 |
| 7th | 43.6 | (37.7 - 49.6) | 321 | 46.9 | (38.3 - 55.7) | 163 | 39.8 | (32.4 - 47.7) | 155 |
| 8th | 32.2 | (25.9 - 39.2) | 205 | 33.8 | (23.5 - 46.0) | 108 | 29.4 | (21.8 - 38.4) | 96 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 40.5 | (32.5 - 49.0) | 105 | 45.4 | (29.0 - 62.7) | 48 | 35.9 | (24.3 - 49.6) | 57 |
| Hispanic/Latino | 44.8 | (33.0 - 57.3) | 76 | 46.6 | (26.2 - 68.1) | 32 | 44.6 | (31.7 - 58.3) | 43 |
| White* | 42.3 | (36.5 - 48.3) | 421 | 41.2 | (34.0 - 48.9) | 204 | 43.4 | (35.4 - 51.7) | 215 |
| All other races* | 35.8 | (23.9 - 49.8) | 38 | - | - | 22 | - | - | 16 |
| Multiple races* | 28.6 | (18.2 - 41.8) | 57 | 22.1 | (12.2 - 36.6) | 30 | - | - | 26 |

Note: 115 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN46: Percentage of students who usually did not sleep in their parent's or guardian's home (during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.7 | (1.6 - 4.6) | 778 | 2.0 | (0.7 - 5.5) | 382 | 3.5 | (1.8 - 6.6) | 388 |
| Age | | | | | | | | | |
| 11 or younger | 3.4 | (1.4 - 8.0) | 190 | 3.1 | (0.8 - 11.0) | 80 | 3.7 | (1.5 - 8.8) | 108 |
| 12 | 0.5 | (0.1 - 2.2) | 313 | 0.0 | - | 156 | 1.1 | (0.3 - 4.6) | 154 |
| 13 | 3.9 | (1.8 - 8.4) | 217 | 1.6 | (0.3 - 9.8) | 110 | 6.3 | (2.5 - 15.0) | 105 |
| 14 or older | 4.6 | (0.6 - 26.9) | 54 | 7.4 | (1.1 - 37.2) | 33 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 3.5 | (1.6 - 7.5) | 245 | 3.6 | (1.1 - 10.8) | 107 | 3.5 | (1.3 - 8.8) | 135 |
| 7th | 0.6 | (0.2 - 2.5) | 323 | 0.0 | - | 164 | 1.3 | (0.3 - 5.3) | 155 |
| 8th | 4.0 | (2.0 - 7.8) | 207 | 2.7 | (0.8 - 8.8) | 108 | 5.5 | (2.0 - 13.8) | 98 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.9 | (0.8 - 10.6) | 107 | 3.4 | (0.5 - 19.8) | 49 | 2.5 | (0.4 - 16.1) | 58 |
| Hispanic/Latino | 4.0 | (1.3 - 11.7) | 75 | 3.6 | (0.5 - 22.9) | 32 | 4.4 | (1.1 - 15.9) | 42 |
| White* | 2.4 | (1.3 - 4.4) | 423 | 1.2 | (0.3 - 4.6) | 203 | 3.6 | (1.7 - 7.3) | 218 |
| All other races* | 0.0 | - | 37 | - | - | 21 | - | - | 16 |
| Multiple races* | 1.8 | (0.2 - 13.0) | 57 | 0.0 | - | 30 | - | - | 26 |

Note: 114 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN47: Percentage of students who have ever ridden in a car driven by someone who was texting while they were driving the car

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 56.5 | (52.1 - 60.8) | 880 | 52.2 | (46.9 - 57.4) | 445 | 61.5 | (55.6 - 67.2) | 421 |
| Age | | | | | | | | | |
| 11 or younger | 52.7 | (44.9 - 60.5) | 221 | 50.3 | (40.6 - 60.1) | 98 | 55.7 | (46.9 - 64.2) | 120 |
| 12 | 54.3 | (47.0 - 61.4) | 352 | 50.8 | (43.1 - 58.6) | 182 | 57.4 | (47.6 - 66.7) | 165 |
| 13 | 62.3 | (55.0 - 69.0) | 240 | 53.3 | (41.5 - 64.8) | 125 | 71.4 | (62.5 - 78.9) | 113 |
| 14 or older | 55.7 | (44.2 - 66.6) | 61 | 56.2 | (40.0 - 71.3) | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 51.3 | (44.4 - 58.1) | 281 | 47.3 | (39.1 - 55.7) | 131 | 55.6 | (47.4 - 63.6) | 146 |
| 7th | 56.2 | (48.2 - 63.9) | 365 | 54.2 | (45.5 - 62.8) | 190 | 57.5 | (48.2 - 66.3) | 170 |
| 8th | 62.2 | (55.6 - 68.3) | 226 | 54.7 | (45.2 - 64.0) | 119 | 70.9 | (59.6 - 80.1) | 105 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 65.1 | (55.7 - 73.4) | 131 | 66.4 | (54.6 - 76.4) | 65 | 63.7 | (50.9 - 74.8) | 66 |
| Hispanic/Latino | 50.0 | (37.5 - 62.5) | 89 | 51.7 | (36.0 - 67.0) | 38 | 47.9 | (34.1 - 62.0) | 50 |
| White* | 58.0 | (52.3 - 63.5) | 460 | 52.5 | (45.7 - 59.3) | 227 | 63.6 | (55.2 - 71.3) | 229 |
| All other races* | 47.5 | (32.3 - 63.1) | 45 | - | - | 27 | - | - | 17 |
| Multiple races* | 63.7 | (50.7 - 75.1) | 62 | 54.5 | (36.2 - 71.6) | 31 | - | - | 29 |

Note: 114 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN48: Percentage of students who reported that someone they were dating or going out with physically hurt them on purpose (counting such things as being hit, slammed into something, or injured with an object or weapon, among students who have ever dated or gone out with someone)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.9 | (7.5 - 13.1) | 438 | 10.5 | (6.8 - 15.7) | 221 | 8.6 | (5.6 - 13.1) | 213 |
| Age | | | | | | | | | |
| 11 or younger | 8.4 | (3.5 - 18.8) | 89 | 3.2 | (0.7 - 12.9) | 37 | 10.6 | (4.4 - 23.3) | 51 |
| 12 | 9.2 | (5.3 - 15.4) | 172 | 9.1 | (4.8 - 16.7) | 88 | 7.9 | (3.7 - 16.1) | 82 |
| 13 | 11.6 | (7.3 - 18.0) | 135 | 16.3 | (8.4 - 29.1) | 74 | 6.2 | (2.4 - 14.8) | 61 |
| 14 or older | 9.7 | (3.0 - 26.7) | 41 | - | - | 21 | - | - | 19 |
| Grade | | | | | | | | | |
| 6th | 6.9 | (3.8 - 12.3) | 119 | 5.7 | (2.2 - 13.9) | 55 | 6.5 | (2.5 - 15.7) | 63 |
| 7th | 7.8 | (4.5 - 13.0) | 187 | 8.3 | (4.7 - 14.2) | 95 | 7.3 | (3.7 - 13.9) | 91 |
| 8th | 13.4 | (9.7 - 18.3) | 129 | 15.4 | (8.7 - 25.8) | 69 | 11.5 | (6.1 - 20.5) | 59 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 13.1 | (7.3 - 22.3) | 80 | 16.2 | (7.8 - 30.6) | 40 | 9.6 | (3.9 - 21.5) | 40 |
| Hispanic/Latino | 7.9 | (2.4 - 23.2) | 38 | - | - | 20 | - | - | 18 |
| White* | 9.1 | (5.9 - 13.6) | 226 | 8.5 | (4.3 - 16.0) | 107 | 9.8 | (5.2 - 17.5) | 118 |
| All other races* | - | - | 20 | - | - | 12 | - | - | 7 |
| Multiple races* | 6.4 | (1.6 - 23.1) | 35 | - | - | 17 | - | - | 16 |

Note: 454 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN49: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 38.3 | (35.0 - 41.8) | 869 | 27.3 | (22.7 - 32.6) | 442 | 50.7 | (44.9 - 56.5) | 414 |
| Age | | | | | | | | | |
| 11 or younger | 40.4 | (34.5 - 46.7) | 219 | 34.1 | (24.6 - 45.1) | 97 | 47.3 | (39.4 - 55.4) | 119 |
| 12 | 35.6 | (31.0 - 40.5) | 347 | 24.7 | (18.2 - 32.5) | 180 | 47.9 | (41.2 - 54.6) | 162 |
| 13 | 38.4 | (30.5 - 47.0) | 238 | 22.9 | (14.5 - 34.1) | 126 | 56.0 | (41.7 - 69.4) | 110 |
| 14 or older | 42.2 | (29.3 - 56.3) | 60 | 33.8 | (21.0 - 49.6) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 40.2 | (34.8 - 45.8) | 278 | 33.3 | (25.2 - 42.4) | 130 | 47.7 | (40.1 - 55.4) | 145 |
| 7th | 36.3 | (31.8 - 41.0) | 360 | 22.8 | (17.3 - 29.4) | 189 | 51.1 | (43.9 - 58.3) | 166 |
| 8th | 38.7 | (31.4 - 46.7) | 224 | 26.1 | (17.3 - 37.5) | 119 | 53.2 | (40.0 - 66.0) | 103 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 44.1 | (36.2 - 52.2) | 130 | 32.0 | (21.4 - 44.9) | 65 | 57.5 | (46.6 - 67.6) | 65 |
| Hispanic/Latino | 36.5 | (28.4 - 45.5) | 88 | 17.4 | (7.7 - 34.6) | 37 | 50.7 | (39.1 - 62.3) | 50 |
| White* | 36.4 | (31.8 - 41.3) | 455 | 25.9 | (20.1 - 32.7) | 225 | 46.9 | (39.9 - 53.9) | 226 |
| All other races* | 39.3 | (24.2 - 56.8) | 42 | - | - | 27 | - | - | 14 |
| Multiple races* | 42.8 | (27.6 - 59.5) | 61 | 25.1 | (11.6 - 46.2) | 30 | - | - | 29 |

Note: 454 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN50: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey)

| | Total | | | Male | Female | | | | |
|------------------|------------|-------------------------------|----|------------|-------------------------------|---|------------|-------------------------------|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 11 | - | - | 3 | - | - | 6 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 2 | - | - | 0 | - | - | 1 |
| 12 | - | - | 5 | - | - | 1 | - | - | 3 |
| 13 | - | - | 4 | - | - | 2 | - | - | 2 |
| 14 or older | - | - | 0 | - | - | 0 | - | - | 0 |
| Grade | | | | | | | | | |
| 6th | - | - | 3 | - | - | 1 | - | - | 1 |
| 7th | - | - | 5 | - | - | 2 | - | - | 3 |
| 8th | - | - | 2 | - | - | 0 | - | - | 2 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 2 | _ | - | 2 | - | - | 0 |
| Hispanic/Latino | - | - | 2 | - | - | 0 | - | - | 2 |
| White* | - | - | 4 | - | - | 0 | - | - | 4 |
| All other races* | - | - | 1 | - | - | 0 | - | - | 0 |
| Multiple races* | - | - | 1 | - | - | 0 | - | - | 0 |

Note: 881 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN51: Percentage of students who were asked to show proof of age (during the 30 days before the survey, among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)

| | | Total | | | Male | Female | | | |
|------------------|------------|-------------------------------|---|------------|-------------------------------|--------|------------|-------------------------------|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 8 | - | - | 1 | - | - | 6 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 4 | - | - | 0 | - | _ | 3 |
| 12 | - | - | 1 | - | - | 0 | - | - | 1 |
| 13 | - | - | 2 | - | - | 1 | - | - | 1 |
| 14 or older | - | - | 1 | - | - | 0 | - | - | 1 |
| Grade | | | | | | | | | |
| 6th | - | - | 1 | - | - | 0 | - | - | 1 |
| 7th | - | - | 3 | - | - | 1 | - | - | 2 |
| 8th | - | - | 3 | - | - | 0 | - | - | 3 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 4 | - | - | 0 | - | - | 4 |
| Hispanic/Latino | - | - | 1 | - | - | 0 | - | - | 1 |
| White* | - | - | 0 | - | - | 0 | - | - | 0 |
| All other races* | - | - | 1 | - | - | 0 | - | - | 1 |
| Multiple races* | - | - | 1 | - | - | 0 | - | - | 0 |

Note: 881 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN52: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|----|------------|-------------------------------|----|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 40.7 | (30.0 - 52.3) | 64 | 50.9 | (32.7 - 68.9) | 31 | 26.4 | (12.4 - 47.5) | 31 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 18 | - | - | 8 | - | _ | 9 |
| 12 | - | - | 24 | - | - | 14 | - | - | 10 |
| 13 | - | - | 15 | - | - | 6 | - | - | 8 |
| 14 or older | - | - | 6 | - | - | 2 | - | - | 4 |
| Grade | | | | | | | | | |
| 6th | - | - | 21 | - | - | 12 | - | _ | 9 |
| 7th | - | - | 26 | - | - | 12 | - | - | 13 |
| 8th | - | - | 15 | - | - | 6 | - | - | 9 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 7 | - | - | 10 |
| Hispanic/Latino | - | - | 11 | - | - | 4 | - | - | 7 |
| White* | - | - | 24 | - | - | 13 | - | - | 10 |
| All other races* | - | - | 3 | - | - | 1 | - | - | 2 |
| Multiple races* | - | - | 3 | - | - | 1 | - | - | 1 |
| | | | | | | | | | |

Note: 828 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN53: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 95.6 | (89.5 - 98.2) | 110 | 96.1 | (84.8 - 99.1) | 47 | 95.0 | (85.5 - 98.4) | 61 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 23 | - | - | 11 | _ | _ | 11 |
| 12 | 97.4 | (82.7 - 99.7) | 37 | - | - | 16 | - | - | 20 |
| 13 | 96.1 | (76.7 - 99.4) | 37 | - | - | 15 | - | - | 22 |
| 14 or older | - | - | 12 | - | - | 4 | - | - | 8 |
| Grade | | | | | | | | | |
| 6th | 97.0 | (82.5 - 99.5) | 30 | - | - | 16 | _ | _ | 13 |
| 7th | 95.5 | (83.3 - 98.9) | 41 | - | - | 18 | - | - | 22 |
| 8th | 96.6 | (80.8 - 99.5) | 37 | - | - | 11 | - | - | 26 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 24 | - | - | 12 | - | - | 12 |
| Hispanic/Latino | - | - | 15 | - | - | 4 | - | - | 10 |
| White* | 95.1 | (80.4 - 98.9) | 45 | - | - | 18 | - | - | 27 |
| All other races* | - | - | 4 | - | - | 2 | - | - | 1 |
| Multiple races* | - | - | 10 | - | - | 4 | - | - | 6 |

Note: 828 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN54: Percentage of students who used electronic vapor products mainly because a friend or family member used them

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 3.6 | (2.5 - 5.2) | 849 | 2.8 | (1.5 - 5.4) | 433 | 4.4 | (2.6 - 7.3) | 404 | |
| Age | | | | | | | | | | |
| 11 or younger | 4.6 | (2.6 - 7.9) | 213 | 3.7 | (1.2 - 11.0) | 93 | 5.5 | (2.8 - 10.4) | 118 | |
| 12 | 2.2 | (1.0 - 4.9) | 345 | 1.4 | (0.4 - 5.2) | 180 | 2.5 | (0.7 - 8.3) | 160 | |
| 13 | 4.1 | (2.2 - 7.7) | 227 | 2.3 | (0.7 - 7.3) | 121 | 6.3 | (2.7 - 14.2) | 104 | |
| 14 or older | 4.0 | (1.4 - 11.5) | 59 | 6.7 | (2.3 - 17.8) | 36 | - | - | 22 | |
| Grade | | | | | | | | | | |
| 6th | 4.6 | (2.8 - 7.5) | 273 | 3.8 | (1.4 - 10.0) | 126 | 4.8 | (2.8 - 8.1) | 144 | |
| 7th | 1.6 | (0.8 - 3.5) | 355 | 2.2 | (0.8 - 5.6) | 187 | 1.1 | (0.3 - 4.5) | 162 | |
| 8th | 4.3 | (2.3 - 7.9) | 216 | 2.1 | (0.7 - 5.9) | 116 | 7.0 | (3.0 - 15.5) | 98 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 5.5 | (2.6 - 11.5) | 123 | 6.6 | (2.3 - 17.6) | 62 | 4.2 | (1.1 - 15.1) | 61 | |
| Hispanic/Latino | 6.9 | (3.0 - 15.1) | 84 | 8.4 | (2.5 - 25.0) | 37 | 6.0 | (1.7 - 19.0) | 46 | |
| White* | 2.0 | (1.0 - 4.0) | 451 | 0.7 | (0.2 - 2.8) | 224 | 3.4 | (1.5 - 7.5) | 223 | |
| All other races* | 6.8 | (1.4 - 27.1) | 43 | - | - | 26 | - | - | 16 | |
| Multiple races* | 5.7 | (1.5 - 19.8) | 60 | 0.0 | - | 30 | - | - | 29 | |

Note: 43 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN55: Percentage of students who think they definitely or probably will use an electronic vapor product in the next year

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.9 | (8.1 - 14.4) | 861 | 6.4 | (3.9 - 10.3) | 435 | 15.6 | (10.9 - 21.8) | 413 |
| Age | | | | | | | | | |
| 11 or younger | 8.0 | (4.6 - 13.7) | 214 | 4.0 | (1.2 - 12.4) | 92 | 10.3 | (6.3 - 16.4) | 119 |
| 12 | 9.5 | (7.0 - 12.8) | 349 | 6.2 | (3.3 - 11.3) | 181 | 13.1 | (8.2 - 20.2) | 163 |
| 13 | 11.3 | (7.2 - 17.3) | 233 | 7.1 | (3.4 - 14.5) | 123 | 16.2 | (8.9 - 27.5) | 108 |
| 14 or older | 21.3 | (9.8 - 40.2) | 60 | 7.8 | (1.8 - 28.4) | 36 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 6.7 | (4.3 - 10.4) | 273 | 3.9 | (1.4 - 10.0) | 124 | 8.5 | (5.4 - 13.1) | 145 |
| 7th | 10.1 | (7.3 - 13.9) | 362 | 5.6 | (2.9 - 10.4) | 190 | 15.7 | (10.1 - 23.5) | 167 |
| 8th | 14.9 | (9.0 - 23.8) | 220 | 8.8 | (4.1 - 17.7) | 117 | 22.5 | (12.1 - 37.9) | 101 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 15.0 | (9.7 - 22.6) | 125 | 12.3 | (6.2 - 22.8) | 63 | 18.2 | (10.7 - 29.0) | 62 |
| Hispanic/Latino | 19.1 | (14.0 - 25.4) | 87 | 5.3 | (1.2 - 20.2) | 37 | 27.3 | (19.3 - 37.2) | 49 |
| White* | 9.1 | (6.1 - 13.4) | 457 | 3.7 | (1.7 - 7.9) | 225 | 14.9 | (9.4 - 22.8) | 228 |
| All other races* | 5.2 | (1.3 - 18.5) | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 10.3 | (4.9 - 20.4) | 60 | - | - | 29 | - | - | 29 |

Note: 43 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN56: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, or little cigars, flavored smokeless tobacco products, or both, not counting menthol cigarettes, during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.8 | (0.4 - 1.5) | 843 | 0.2 | (0.0 - 1.5) | 424 | 1.4 | (0.7 - 2.9) | 407 |
| Age | | | | | | | | | |
| 11 or younger | 1.0 | (0.3 - 2.9) | 211 | 0.0 | - | 91 | 1.9 | (0.6 - 5.3) | 118 |
| 12 | 0.7 | (0.2 - 2.1) | 343 | 0.0 | - | 176 | 1.6 | (0.5 - 4.6) | 162 |
| 13 | 0.9 | (0.2 - 3.3) | 225 | 0.7 | (0.1 - 5.0) | 118 | 1.1 | (0.1 - 7.8) | 105 |
| 14 or older | 0.0 | - | 59 | 0.0 | - | 36 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 0.8 | (0.3 - 2.3) | 266 | 0.0 | - | 120 | 1.5 | (0.5 - 4.6) | 143 |
| 7th | 0.8 | (0.3 - 2.2) | 357 | 0.0 | - | 186 | 1.6 | (0.6 - 4.6) | 166 |
| 8th | 0.8 | (0.2 - 3.0) | 214 | 0.6 | (0.1 - 4.3) | 114 | 1.0 | (0.1 - 7.3) | 98 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.0 | - | 120 | 0.0 | - | 58 | 0.0 | - | 62 |
| Hispanic/Latino | 3.5 | (1.2 - 10.0) | 84 | 0.0 | - | 37 | 6.2 | (2.0 - 17.2) | 47 |
| White* | 0.6 | (0.2 - 2.0) | 453 | 0.0 | - | 221 | 1.2 | (0.3 - 4.1) | 228 |
| All other races* | 0.0 | - | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 0.0 | - | 58 | 0.0 | - | 30 | - | - | 26 |

Note: 49 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN57: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.3 | (2.2 - 4.9) | 816 | 1.1 | (0.5 - 2.7) | 406 | 5.2 | (3.3 - 8.0) | 397 |
| Age | | | | | | | | | |
| 11 or younger | 3.0 | (1.3 - 6.5) | 204 | 0.9 | (0.1 - 6.5) | 86 | 3.8 | (1.6 - 9.0) | 116 |
| 12 | 2.3 | (1.1 - 4.7) | 333 | 1.4 | (0.3 - 5.6) | 172 | 2.7 | (1.1 - 6.6) | 156 |
| 13 | 5.5 | (3.0 - 9.7) | 220 | 1.3 | (0.3 - 5.6) | 115 | 10.1 | (5.6 - 17.5) | 103 |
| 14 or older | 0.0 | - | 55 | 0.0 | - | 32 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 3.3 | (1.9 - 5.8) | 261 | 1.7 | (0.4 - 6.6) | 116 | 4.2 | (2.1 - 8.2) | 142 |
| 7th | 1.9 | (0.8 - 4.4) | 345 | 1.2 | (0.3 - 4.4) | 180 | 2.7 | (1.0 - 7.3) | 160 |
| 8th | 4.3 | (2.3 - 7.9) | 203 | 0.6 | (0.1 - 4.7) | 106 | 8.6 | (4.7 - 15.2) | 95 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.9 | (3.4 - 13.7) | 115 | 4.6 | (1.4 - 14.1) | 55 | 9.3 | (3.8 - 20.9) | 60 |
| Hispanic/Latino | 2.1 | (0.5 - 8.7) | 79 | 0.0 | - | 34 | 3.7 | (0.9 - 14.4) | 45 |
| White* | 2.7 | (1.5 - 4.7) | 437 | 0.4 | (0.1 - 2.7) | 214 | 5.2 | (2.9 - 9.3) | 219 |
| All other races* | 2.8 | (0.4 - 17.8) | 41 | - | - | 24 | - | - | 16 |
| Multiple races* | 2.0 | (0.3 - 13.2) | 59 | - | - | 29 | - | - | 28 |

Note: 49 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN58: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used tobacco products during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 36.3 | (24.8 - 49.6) | 58 | - | - | 19 | 22.3 | (10.9 - 40.3) | 36 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 14 | - | - | 5 | - | - | 8 |
| 12 | - | - | 21 | - | - | 6 | - | - | 13 |
| 13 | - | - | 19 | - | - | 6 | - | - | 13 |
| 14 or older | - | - | 4 | - | - | 2 | - | - | 2 |
| Grade | | | | | | | | | |
| 6th | - | - | 16 | - | - | 5 | - | - | 10 |
| 7th | - | - | 24 | - | - | 8 | - | - | 15 |
| 8th | - | - | 15 | - | - | 4 | - | - | 11 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 11 | _ | - | 4 | - | - | 7 |
| Hispanic/Latino | - | - | 4 | - | - | 1 | - | - | 3 |
| White* | 39.5 | (22.8 - 59.1) | 31 | - | - | 8 | - | - | 22 |
| All other races* | - | - | 3 | - | - | 1 | - | - | 1 |
| Multiple races* | - | - | 4 | - | - | 3 | - | - | 0 |

Note: 834 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN59: Percentage of students who live with someone who now smokes cigarettes or cigars

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 38.5 | (34.4 - 42.8) | 846 | 37.5 | (32.1 - 43.1) | 427 | 40.6 | (35.4 - 45.9) | 405 |
| Age | | | | | | | | | |
| 11 or younger | 36.5 | (29.1 - 44.6) | 212 | 34.2 | (22.9 - 47.7) | 92 | 39.8 | (33.5 - 46.4) | 116 |
| 12 | 37.7 | (32.6 - 43.2) | 344 | 36.0 | (28.4 - 44.4) | 178 | 40.4 | (33.4 - 47.8) | 161 |
| 13 | 42.7 | (34.3 - 51.4) | 224 | 41.4 | (30.1 - 53.7) | 117 | 44.2 | (34.1 - 54.8) | 105 |
| 14 or older | 31.8 | (19.6 - 47.1) | 61 | 34.4 | (22.5 - 48.6) | 37 | - | - | 23 |
| Grade | | | | | | | | | |
| 6th | 37.1 | (30.3 - 44.4) | 270 | 35.8 | (26.4 - 46.4) | 124 | 39.6 | (32.1 - 47.6) | 142 |
| 7th | 39.9 | (33.2 - 47.1) | 356 | 36.7 | (28.1 - 46.2) | 186 | 43.8 | (36.0 - 51.8) | 164 |
| 8th | 38.4 | (30.3 - 47.1) | 213 | 39.0 | (28.7 - 50.5) | 112 | 38.5 | (28.6 - 49.4) | 99 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 45.8 | (38.3 - 53.4) | 117 | 38.6 | (26.7 - 52.0) | 58 | 53.5 | (42.5 - 64.2) | 59 |
| Hispanic/Latino | 30.3 | (21.5 - 40.8) | 83 | 28.2 | (16.8 - 43.3) | 37 | 33.3 | (22.0 - 46.9) | 44 |
| White* | 37.2 | (31.1 - 43.6) | 453 | 36.2 | (28.8 - 44.3) | 222 | 38.1 | (30.8 - 46.0) | 227 |
| All other races* | 39.5 | (26.6 - 54.2) | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 56.5 | (42.9 - 69.2) | 61 | 63.6 | (43.6 - 79.8) | 30 | - | - | 29 |

Note: 834 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN60: Percentage of students who report the rule about smoking inside their home is that smoking is not allowed anywhere inside their home (not counting decks, garages, or porches)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 78.3 | (74.8 - 81.5) | 836 | 82.3 | (78.5 - 85.5) | 423 | 74.5 | (68.8 - 79.4) | 401 |
| Age | | | | | | | | | |
| 11 or younger | 78.9 | (73.9 - 83.1) | 207 | 80.6 | (69.9 - 88.2) | 89 | 76.7 | (68.8 - 83.1) | 114 |
| 12 | 76.6 | (72.1 - 80.6) | 344 | 78.0 | (72.9 - 82.3) | 178 | 76.2 | (69.0 - 82.2) | 161 |
| 13 | 79.5 | (71.5 - 85.7) | 223 | 84.1 | (76.3 - 89.7) | 117 | 74.7 | (62.9 - 83.7) | 104 |
| 14 or older | 78.7 | (68.7 - 86.1) | 59 | 94.0 | (80.7 - 98.3) | 36 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 77.7 | (72.5 - 82.2) | 263 | 80.1 | (72.6 - 85.9) | 119 | 75.5 | (66.0 - 83.1) | 140 |
| 7th | 77.2 | (72.3 - 81.5) | 356 | 79.7 | (74.6 - 84.0) | 187 | 75.5 | (67.3 - 82.1) | 164 |
| 8th | 79.8 | (71.9 - 85.9) | 211 | 86.7 | (79.5 - 91.6) | 112 | 72.5 | (60.9 - 81.7) | 97 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 70.9 | (59.4 - 80.2) | 116 | 75.6 | (58.5 - 87.2) | 59 | 65.5 | (51.5 - 77.2) | 57 |
| Hispanic/Latino | 88.8 | (78.9 - 94.4) | 85 | 96.1 | (84.3 - 99.1) | 36 | 83.0 | (66.7 - 92.2) | 47 |
| White* | 79.7 | (74.6 - 84.0) | 447 | 84.5 | (79.2 - 88.6) | 220 | 75.8 | (68.5 - 81.8) | 223 |
| All other races* | 74.7 | (59.7 - 85.4) | 43 | - | - | 26 | - | - | 16 |
| Multiple races* | 76.2 | (64.4 - 85.0) | 62 | 84.9 | (66.9 - 94.0) | 31 | - | - | 29 |

Note: 56 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN61: Percentage of students who were in the same room with someone who was smoking (on at least one day during the 7 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 22.3 | (19.2 - 25.9) | 842 | 21.7 | (17.0 - 27.3) | 428 | 22.9 | (19.1 - 27.3) | 401 |
| Age | | | | | | | | | |
| 11 or younger | 22.4 | (16.7 - 29.4) | 209 | 21.7 | (11.7 - 36.6) | 90 | 22.7 | (15.5 - 31.8) | 115 |
| 12 | 21.3 | (16.6 - 26.9) | 343 | 18.5 | (12.7 - 26.3) | 178 | 23.8 | (17.2 - 31.8) | 160 |
| 13 | 25.7 | (18.6 - 34.4) | 226 | 26.2 | (16.8 - 38.4) | 120 | 25.7 | (18.9 - 33.8) | 104 |
| 14 or older | 15.6 | (8.3 - 27.4) | 60 | 20.0 | (9.9 - 36.1) | 37 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 22.7 | (18.1 - 27.9) | 266 | 22.7 | (14.8 - 33.2) | 121 | 22.1 | (14.5 - 32.2) | 141 |
| 7th | 23.1 | (18.2 - 28.9) | 356 | 19.5 | (13.3 - 27.6) | 188 | 26.9 | (21.2 - 33.5) | 163 |
| 8th | 21.1 | (14.6 - 29.6) | 213 | 22.6 | (13.6 - 35.2) | 114 | 19.9 | (14.5 - 26.7) | 97 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 20.6 | (12.9 - 31.2) | 120 | 16.5 | (8.3 - 30.3) | 60 | 25.0 | (15.0 - 38.6) | 60 |
| Hispanic/Latino | 17.5 | (10.5 - 27.7) | 85 | 9.8 | (2.6 - 30.7) | 37 | 20.0 | (11.6 - 32.3) | 46 |
| White* | 22.1 | (17.6 - 27.3) | 447 | 22.1 | (15.7 - 30.1) | 221 | 22.0 | (16.9 - 28.3) | 222 |
| All other races* | 23.5 | (12.3 - 40.1) | 42 | - | - | 25 | - | - | 16 |
| Multiple races* | 39.6 | (26.2 - 54.7) | 62 | 46.3 | (25.1 - 68.9) | 31 | - | - | 29 |

Note: 56 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN62: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.8 | (6.4 - 12.0) | 841 | 6.4 | (4.0 - 10.1) | 425 | 11.6 | (7.9 - 16.7) | 406 |
| Age | | | | | | | | | |
| 11 or younger | 7.5 | (5.1 - 10.9) | 208 | 7.9 | (4.0 - 14.9) | 89 | 7.3 | (3.8 - 13.7) | 116 |
| 12 | 8.6 | (5.9 - 12.3) | 343 | 4.3 | (2.1 - 8.8) | 176 | 13.7 | (9.4 - 19.7) | 163 |
| 13 | 9.8 | (5.5 - 16.7) | 227 | 8.6 | (4.2 - 17.0) | 120 | 11.3 | (5.9 - 20.6) | 105 |
| 14 or older | 9.9 | (3.7 - 23.9) | 59 | 4.3 | (1.1 - 15.8) | 37 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 7.0 | (5.4 - 9.0) | 266 | 7.6 | (4.6 - 12.4) | 120 | 6.6 | (3.7 - 11.3) | 143 |
| 7th | 8.9 | (6.2 - 12.7) | 357 | 5.0 | (3.0 - 8.3) | 187 | 13.7 | (9.0 - 20.4) | 165 |
| 8th | 10.2 | (5.0 - 19.6) | 212 | 6.5 | (2.5 - 16.1) | 113 | 14.6 | (6.7 - 28.9) | 98 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 10.1 | (4.7 - 20.5) | 119 | 4.9 | (1.5 - 14.8) | 60 | 16.1 | (6.0 - 36.4) | 59 |
| Hispanic/Latino | 7.7 | (3.2 - 17.1) | 83 | 5.2 | (1.4 - 17.9) | 36 | 9.7 | (4.0 - 21.8) | 46 |
| White* | 8.5 | (6.0 - 11.9) | 449 | 5.6 | (3.1 - 9.9) | 219 | 11.6 | (7.8 - 16.9) | 227 |
| All other races* | 7.2 | (2.3 - 20.4) | 41 | - | - | 25 | - | - | 16 |
| Multiple races* | 10.4 | (3.9 - 25.1) | 61 | 15.4 | (5.8 - 35.0) | 30 | - | - | 29 |

Note: 51 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN63: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.8 | (2.3 - 6.2) | 838 | 3.0 | (1.6 - 5.6) | 421 | 4.3 | (2.2 - 8.0) | 406 |
| Age | | | | | | | | | |
| 11 or younger | 2.9 | (1.3 - 6.6) | 211 | 2.1 | (0.5 - 8.0) | 92 | 2.3 | (0.5 - 8.9) | 116 |
| 12 | 4.0 | (2.1 - 7.3) | 340 | 3.7 | (1.6 - 8.2) | 173 | 4.4 | (1.8 - 10.5) | 163 |
| 13 | 4.3 | (2.1 - 8.8) | 225 | 3.0 | (1.2 - 7.1) | 117 | 5.8 | (2.4 - 13.4) | 106 |
| 14 or older | 3.5 | (1.0 - 11.7) | 57 | 2.9 | (0.4 - 18.2) | 36 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 3.4 | (1.4 - 7.9) | 267 | 3.5 | (1.0 - 11.0) | 121 | 3.0 | (1.1 - 7.7) | 143 |
| 7th | 2.8 | (1.6 - 4.9) | 355 | 2.6 | (1.1 - 6.3) | 184 | 3.1 | (1.2 - 7.9) | 166 |
| 8th | 4.7 | (2.0 - 11.0) | 209 | 3.0 | (1.0 - 9.0) | 111 | 6.7 | (2.3 - 17.9) | 97 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.3 | (2.6 - 14.8) | 117 | 6.5 | (2.4 - 16.6) | 57 | 6.2 | (1.3 - 25.4) | 60 |
| Hispanic/Latino | 4.7 | (1.5 - 13.8) | 85 | 0.0 | - | 38 | 6.3 | (2.2 - 16.8) | 46 |
| White* | 2.5 | (1.3 - 4.8) | 449 | 2.5 | (0.9 - 6.7) | 218 | 2.6 | (1.1 - 6.2) | 228 |
| All other races* | 2.4 | (0.3 - 16.9) | 40 | - | - | 26 | - | - | 14 |
| Multiple races* | 8.7 | (3.5 - 19.9) | 61 | 4.3 | (0.6 - 24.7) | 30 | - | - | 29 |

Note: 51 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN64: Percentage of students who have ever taken steroid pills or shots without a doctor's prescription

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.5 | (0.9 - 2.7) | 823 | 1.3 | (0.4 - 3.7) | 412 | 1.8 | (0.9 - 3.7) | 404 |
| Age | | | | | | | | | |
| 11 or younger | 0.9 | (0.2 - 3.5) | 199 | 0.0 | - | 88 | 1.7 | (0.4 - 6.6) | 110 |
| 12 | 1.4 | (0.6 - 3.4) | 336 | 1.6 | (0.5 - 5.0) | 169 | 1.2 | (0.3 - 5.3) | 164 |
| 13 | 1.9 | (0.7 - 4.7) | 225 | 1.4 | (0.2 - 8.7) | 115 | 2.4 | (0.7 - 7.9) | 108 |
| 14 or older | 1.0 | (0.1 - 6.8) | 59 | 0.0 | - | 37 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 1.7 | (0.7 - 3.7) | 253 | 0.7 | (0.1 - 5.0) | 116 | 2.6 | (1.0 - 6.7) | 136 |
| 7th | 1.0 | (0.4 - 2.5) | 353 | 1.0 | (0.2 - 3.8) | 180 | 1.0 | (0.3 - 3.8) | 168 |
| 8th | 2.0 | (0.8 - 4.9) | 212 | 2.1 | (0.5 - 8.0) | 111 | 1.8 | (0.4 - 7.4) | 100 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.6 | (0.8 - 8.1) | 114 | 3.8 | (0.9 - 14.6) | 56 | 1.3 | (0.2 - 9.1) | 58 |
| Hispanic/Latino | 6.0 | (2.6 - 13.3) | 84 | 3.2 | (0.4 - 20.3) | 37 | 8.2 | (3.1 - 20.1) | 47 |
| White* | 0.9 | (0.3 - 2.6) | 444 | 0.7 | (0.2 - 2.9) | 213 | 1.2 | (0.3 - 5.0) | 228 |
| All other races* | 1.7 | (0.2 - 12.7) | 40 | - | - | 25 | - | - | 15 |
| Multiple races* | 0.0 | - | 60 | 0.0 | - | 30 | - | - | 29 |

Note: 69 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN65: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.3 | (2.3 - 4.8) | 829 | 3.4 | (2.1 - 5.5) | 414 | 3.3 | (2.0 - 5.6) | 404 |
| Age | | | | | | | | | |
| 11 or younger | 1.2 | (0.3 - 4.8) | 203 | 2.6 | (0.6 - 10.8) | 88 | 0.0 | - | 112 |
| 12 | 3.0 | (1.5 - 5.9) | 337 | 2.9 | (1.2 - 7.0) | 170 | 3.1 | (1.2 - 8.1) | 163 |
| 13 | 4.4 | (2.2 - 8.5) | 225 | 2.9 | (1.1 - 7.3) | 116 | 6.1 | (3.1 - 11.6) | 107 |
| 14 or older | 5.2 | (1.7 - 14.8) | 59 | 5.6 | (1.4 - 20.2) | 37 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 1.3 | (0.4 - 3.7) | 258 | 2.6 | (0.9 - 7.7) | 117 | 0.0 | - | 138 |
| 7th | 3.0 | (1.5 - 5.6) | 351 | 2.3 | (0.9 - 6.2) | 180 | 3.7 | (1.6 - 8.5) | 166 |
| 8th | 5.6 | (3.6 - 8.5) | 213 | 5.2 | (2.8 - 9.5) | 112 | 6.1 | (3.4 - 10.9) | 100 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.6 | (4.2 - 13.4) | 116 | 9.5 | (4.2 - 19.9) | 58 | 5.5 | (2.0 - 14.5) | 58 |
| Hispanic/Latino | 0.0 | - | 84 | 0.0 | - | 37 | 0.0 | - | 46 |
| White* | 3.3 | (2.1 - 5.1) | 444 | 2.9 | (1.3 - 6.5) | 213 | 3.7 | (1.9 - 7.3) | 228 |
| All other races* | 3.8 | (0.9 - 15.2) | 40 | - | - | 25 | - | - | 15 |
| Multiple races* | 1.9 | (0.3 - 13.1) | 60 | - | - | 29 | - | - | 29 |

Note: 69 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN66: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 74.0 | (69.5 - 78.0) | 788 | 73.5 | (67.6 - 78.6) | 390 | 74.4 | (69.3 - 79.0) | 390 |
| Age | | | | | | | | | |
| 11 or younger | 67.3 | (58.8 - 74.8) | 188 | 71.2 | (59.2 - 80.8) | 81 | 63.2 | (52.4 - 72.8) | 105 |
| 12 | 73.2 | (67.4 - 78.3) | 322 | 69.9 | (60.6 - 77.9) | 162 | 76.0 | (66.9 - 83.2) | 157 |
| 13 | 77.8 | (70.4 - 83.7) | 219 | 74.9 | (65.0 - 82.7) | 111 | 81.0 | (72.2 - 87.5) | 106 |
| 14 or older | 80.8 | (67.9 - 89.3) | 55 | 83.3 | (64.8 - 93.1) | 33 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 66.5 | (57.8 - 74.3) | 244 | 66.5 | (55.0 - 76.3) | 109 | 65.7 | (54.8 - 75.2) | 132 |
| 7th | 72.7 | (67.0 - 77.8) | 332 | 72.3 | (64.0 - 79.3) | 168 | 73.8 | (65.4 - 80.7) | 160 |
| 8th | 81.3 | (74.0 - 87.0) | 209 | 79.6 | (69.9 - 86.8) | 110 | 83.1 | (73.4 - 89.7) | 98 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 66.0 | (56.3 - 74.6) | 105 | 62.8 | (46.6 - 76.5) | 49 | 69.1 | (57.0 - 79.1) | 56 |
| Hispanic/Latino | 76.6 | (65.6 - 84.8) | 81 | 79.2 | (58.6 - 91.1) | 34 | 74.2 | (56.0 - 86.7) | 46 |
| White* | 77.6 | (72.1 - 82.3) | 427 | 78.0 | (70.3 - 84.2) | 206 | 77.4 | (71.1 - 82.7) | 219 |
| All other races* | 68.5 | (53.5 - 80.4) | 39 | - | - | 24 | - | - | 15 |
| Multiple races* | 73.4 | (60.4 - 83.3) | 57 | 72.1 | (52.0 - 86.0) | 30 | - | - | 26 |

Note: 104 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN67: Percentage of students who reported that they or someone in their home tested positive for COVID-19

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 32.3 | (28.1 - 36.8) | 776 | 32.6 | (27.0 - 38.8) | 385 | 31.8 | (27.5 - 36.5) | 384 |
| Age | | | | | | | | | |
| 11 or younger | 37.6 | (29.7 - 46.3) | 189 | 37.8 | (26.4 - 50.8) | 81 | 37.9 | (28.5 - 48.4) | 107 |
| 12 | 29.4 | (24.3 - 35.0) | 312 | 29.2 | (22.6 - 36.9) | 158 | 29.3 | (22.6 - 37.1) | 151 |
| 13 | 32.2 | (25.4 - 39.8) | 217 | 32.1 | (21.9 - 44.4) | 110 | 31.5 | (24.8 - 39.2) | 105 |
| 14 or older | 28.8 | (16.8 - 44.7) | 55 | 32.9 | (17.6 - 52.8) | 34 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 35.6 | (27.9 - 44.0) | 244 | 37.7 | (26.5 - 50.4) | 108 | 34.3 | (26.0 - 43.8) | 134 |
| 7th | 31.7 | (26.5 - 37.4) | 322 | 31.8 | (24.6 - 40.0) | 165 | 31.5 | (25.0 - 38.8) | 153 |
| 8th | 30.0 | (22.7 - 38.5) | 206 | 29.4 | (19.8 - 41.3) | 108 | 29.8 | (23.5 - 37.0) | 97 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 27.8 | (18.3 - 39.9) | 104 | 28.2 | (15.3 - 46.1) | 49 | 27.4 | (16.7 - 41.6) | 55 |
| Hispanic/Latino | 28.4 | (19.2 - 40.0) | 73 | - | - | 29 | 25.0 | (15.2 - 38.3) | 44 |
| White* | 35.3 | (30.3 - 40.7) | 422 | 36.8 | (30.0 - 44.2) | 204 | 33.6 | (27.8 - 40.0) | 216 |
| All other races* | 14.8 | (4.8 - 37.6) | 38 | - | - | 23 | - | - | 15 |
| Multiple races* | 28.7 | (17.3 - 43.7) | 57 | 17.9 | (7.4 - 37.3) | 30 | - | - | 26 |

Note: 104 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN68: Percentage of students who reported that they have a disability or long-term health problem that keeps them from doing everyday activities (such as bathing, getting dressed, doing schoolwork, playing sports, or being with friends)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.8 | (5.7 - 10.7) | 761 | 6.1 | (3.9 - 9.2) | 377 | 9.5 | (6.0 - 14.6) | 376 |
| Age | | | | | | | | | |
| 11 or younger | 10.2 | (6.2 - 16.3) | 184 | 6.6 | (2.6 - 15.8) | 79 | 12.9 | (7.7 - 20.9) | 103 |
| 12 | 5.5 | (3.3 - 9.0) | 307 | 5.8 | (2.8 - 11.7) | 154 | 4.8 | (2.4 - 9.4) | 150 |
| 13 | 6.0 | (3.7 - 9.7) | 210 | 5.8 | (3.1 - 10.7) | 107 | 6.4 | (2.8 - 14.0) | 101 |
| 14 or older | 14.5 | (5.8 - 31.9) | 56 | 4.2 | (1.1 - 14.7) | 34 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 8.9 | (5.3 - 14.4) | 240 | 5.7 | (2.4 - 12.7) | 107 | 11.6 | (6.7 - 19.3) | 130 |
| 7th | 5.4 | (3.0 - 9.6) | 312 | 5.7 | (2.8 - 11.4) | 160 | 4.6 | (1.8 - 11.2) | 148 |
| 8th | 9.2 | (5.6 - 14.6) | 205 | 6.8 | (3.7 - 12.2) | 106 | 11.8 | (5.3 - 24.3) | 98 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.3 | (3.5 - 14.5) | 104 | 7.1 | (2.3 - 19.9) | 48 | 7.5 | (2.5 - 20.3) | 56 |
| Hispanic/Latino | 13.4 | (7.6 - 22.5) | 73 | 6.0 | (1.5 - 20.7) | 32 | 16.9 | (7.6 - 33.5) | 40 |
| White* | 7.6 | (5.0 - 11.5) | 417 | 5.8 | (3.2 - 10.1) | 201 | 9.5 | (5.3 - 16.4) | 214 |
| All other races* | 11.4 | (4.3 - 27.0) | 37 | - | - | 22 | - | - | 15 |
| Multiple races* | 6.6 | (2.0 - 19.6) | 56 | 6.0 | (1.3 - 23.2) | 30 | - | - | 25 |

Note: 131 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN69: Percentage of students who were taught in their classes about the dangers of tobacco use (during the last school year)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 59.5 | (55.1 - 63.8) | 759 | 61.9 | (55.7 - 67.7) | 374 | 58.0 | (53.0 - 62.9) | 376 |
| Age | | | | | | | | | |
| 11 or younger | 54.0 | (44.9 - 62.9) | 185 | 53.6 | (41.6 - 65.2) | 79 | 55.4 | (44.8 - 65.4) | 104 |
| 12 | 59.3 | (52.3 - 66.0) | 301 | 65.6 | (55.9 - 74.1) | 150 | 52.7 | (45.5 - 59.7) | 148 |
| 13 | 65.3 | (57.1 - 72.6) | 212 | 65.4 | (53.5 - 75.6) | 108 | 66.5 | (56.8 - 74.9) | 102 |
| 14 or older | 54.9 | (39.9 - 69.0) | 57 | 57.4 | (34.9 - 77.2) | 34 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 52.8 | (45.5 - 60.0) | 239 | 53.4 | (43.2 - 63.4) | 105 | 53.6 | (43.7 - 63.3) | 131 |
| 7th | 60.9 | (53.1 - 68.2) | 310 | 64.2 | (54.7 - 72.7) | 158 | 57.5 | (50.2 - 64.5) | 148 |
| 8th | 64.1 | (56.4 - 71.1) | 206 | 66.8 | (54.9 - 76.9) | 107 | 62.6 | (54.2 - 70.2) | 97 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 66.1 | (53.8 - 76.5) | 100 | 66.0 | (49.7 - 79.2) | 45 | 66.1 | (50.9 - 78.6) | 55 |
| Hispanic/Latino | 52.2 | (39.2 - 65.0) | 74 | 60.1 | (39.1 - 78.0) | 32 | 47.6 | (32.5 - 63.1) | 41 |
| White* | 60.0 | (54.3 - 65.4) | 418 | 65.1 | (57.1 - 72.3) | 202 | 55.3 | (48.2 - 62.2) | 213 |
| All other races* | 55.6 | (40.8 - 69.5) | 39 | - | - | 23 | - | - | 16 |
| Multiple races* | 57.2 | (41.4 - 71.7) | 54 | - | - | 29 | - | - | 24 |

Note: 131 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN70: Percentage of students who participate in extracurricular activities at school (such as sports, band, drama, clubs, or student government)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 47.5 | (41.5 - 53.4) | 741 | 49.1 | (42.7 - 55.5) | 367 | 46.6 | (38.6 - 54.8) | 366 |
| Age | | | | | | | | | |
| 11 or younger | 50.1 | (41.2 - 59.0) | 179 | 55.6 | (43.2 - 67.4) | 76 | 46.3 | (35.4 - 57.7) | 101 |
| 12 | 43.7 | (36.1 - 51.6) | 295 | 43.4 | (35.3 - 51.9) | 148 | 44.6 | (34.0 - 55.7) | 145 |
| 13 | 50.9 | (39.2 - 62.5) | 208 | 53.7 | (42.1 - 64.9) | 106 | 49.1 | (33.3 - 65.1) | 100 |
| 14 or older | 39.3 | (22.9 - 58.5) | 55 | 37.2 | (18.0 - 61.4) | 34 | - | - | 20 |
| Grade | | | | | | | | | |
| 6th | 51.0 | (43.1 - 58.8) | 231 | 54.6 | (44.2 - 64.6) | 102 | 48.4 | (37.5 - 59.5) | 127 |
| 7th | 46.9 | (39.4 - 54.6) | 305 | 47.9 | (38.1 - 57.9) | 155 | 46.6 | (36.8 - 56.6) | 146 |
| 8th | 45.2 | (32.5 - 58.5) | 201 | 46.4 | (35.5 - 57.6) | 106 | 45.0 | (27.5 - 63.7) | 93 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 45.1 | (33.6 - 57.2) | 98 | 49.5 | (34.5 - 64.7) | 44 | 41.2 | (27.3 - 56.8) | 54 |
| Hispanic/Latino | 43.7 | (31.3 - 57.0) | 71 | 31.8 | (16.1 - 53.3) | 32 | 54.4 | (37.7 - 70.2) | 38 |
| White* | 47.6 | (41.0 - 54.2) | 411 | 49.2 | (41.6 - 56.9) | 200 | 46.5 | (37.3 - 56.0) | 208 |
| All other races* | 63.2 | (43.8 - 79.1) | 38 | - | - | 22 | - | - | 16 |
| Multiple races* | 47.2 | (30.6 - 64.4) | 54 | - | - | 29 | - | - | 24 |

Note: 151 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN71: Percentage of students who reported that their family was often or sometimes worried that their food money would run out before they got money to buy more (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 15.1 | (11.9 - 19.0) | 738 | 11.8 | (8.3 - 16.5) | 366 | 18.5 | (13.6 - 24.6) | 365 |
| Age | | | | | | | | | |
| 11 or younger | 16.5 | (11.7 - 22.6) | 180 | 17.7 | (10.4 - 28.5) | 78 | 15.6 | (10.1 - 23.3) | 101 |
| 12 | 13.2 | (8.7 - 19.6) | 297 | 10.4 | (5.8 - 17.9) | 149 | 15.7 | (9.7 - 24.3) | 145 |
| 13 | 12.8 | (7.7 - 20.6) | 204 | 7.7 | (3.3 - 16.8) | 105 | 17.8 | (9.1 - 32.0) | 97 |
| 14 or older | 25.8 | (14.8 - 41.0) | 54 | 14.7 | (4.2 - 40.3) | 32 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 16.0 | (11.1 - 22.5) | 235 | 17.0 | (10.6 - 26.2) | 105 | 15.3 | (10.3 - 22.2) | 128 |
| 7th | 13.8 | (9.0 - 20.6) | 300 | 10.0 | (5.8 - 16.7) | 153 | 16.6 | (9.6 - 27.1) | 143 |
| 8th | 15.5 | (9.6 - 24.1) | 199 | 8.8 | (3.4 - 21.2) | 104 | 23.1 | (13.3 - 37.1) | 94 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 22.1 | (13.6 - 33.8) | 96 | 13.5 | (4.5 - 34.1) | 45 | 30.2 | (15.8 - 50.1) | 51 |
| Hispanic/Latino | 20.3 | (12.3 - 31.6) | 70 | 16.1 | (6.0 - 36.9) | 31 | 23.5 | (12.9 - 38.8) | 39 |
| White* | 13.4 | (9.7 - 18.3) | 410 | 9.9 | (6.4 - 15.0) | 198 | 16.3 | (11.1 - 23.2) | 210 |
| All other races* | 12.6 | (5.0 - 28.4) | 37 | - | - | 22 | - | - | 15 |
| Multiple races* | 13.2 | (6.6 - 24.7) | 54 | - | - | 29 | - | - | 24 |

Note: 151 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN72: Percentage of students who reported that often or sometimes the food their family bought did not last and they did not have money to get more (during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 12.0 | (9.5 - 14.9) | 732 | 8.6 | (5.8 - 12.5) | 360 | 15.1 | (11.1 - 20.3) | 364 |
| Age | | | | | | | | | |
| 11 or younger | 13.2 | (8.8 - 19.4) | 175 | 11.2 | (5.4 - 21.5) | 73 | 15.1 | (9.2 - 23.8) | 101 |
| 12 | 9.5 | (6.3 - 13.9) | 295 | 9.4 | (5.0 - 17.0) | 148 | 9.8 | (5.6 - 16.5) | 144 |
| 13 | 10.1 | (6.6 - 15.3) | 204 | 5.5 | (2.4 - 11.9) | 105 | 14.6 | (8.0 - 25.2) | 97 |
| 14 or older | 22.7 | (13.5 - 35.8) | 55 | 8.6 | (2.4 - 26.9) | 32 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 12.5 | (8.6 - 17.8) | 229 | 12.3 | (7.0 - 20.7) | 100 | 12.9 | (7.8 - 20.7) | 127 |
| 7th | 8.9 | (5.8 - 13.5) | 300 | 5.0 | (2.1 - 11.5) | 153 | 12.7 | (7.7 - 20.2) | 143 |
| 8th | 13.7 | (9.5 - 19.3) | 199 | 7.7 | (3.5 - 16.1) | 103 | 19.4 | (11.4 - 31.2) | 94 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 25.0 | (17.5 - 34.5) | 97 | 23.9 | (11.7 - 42.8) | 45 | 26.0 | (16.1 - 39.1) | 52 |
| Hispanic/Latino | 9.2 | (3.1 - 24.6) | 69 | 13.6 | (4.1 - 36.4) | 31 | 5.8 | (1.5 - 20.1) | 38 |
| White* | 9.4 | (6.5 - 13.5) | 406 | 4.3 | (2.2 - 8.4) | 194 | 13.5 | (8.7 - 20.5) | 209 |
| All other races* | 9.9 | (3.7 - 23.9) | 36 | - | - | 21 | - | - | 15 |
| Multiple races* | 11.0 | (4.6 - 24.0) | 53 | - | - | 28 | - | - | 24 |

Note: 160 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN73: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 31.0 | (26.2 - 36.2) | 716 | 29.8 | (24.1 - 36.2) | 357 | 32.3 | (24.9 - 40.6) | 353 |
| Age | | | | | | | | | |
| 11 or younger | 20.0 | (15.0 - 26.2) | 172 | 23.0 | (14.9 - 33.9) | 74 | 17.7 | (12.6 - 24.2) | 97 |
| 12 | 27.4 | (20.6 - 35.4) | 289 | 26.1 | (17.8 - 36.5) | 146 | 29.3 | (21.9 - 38.0) | 141 |
| 13 | 36.3 | (27.4 - 46.3) | 199 | 31.1 | (21.6 - 42.7) | 103 | 41.1 | (26.6 - 57.5) | 94 |
| 14 or older | 50.9 | (36.5 - 65.0) | 53 | 46.5 | (28.4 - 65.7) | 32 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 20.7 | (15.7 - 26.8) | 226 | 23.3 | (15.5 - 33.5) | 100 | 18.7 | (12.9 - 26.3) | 124 |
| 7th | 27.8 | (21.5 - 35.3) | 294 | 26.6 | (18.4 - 36.9) | 151 | 29.8 | (23.1 - 37.6) | 140 |
| 8th | 42.4 | (33.0 - 52.4) | 192 | 37.1 | (26.3 - 49.3) | 102 | 47.6 | (30.5 - 65.2) | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 52.5 | (41.7 - 63.0) | 90 | 58.7 | (42.0 - 73.7) | 44 | 46.0 | (28.1 - 65.1) | 46 |
| Hispanic/Latino | 35.8 | (22.6 - 51.4) | 68 | 34.1 | (19.2 - 52.9) | 30 | 37.0 | (20.5 - 57.3) | 38 |
| White* | 24.3 | (19.0 - 30.4) | 402 | 20.3 | (14.7 - 27.5) | 195 | 28.5 | (20.9 - 37.5) | 205 |
| All other races* | 29.6 | (16.2 - 47.8) | 36 | - | - | 22 | - | - | 14 |
| Multiple races* | 43.3 | (29.0 - 58.7) | 52 | - | - | 28 | - | - | 24 |

Note: 160 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN74: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 14.7 | (11.7 - 18.4) | 713 | 14.2 | (10.8 - 18.4) | 354 | 15.1 | (10.9 - 20.6) | 353 |
| Age | | | | | | | | | |
| 11 or younger | 8.0 | (4.6 - 13.7) | 171 | 9.0 | (3.7 - 20.4) | 72 | 7.3 | (4.1 - 12.7) | 98 |
| 12 | 16.0 | (11.8 - 21.5) | 290 | 16.9 | (11.7 - 23.9) | 146 | 15.4 | (9.8 - 23.4) | 142 |
| 13 | 14.7 | (8.4 - 24.4) | 196 | 9.9 | (5.3 - 17.6) | 102 | 18.7 | (9.3 - 34.1) | 92 |
| 14 or older | 24.6 | (13.6 - 40.4) | 53 | 23.6 | (11.1 - 43.5) | 32 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 9.8 | (6.4 - 14.7) | 225 | 10.6 | (5.5 - 19.5) | 98 | 9.2 | (5.5 - 15.0) | 125 |
| 7th | 15.0 | (10.9 - 20.3) | 296 | 15.0 | (10.2 - 21.5) | 152 | 15.4 | (9.8 - 23.5) | 141 |
| 8th | 18.7 | (12.6 - 26.8) | 188 | 15.9 | (10.2 - 24.0) | 100 | 20.7 | (12.1 - 33.1) | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 22.3 | (15.9 - 30.3) | 92 | 21.0 | (11.4 - 35.3) | 45 | 23.6 | (14.4 - 36.3) | 47 |
| Hispanic/Latino | 12.3 | (6.1 - 23.3) | 69 | 14.4 | (5.4 - 33.0) | 30 | 10.7 | (3.6 - 27.5) | 39 |
| White* | 12.9 | (9.2 - 17.7) | 397 | 10.7 | (6.9 - 16.3) | 191 | 15.1 | (9.5 - 23.2) | 204 |
| All other races* | 11.3 | (4.1 - 27.5) | 36 | - | - | 22 | - | - | 14 |
| Multiple races* | 16.5 | (7.3 - 33.1) | 50 | - | - | 27 | - | - | 23 |

Note: 179 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN75: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 79.1 | (74.8 - 82.8) | 707 | 81.3 | (75.1 - 86.3) | 351 | 76.8 | (70.3 - 82.3) | 349 |
| Age | | | | | | | | | |
| 11 or younger | 87.8 | (81.0 - 92.4) | 168 | 92.3 | (82.9 - 96.8) | 71 | 85.2 | (77.6 - 90.6) | 96 |
| 12 | 79.2 | (73.6 - 83.8) | 285 | 77.9 | (68.4 - 85.2) | 143 | 80.0 | (72.6 - 85.8) | 139 |
| 13 | 77.7 | (70.4 - 83.6) | 199 | 81.0 | (70.5 - 88.4) | 104 | 74.3 | (62.6 - 83.3) | 93 |
| 14 or older | 63.1 | (49.8 - 74.7) | 52 | 74.2 | (54.4 - 87.3) | 31 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 85.8 | (79.0 - 90.7) | 222 | 87.7 | (77.2 - 93.7) | 97 | 84.8 | (76.8 - 90.4) | 123 |
| 7th | 77.5 | (73.6 - 81.0) | 289 | 78.8 | (70.2 - 85.3) | 151 | 76.1 | (68.3 - 82.5) | 134 |
| 8th | 75.3 | (66.1 - 82.7) | 194 | 79.9 | (67.5 - 88.3) | 101 | 70.0 | (55.8 - 81.3) | 92 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 70.9 | (55.6 - 82.6) | 91 | 69.3 | (51.7 - 82.6) | 44 | 72.6 | (51.5 - 86.9) | 47 |
| Hispanic/Latino | 74.5 | (64.0 - 82.8) | 69 | 79.9 | (63.9 - 90.0) | 30 | 70.7 | (57.4 - 81.2) | 39 |
| White* | 81.2 | (75.9 - 85.5) | 394 | 82.3 | (73.7 - 88.5) | 190 | 80.3 | (72.4 - 86.3) | 202 |
| All other races* | 79.2 | (62.8 - 89.6) | 35 | - | - | 21 | - | - | 14 |
| Multiple races* | 75.1 | (60.4 - 85.6) | 51 | - | - | 27 | - | - | 23 |

Note: 179 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN76: Percentage of students who reported that their parents would feel it would be wrong or very wrong for them to drink beer, wine, or hard liquor at least once or twice a month (such as vodka, whiskey, or gin)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 86.9 | (83.0 - 90.0) | 697 | 86.6 | (81.1 - 90.8) | 344 | 87.0 | (81.3 - 91.1) | 347 |
| Age | | | | | | | | | |
| 11 or younger | 90.9 | (82.7 - 95.4) | 167 | 86.6 | (75.6 - 93.1) | 69 | 94.3 | (85.1 - 98.0) | 97 |
| 12 | 88.0 | (83.2 - 91.6) | 282 | 89.8 | (81.7 - 94.5) | 141 | 85.9 | (77.7 - 91.5) | 139 |
| 13 | 84.2 | (76.8 - 89.6) | 195 | 84.4 | (71.6 - 92.1) | 102 | 83.7 | (72.7 - 90.8) | 91 |
| 14 or older | 82.0 | (71.1 - 89.4) | 50 | 83.6 | (67.0 - 92.7) | 30 | - | - | 20 |
| Grade | | | | | | | | | |
| 6th | 91.7 | (85.9 - 95.2) | 219 | 88.2 | (79.9 - 93.3) | 94 | 94.7 | (88.1 - 97.8) | 124 |
| 7th | 86.3 | (81.0 - 90.3) | 286 | 88.3 | (79.6 - 93.6) | 148 | 83.6 | (75.3 - 89.5) | 134 |
| 8th | 83.7 | (75.6 - 89.5) | 190 | 84.7 | (72.4 - 92.1) | 100 | 82.5 | (70.4 - 90.3) | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 91.3 | (84.0 - 95.4) | 90 | 91.6 | (76.5 - 97.3) | 44 | 90.9 | (80.3 - 96.1) | 46 |
| Hispanic/Latino | 93.2 | (84.4 - 97.2) | 66 | - | - | 27 | 92.4 | (78.6 - 97.6) | 39 |
| White* | 84.5 | (79.2 - 88.7) | 394 | 85.7 | (77.8 - 91.1) | 191 | 83.3 | (74.7 - 89.3) | 201 |
| All other races* | 91.4 | (76.1 - 97.3) | 36 | - | - | 22 | - | - | 14 |
| Multiple races* | 89.0 | (72.1 - 96.2) | 51 | - | - | 27 | - | - | 23 |

Note: 195 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN77: Percentage of students who think people are at moderate or great risk of harming themselves (physically or in other ways) if they have one or two drinks of alcohol nearly every day (beer, wine, or liquor)

| Total | | Male | | | Female | | | |
|------------|--|--|--|---|---|---|---|---|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 68.5 | (64.2 - 72.5) | 681 | 65.0 | (59.8 - 69.9) | 339 | 72.1 | (65.9 - 77.5) | 337 |
| | | | | | | | | |
| 74.3 | (66.7 - 80.6) | 161 | 71.8 | (62.1 - 79.8) | 68 | 76.0 | (65.3 - 84.2) | 92 |
| 64.3 | (57.2 - 70.9) | 271 | 61.6 | (54.0 - 68.6) | 138 | 66.9 | (55.9 - 76.3) | 131 |
| 71.6 | (64.3 - 77.9) | 197 | 63.8 | (53.7 - 72.7) | 101 | 80.6 | (70.1 - 88.1) | 94 |
| 59.0 | (45.9 - 70.9) | 50 | 69.2 | (48.1 - 84.5) | 30 | - | - | 20 |
| | | | | | | | | |
| 72.3 | (65.8 - 77.9) | 211 | 68.1 | (60.6 - 74.8) | 93 | 75.7 | (67.4 - 82.5) | 117 |
| 64.5 | (58.0 - 70.5) | 279 | 62.7 | (56.9 - 68.2) | 145 | 65.6 | (54.4 - 75.2) | 131 |
| 69.1 | (61.2 - 76.1) | 188 | 65.3 | (54.6 - 74.6) | 98 | 74.3 | (62.2 - 83.6) | 89 |
| | | | | | | | | |
| 66.4 | (54.8 - 76.3) | 89 | 62.2 | (46.7 - 75.5) | 44 | 70.8 | (55.2 - 82.7) | 45 |
| 68.0 | (54.3 - 79.1) | 63 | - | · - | 26 | 61.9 | (43.1 - 77.7) | 37 |
| 68.2 | (62.6 - 73.3) | 385 | 63.1 | (56.0 - 69.7) | 184 | 72.8 | (65.2 - 79.3) | 199 |
| 72.8 | (53.0 - 86.4) | 36 | - | · - | 22 | - | - | 14 |
| 74.6 | (59.4 - 85.5) | 49 | - | - | 27 | - | - | 21 |
| | 68.5 74.3 64.3 71.6 59.0 72.3 64.5 69.1 66.4 68.0 68.2 72.8 | Percentage 95% confidence interval 68.5 (64.2 - 72.5) 74.3 (66.7 - 80.6) 64.3 (57.2 - 70.9) 71.6 (64.3 - 77.9) 59.0 (45.9 - 70.9) 72.3 (65.8 - 77.9) 64.5 (58.0 - 70.5) 69.1 (61.2 - 76.1) 66.4 (54.8 - 76.3) 68.0 (54.3 - 79.1) 68.2 (62.6 - 73.3) 72.8 (53.0 - 86.4) | Percentage 95% N confidence interval 68.5 (64.2 - 72.5) 681 74.3 (66.7 - 80.6) 161 64.3 (57.2 - 70.9) 271 71.6 (64.3 - 77.9) 197 59.0 (45.9 - 70.9) 50 72.3 (65.8 - 77.9) 211 64.5 (58.0 - 70.5) 279 69.1 (61.2 - 76.1) 188 66.4 (54.8 - 76.3) 89 68.0 (54.3 - 79.1) 63 68.2 (62.6 - 73.3) 385 72.8 (53.0 - 86.4) 36 | Percentage 95% confidence interval N Percentage 68.5 (64.2 - 72.5) 681 65.0 74.3 (66.7 - 80.6) 161 71.8 64.3 (57.2 - 70.9) 271 61.6 71.6 (64.3 - 77.9) 197 63.8 59.0 (45.9 - 70.9) 50 69.2 72.3 (65.8 - 77.9) 211 68.1 64.5 (58.0 - 70.5) 279 62.7 69.1 (61.2 - 76.1) 188 65.3 66.4 (54.8 - 76.3) 89 62.2 68.0 (54.3 - 79.1) 63 - 68.2 (62.6 - 73.3) 385 63.1 72.8 (53.0 - 86.4) 36 - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval 68.5 (64.2 - 72.5) 681 65.0 (59.8 - 69.9) 74.3 (66.7 - 80.6) 161 71.8 (62.1 - 79.8) 64.3 (57.2 - 70.9) 271 61.6 (54.0 - 68.6) 71.6 (64.3 - 77.9) 197 63.8 (53.7 - 72.7) 59.0 (45.9 - 70.9) 50 69.2 (48.1 - 84.5) 72.3 (65.8 - 77.9) 211 68.1 (60.6 - 74.8) 64.5 (58.0 - 70.5) 279 62.7 (56.9 - 68.2) 69.1 (61.2 - 76.1) 188 65.3 (54.6 - 74.6) 66.4 (54.8 - 76.3) 89 62.2 (46.7 - 75.5) 68.0 (54.3 - 79.1) 63 - - 68.2 (62.6 - 73.3) 385 63.1 (56.0 - 69.7) 72.8 (53.0 - 86.4) 36 - - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N 68.5 (64.2 - 72.5) 681 65.0 (59.8 - 69.9) 339 74.3 (66.7 - 80.6) 161 71.8 (62.1 - 79.8) 68 64.3 (57.2 - 70.9) 271 61.6 (54.0 - 68.6) 138 71.6 (64.3 - 77.9) 197 63.8 (53.7 - 72.7) 101 59.0 (45.9 - 70.9) 50 69.2 (48.1 - 84.5) 30 72.3 (65.8 - 77.9) 211 68.1 (60.6 - 74.8) 93 64.5 (58.0 - 70.5) 279 62.7 (56.9 - 68.2) 145 69.1 (61.2 - 76.1) 188 65.3 (54.6 - 74.6) 98 66.4 (54.8 - 76.3) 89 62.2 (46.7 - 75.5) 44 68.0 (54.3 - 79.1) 63 - - 26 68.2 (62.6 - 73.3) 385 63.1 (56.0 - 69.7) 184 | Percentage 95% confidence interval N Percentage confidence confidence interval N Percentage confidence confidence interval 68.5 (64.2 - 72.5) 681 65.0 (59.8 - 69.9) 339 72.1 74.3 (66.7 - 80.6) 161 71.8 (62.1 - 79.8) 68 76.0 64.3 (57.2 - 70.9) 271 61.6 (54.0 - 68.6) 138 66.9 71.6 (64.3 - 77.9) 197 63.8 (53.7 - 72.7) 101 80.6 59.0 (45.9 - 70.9) 50 69.2 (48.1 - 84.5) 30 - 72.3 (65.8 - 77.9) 211 68.1 (60.6 - 74.8) 93 75.7 64.5 (58.0 - 70.5) 279 62.7 (56.9 - 68.2) 145 65.6 69.1 (61.2 - 76.1) 188 65.3 (54.6 - 74.6) 98 74.3 66.4 (54.8 - 76.3) 89 62.2 (46.7 - 75.5) 44 70.8 68.0 (54.3 - 79.1) 63 - | Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 68.5 (64.2 - 72.5) 681 65.0 (59.8 - 69.9) 339 72.1 (65.9 - 77.5) 74.3 (66.7 - 80.6) 161 71.8 (62.1 - 79.8) 68 76.0 (65.3 - 84.2) 64.3 (57.2 - 70.9) 271 61.6 (54.0 - 68.6) 138 66.9 (55.9 - 76.3) 71.6 (64.3 - 77.9) 197 63.8 (53.7 - 72.7) 101 80.6 (70.1 - 88.1) 59.0 (45.9 - 70.9) 50 69.2 (48.1 - 84.5) 30 - - 72.3 (65.8 - 77.9) 211 68.1 (60.6 - 74.8) 93 75.7 (67.4 - 82.5) 64.5 (58.0 - 70.5) 279 62.7 (56.9 - 68.2) 145 65.6 (54.4 - 75.2) 69.1 (61.2 - 76.1) 188 65.3 (54.6 - 74.6) 98 74.3 (62.2 - 83.6) 68.0 (54.3 - 79.1) 63 |

Note: 195 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN78: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol once or twice a week (beer, wine, or liquor)

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 72.7 | (68.7 - 76.4) | 672 | 69.8 | (63.9 - 75.0) | 336 | 75.5 | (68.5 - 81.4) | 331 |
| Age | | | | | | | | | |
| 11 or younger | 75.5 | (67.7 - 81.9) | 160 | 74.4 | (63.4 - 82.9) | 67 | 76.0 | (63.1 - 85.5) | 92 |
| 12 | 69.0 | (63.5 - 74.1) | 267 | 67.9 | (58.2 - 76.3) | 136 | 69.7 | (59.1 - 78.5) | 129 |
| 13 | 75.6 | (68.9 - 81.2) | 194 | 70.9 | (58.9 - 80.5) | 100 | 80.1 | (68.1 - 88.4) | 92 |
| 14 or older | 69.6 | (56.1 - 80.4) | 49 | 65.3 | (52.3 - 76.4) | 31 | - | - | 18 |
| Grade | | | | | | | | | |
| 6th | 74.2 | (67.1 - 80.2) | 209 | 73.0 | (63.3 - 80.9) | 91 | 74.9 | (61.5 - 84.8) | 117 |
| 7th | 69.9 | (65.2 - 74.2) | 275 | 68.6 | (59.7 - 76.2) | 143 | 70.6 | (60.8 - 78.9) | 129 |
| 8th | 74.8 | (67.0 - 81.3) | 185 | 69.8 | (58.6 - 79.1) | 99 | 80.3 | (65.5 - 89.8) | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 68.0 | (55.5 - 78.4) | 84 | 60.5 | (43.5 - 75.4) | 43 | 76.7 | (61.8 - 87.0) | 41 |
| Hispanic/Latino | 84.1 | (70.6 - 92.2) | 64 | - | · - | 26 | 84.5 | (64.4 - 94.3) | 38 |
| White* | 72.4 | (67.5 - 76.8) | 383 | 69.7 | (62.0 - 76.4) | 184 | 74.9 | (65.5 - 82.4) | 197 |
| All other races* | 73.0 | (52.5 - 86.8) | 36 | - | - | 22 | - | - | 14 |
| Multiple races* | 75.9 | (61.4 - 86.2) | 47 | - | - | 26 | - | - | 20 |

Note: 220 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN79: Percentage of students who reported that a parent or other adult in their home most of the time or always swore at them, insulted them, or put them down (during their life)

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.2 | (10.4 - 16.6) | 683 | 7.8 | (5.5 - 11.1) | 339 | 18.3 | (13.6 - 24.3) | 337 |
| Age | | | | | | | | | |
| 11 or younger | 12.4 | (8.2 - 18.3) | 160 | 7.3 | (3.5 - 14.5) | 68 | 16.6 | (9.8 - 26.9) | 92 |
| 12 | 11.1 | (7.6 - 16.1) | 273 | 8.6 | (5.3 - 13.6) | 137 | 13.7 | (7.7 - 23.1) | 133 |
| 13 | 13.9 | (8.6 - 21.7) | 198 | 6.4 | (3.0 - 13.0) | 102 | 21.6 | (12.8 - 34.1) | 94 |
| 14 or older | 19.5 | (11.4 - 31.2) | 49 | 10.1 | (3.1 - 28.5) | 30 | - | - | 18 |
| Grade | | | | | | | | | |
| 6th | 11.8 | (8.5 - 16.0) | 212 | 8.7 | (4.5 - 15.9) | 93 | 14.7 | (8.7 - 23.9) | 118 |
| 7th | 10.9 | (8.2 - 14.5) | 280 | 7.9 | (5.4 - 11.4) | 145 | 13.3 | (8.5 - 20.4) | 131 |
| 8th | 16.0 | (10.3 - 24.2) | 188 | 6.6 | (2.7 - 15.0) | 98 | 26.0 | (16.7 - 38.0) | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 16.3 | (9.1 - 27.5) | 88 | 10.7 | (4.2 - 24.5) | 44 | 22.5 | (12.2 - 37.7) | 44 |
| Hispanic/Latino | 13.5 | (5.6 - 29.1) | 66 | - | - | 26 | 17.0 | (7.5 - 33.9) | 40 |
| White* | 12.4 | (9.2 - 16.4) | 388 | 7.2 | (4.3 - 11.6) | 188 | 16.7 | (11.4 - 24.0) | 197 |
| All other races* | 21.4 | (7.6 - 47.2) | 34 | - | - | 20 | - | - | 14 |
| Multiple races* | 13.5 | (5.7 - 28.8) | 47 | - | - | 26 | - | - | 20 |

Note: 220 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN80: Percentage of students who ever lived with someone who was having a problem with alcohol or drug use

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 22.8 | (18.9 - 27.3) | 672 | 18.0 | (13.7 - 23.4) | 334 | 28.4 | (22.3 - 35.4) | 330 |
| Age | | | | | | | | | |
| 11 or younger | 21.0 | (15.7 - 27.6) | 160 | 19.3 | (11.1 - 31.4) | 69 | 22.7 | (14.6 - 33.6) | 90 |
| 12 | 21.4 | (15.7 - 28.5) | 270 | 19.4 | (12.8 - 28.4) | 137 | 23.6 | (16.3 - 32.9) | 130 |
| 13 | 23.7 | (16.8 - 32.2) | 193 | 14.8 | (9.0 - 23.2) | 98 | 33.6 | (21.0 - 49.0) | 93 |
| 14 or older | 28.7 | (18.3 - 41.9) | 46 | - | - | 28 | - | - | 17 |
| Grade | | | | | | | | | |
| 6th | 20.5 | (15.4 - 26.8) | 209 | 19.8 | (12.2 - 30.3) | 92 | 21.7 | (14.4 - 31.3) | 115 |
| 7th | 23.3 | (16.4 - 32.0) | 279 | 19.5 | (11.9 - 30.2) | 146 | 27.9 | (19.2 - 38.6) | 129 |
| 8th | 24.2 | (18.0 - 31.7) | 182 | 15.1 | (9.5 - 23.1) | 94 | 35.3 | (24.2 - 48.2) | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.5 | (10.0 - 28.8) | 87 | 16.3 | (8.1 - 30.0) | 44 | 18.8 | (8.1 - 37.8) | 43 |
| Hispanic/Latino | 19.1 | (11.5 - 30.0) | 64 | - | - | 27 | 17.8 | (9.4 - 30.9) | 37 |
| White* | 24.5 | (19.6 - 30.2) | 387 | 17.2 | (12.0 - 24.0) | 187 | 32.4 | (24.6 - 41.3) | 197 |
| All other races* | 13.1 | (4.9 - 30.5) | 34 | - | - | 21 | - | - | 13 |
| Multiple races* | 34.1 | (22.1 - 48.5) | 46 | - | - | 25 | - | - | 20 |

Note: 220 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN81: Percentage of students who ever lived with someone who was depressed, mentally ill, or suicidal

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 27.6 | (23.9 - 31.6) | 661 | 21.1 | (17.1 - 25.7) | 325 | 33.8 | (27.7 - 40.5) | 330 |
| Age | | | | | | | | | |
| 11 or younger | 25.6 | (19.1 - 33.5) | 157 | 22.3 | (13.4 - 34.7) | 67 | 28.4 | (18.2 - 41.5) | 90 |
| 12 | 24.6 | (18.9 - 31.3) | 265 | 20.3 | (14.3 - 28.1) | 132 | 28.2 | (21.0 - 36.7) | 130 |
| 13 | 25.9 | (19.4 - 33.6) | 191 | 12.0 | (8.1 - 17.6) | 96 | 40.1 | (28.0 - 53.6) | 93 |
| 14 or older | 49.1 | (35.7 - 62.6) | 46 | - | - | 28 | - | - | 17 |
| Grade | | | | | | | | | |
| 6th | 24.7 | (18.9 - 31.7) | 207 | 20.8 | (13.8 - 30.2) | 90 | 28.5 | (18.8 - 40.8) | 116 |
| 7th | 25.1 | (19.7 - 31.3) | 270 | 17.8 | (12.0 - 25.5) | 139 | 31.3 | (24.1 - 39.5) | 128 |
| 8th | 32.0 | (25.2 - 39.7) | 181 | 23.9 | (16.4 - 33.4) | 93 | 40.9 | (30.0 - 52.8) | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 25.4 | (18.1 - 34.5) | 84 | 13.4 | (6.2 - 26.6) | 42 | 39.0 | (25.1 - 54.9) | 42 |
| Hispanic/Latino | 21.6 | (14.3 - 31.3) | 66 | - | - | 27 | 29.3 | (18.2 - 43.5) | 39 |
| White* | 29.8 | (24.7 - 35.4) | 380 | 22.9 | (17.1 - 29.9) | 182 | 35.5 | (27.8 - 43.9) | 195 |
| All other races* | 13.5 | (5.0 - 31.6) | 33 | - | - | 19 | - | - | 14 |
| Multiple races* | 43.9 | (26.7 - 62.8) | 45 | - | - | 24 | - | - | 20 |

Note: 220 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN82: Percentage of students who have ever been separated from a parent or guardian because they went to jail, prison, or a detention center

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.2 | (10.6 - 16.4) | 660 | 12.6 | (9.1 - 17.2) | 328 | 14.3 | (10.4 - 19.3) | 324 |
| Age | | | | | | | | | |
| 11 or younger | 12.4 | (7.9 - 18.9) | 160 | 14.4 | (7.0 - 27.2) | 67 | 11.0 | (5.7 - 20.0) | 92 |
| 12 | 10.4 | (7.4 - 14.4) | 263 | 12.6 | (8.0 - 19.5) | 134 | 8.2 | (4.1 - 15.6) | 126 |
| 13 | 14.7 | (10.4 - 20.5) | 187 | 9.3 | (5.1 - 16.4) | 96 | 20.9 | (12.5 - 32.9) | 89 |
| 14 or older | 18.5 | (9.8 - 32.1) | 47 | - | - | 29 | - | - | 17 |
| Grade | | | | | | | | | |
| 6th | 12.8 | (8.4 - 19.1) | 209 | 14.4 | (7.5 - 26.0) | 90 | 11.6 | (6.8 - 19.3) | 117 |
| 7th | 11.7 | (8.6 - 15.7) | 267 | 11.6 | (7.6 - 17.3) | 141 | 12.3 | (7.1 - 20.3) | 122 |
| 8th | 14.6 | (9.4 - 22.0) | 181 | 11.6 | (5.8 - 21.9) | 94 | 18.5 | (11.1 - 29.2) | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 25.4 | (16.4 - 37.3) | 83 | 26.0 | (14.5 - 42.0) | 43 | 24.8 | (12.7 - 43.0) | 40 |
| Hispanic/Latino | 7.9 | (3.2 - 18.1) | 65 | - | - | 27 | 8.4 | (2.9 - 22.1) | 38 |
| White* | 10.3 | (7.5 - 14.0) | 382 | 8.9 | (5.6 - 14.1) | 185 | 11.9 | (7.6 - 18.0) | 194 |
| All other races* | 9.0 | (2.7 - 26.6) | 31 | - | - | 20 | - | - | 11 |
| Multiple races* | 23.9 | (13.2 - 39.2) | 43 | - | - | 22 | - | - | 20 |

Note: 232 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN83: Percentage of students who have an adult outside of school they can talk to about things that are important to them

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 82.0 | (77.3 - 85.9) | 663 | 87.4 | (81.4 - 91.7) | 326 | 76.3 | (69.7 - 81.9) | 329 |
| Age | | | | | | | | | |
| 11 or younger | 88.5 | (80.5 - 93.4) | 159 | 93.3 | (85.7 - 97.0) | 65 | 84.5 | (73.6 - 91.4) | 93 |
| 12 | 82.6 | (77.4 - 86.8) | 261 | 89.6 | (83.6 - 93.6) | 132 | 75.6 | (66.5 - 82.8) | 126 |
| 13 | 78.1 | (69.6 - 84.8) | 193 | 84.0 | (73.0 - 91.0) | 98 | 72.1 | (61.5 - 80.8) | 93 |
| 14 or older | 76.9 | (61.1 - 87.5) | 47 | - | - | 29 | - | - | 17 |
| Grade | | | | | | | | | |
| 6th | 87.2 | (79.7 - 92.3) | 207 | 90.7 | (82.3 - 95.3) | 88 | 84.0 | (72.9 - 91.1) | 117 |
| 7th | 82.4 | (77.9 - 86.2) | 270 | 89.1 | (84.9 - 92.3) | 140 | 76.5 | (68.3 - 83.1) | 127 |
| 8th | 77.8 | (68.8 - 84.7) | 183 | 84.9 | (73.0 - 92.1) | 96 | 68.8 | (55.2 - 79.7) | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 73.7 | (55.7 - 86.2) | 82 | 76.3 | (48.8 - 91.6) | 40 | 70.8 | (53.1 - 83.9) | 42 |
| Hispanic/Latino | 80.2 | (67.5 - 88.8) | 66 | - | - | 27 | 77.8 | (61.9 - 88.3) | 39 |
| White* | 85.0 | (81.4 - 88.0) | 384 | 92.1 | (88.0 - 94.8) | 186 | 78.5 | (71.8 - 83.9) | 195 |
| All other races* | 76.9 | (51.7 - 91.2) | 34 | - | - | 21 | - | - | 13 |
| Multiple races* | 75.8 | (56.3 - 88.4) | 43 | - | - | 22 | - | - | 20 |

Note: 232 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN84: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 80.8 | (77.5 - 83.7) | 652 | 78.8 | (74.4 - 82.5) | 321 | 82.6 | (77.9 - 86.5) | 323 |
| Age | | | | | | | | | |
| 11 or younger | 86.2 | (79.0 - 91.2) | 155 | 82.0 | (72.0 - 89.0) | 65 | 89.4 | (79.3 - 94.9) | 89 |
| 12 | 80.6 | (75.3 - 85.0) | 256 | 80.6 | (73.3 - 86.2) | 128 | 80.7 | (73.2 - 86.5) | 125 |
| 13 | 77.9 | (73.5 - 81.7) | 191 | 76.3 | (68.2 - 82.9) | 97 | 79.0 | (71.6 - 84.9) | 92 |
| 14 or older | 79.9 | (66.9 - 88.6) | 47 | - | - | 29 | - | - | 17 |
| Grade | | | | | | | | | |
| 6th | 84.7 | (77.7 - 89.8) | 201 | 80.9 | (71.7 - 87.7) | 87 | 87.6 | (78.9 - 93.1) | 112 |
| 7th | 81.2 | (74.9 - 86.2) | 265 | 82.0 | (75.8 - 87.0) | 136 | 80.3 | (71.4 - 87.0) | 126 |
| 8th | 77.8 | (74.0 - 81.2) | 182 | 75.4 | (68.2 - 81.3) | 95 | 80.0 | (72.7 - 85.7) | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 73.1 | (59.1 - 83.6) | 80 | 63.9 | (43.8 - 80.1) | 38 | 82.5 | (64.3 - 92.5) | 42 |
| Hispanic/Latino | 68.9 | (55.6 - 79.7) | 65 | - | - | 26 | 69.2 | (52.9 - 81.8) | 39 |
| White* | 83.7 | (79.7 - 87.0) | 379 | 83.2 | (76.7 - 88.1) | 184 | 84.0 | (78.2 - 88.4) | 192 |
| All other races* | 75.5 | (61.2 - 85.7) | 32 | - | - | 19 | - | - | 13 |
| Multiple races* | 77.9 | (61.8 - 88.5) | 42 | - | - | 22 | - | - | 19 |

Note: 240 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN85: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 29.6 | (25.9 - 33.7) | 658 | 25.4 | (20.6 - 30.9) | 324 | 34.4 | (29.6 - 39.6) | 327 |
| Age | | | | | | | | | |
| 11 or younger | 34.1 | (22.6 - 47.8) | 157 | 35.2 | (19.3 - 55.2) | 66 | 33.7 | (22.1 - 47.5) | 90 |
| 12 | 25.4 | (20.5 - 30.9) | 260 | 19.9 | (14.5 - 26.7) | 130 | 30.5 | (23.0 - 39.3) | 128 |
| 13 | 32.3 | (26.6 - 38.5) | 191 | 24.7 | (18.2 - 32.5) | 97 | 41.0 | (32.6 - 50.0) | 92 |
| 14 or older | 22.0 | (12.0 - 36.8) | 47 | - | - | 29 | - | - | 17 |
| Grade | | | | | | | | | |
| 6th | 34.5 | (25.1 - 45.4) | 204 | 34.3 | (22.4 - 48.5) | 89 | 35.2 | (25.5 - 46.3) | 114 |
| 7th | 26.6 | (22.3 - 31.3) | 267 | 21.1 | (16.7 - 26.3) | 136 | 32.0 | (23.3 - 42.2) | 128 |
| 8th | 28.2 | (23.7 - 33.2) | 183 | 22.4 | (16.2 - 30.0) | 96 | 35.9 | (30.4 - 41.9) | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 27.6 | (18.7 - 38.7) | 81 | 24.3 | (11.3 - 44.5) | 39 | 31.1 | (19.0 - 46.6) | 42 |
| Hispanic/Latino | 26.4 | (16.6 - 39.3) | 65 | - | - | 26 | 19.9 | (9.6 - 36.8) | 39 |
| White* | 29.0 | (23.7 - 34.9) | 381 | 22.9 | (17.9 - 28.9) | 184 | 35.0 | (27.4 - 43.5) | 194 |
| All other races* | 35.6 | (21.3 - 53.0) | 34 | - | - | 21 | - | - | 13 |
| Multiple races* | 34.9 | (20.7 - 52.4) | 41 | - | - | 21 | - | - | 19 |

Note: 240 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QN86: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

| | Total | | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 57.6 | (53.6 - 61.6) | 655 | 61.9 | (56.7 - 66.9) | 322 | 53.3 | (46.5 - 60.1) | 326 | | |
| Age | | | | | | | | | | | |
| 11 or younger | 64.6 | (56.0 - 72.3) | 156 | 67.6 | (56.3 - 77.3) | 65 | 63.0 | (51.8 - 73.0) | 90 | | |
| 12 | 58.1 | (51.6 - 64.3) | 259 | 61.9 | (54.0 - 69.2) | 130 | 53.5 | (43.6 - 63.1) | 128 | | |
| 13 | 53.3 | (47.5 - 59.1) | 190 | 59.4 | (49.1 - 68.9) | 96 | 46.6 | (37.1 - 56.4) | 92 | | |
| 14 or older | 53.2 | (37.6 - 68.2) | 46 | - | - | 29 | - | - | 16 | | |
| Grade | | | | | | | | | | | |
| 6th | 66.0 | (57.5 - 73.7) | 204 | 67.3 | (56.7 - 76.4) | 88 | 65.3 | (53.3 - 75.6) | 114 | | |
| 7th | 54.0 | (47.1 - 60.7) | 265 | 62.7 | (55.9 - 69.0) | 135 | 44.7 | (34.9 - 55.0) | 128 | | |
| 8th | 54.6 | (49.4 - 59.7) | 182 | 58.7 | (50.3 - 66.6) | 96 | 49.8 | (39.8 - 59.8) | 84 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 67.2 | (57.3 - 75.7) | 81 | 73.2 | (55.6 - 85.6) | 39 | 60.8 | (46.5 - 73.5) | 42 | | |
| Hispanic/Latino | 57.2 | (46.6 - 67.2) | 65 | - | - | 26 | 51.2 | (37.5 - 64.8) | 39 | | |
| White* | 56.2 | (50.7 - 61.5) | 379 | 58.9 | (53.4 - 64.2) | 183 | 54.1 | (44.8 - 63.1) | 194 | | |
| All other races* | 63.0 | (41.5 - 80.3) | 34 | - | - | 21 | - | - | 13 | | |
| Multiple races* | 44.1 | (27.5 - 62.0) | 40 | - | - | 21 | - | - | 19 | | |

Note: 237 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.

Maryland Middle School Survey Saint Mary's County Summary Tables - Weighted Data

QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.1 | (0.5 - 2.2) | 788 | 1.4 | (0.6 - 3.5) | 390 | 0.7 | (0.2 - 2.2) | 390 |
| Age | | | | | | | | | |
| 11 or younger | 1.0 | (0.2 - 4.1) | 188 | 2.1 | (0.5 - 8.7) | 81 | 0.0 | - | 105 |
| 12 | 1.4 | (0.6 - 3.6) | 322 | 1.5 | (0.4 - 5.8) | 162 | 1.4 | (0.3 - 5.6) | 157 |
| 13 | 0.7 | (0.2 - 2.9) | 219 | 0.8 | (0.1 - 5.4) | 111 | 0.7 | (0.1 - 5.6) | 106 |
| 14 or older | 1.0 | (0.1 - 7.1) | 55 | 1.7 | (0.2 - 11.5) | 33 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 1.5 | (0.6 - 4.0) | 244 | 2.6 | (0.8 - 8.2) | 109 | 0.5 | (0.1 - 3.6) | 132 |
| 7th | 1.1 | (0.3 - 4.3) | 332 | 0.6 | (0.1 - 4.5) | 168 | 1.6 | (0.4 - 6.2) | 160 |
| 8th | 0.6 | (0.1 - 4.5) | 209 | 1.2 | (0.2 - 8.3) | 110 | 0.0 | - | 98 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 1.8 | (0.4 - 7.3) | 105 | 3.8 | (1.0 - 13.7) | 49 | 0.0 | - | 56 |
| Hispanic/Latino | 1.4 | (0.2 - 9.1) | 81 | 3.5 | (0.5 - 20.1) | 34 | 0.0 | - | 46 |
| White* | 0.4 | (0.1 - 1.6) | 427 | 0.4 | (0.0 - 2.7) | 206 | 0.4 | (0.1 - 3.0) | 219 |
| All other races* | 0.0 | - | 39 | - | - | 24 | - | - | 15 |
| Multiple races* | 3.4 | (0.8 - 13.9) | 57 | 4.1 | (0.5 - 25.8) | 30 | - | - | 26 |

Note: 237 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 30 students in this subgroup.